



Episerver Commerce

User Guide





© EpiServer 2019

EpiServer Commerce User Guide

Release date 2019-06-13

Table of contents

Introduction	9
Features, licenses and releases	9
Images and screenshots	10
Notes	11
Copyright notice	11
Roles and tasks	11
Visitor and customer	11
Community member and moderator	12
Recipient	12
Website owner	12
User	12
Administrator	13
Developer	13
What's new?	14
Release notes	14
Archived documentation	14
Getting started	15
Logging in	15
Accessing features	15
Navigation	15
Next steps	16
User interface	17
General features	18
Panels	19
Left-hand navigation pane	19
Right-hand assets pane	20
Editing	21
Real-time Updates	23
Network problems	23
WebSocket support	23
My settings	24

Add-ons	25
Shopping flow	26
Integrating with external systems	30
Catalogs	31
Catalog structure	31
Catalog meta-classes and meta-fields	31
Importing and exporting a catalog	32
When to import or export	32
Import and export methods	32
Importing or exporting catalog data	32
Importing a catalog using CSV files	34
Export of Commerce Catalog Data to Episerver Campaign	40
Browsing and searching catalogs	41
Browsing catalogs	41
Searching for catalog entries	42
Accessing products in CMS	43
Creating and editing a catalog	43
Deleting a catalog	44
Working with catalog entries	45
Creating a catalog entry	45
Types of catalog entries	47
Editing catalog entries	47
Catalog entry properties	54
Working with categories	64
Packages and bundles	72
Orders	76
Carts versus orders	76
Structure of orders	76
Order meta-classes and meta-fields	77
Browsing orders	77
Searching and viewing orders	77
Creating an order	79
Creating an order from order list	79
Creating an order within a contact	84
Order management screen	84
Accessing the Order management screen	85
Working with carts	85
Processing an order	91

Splitting a shipment	94
Setting up a payment plan	97
Editing, canceling, and deleting orders	100
Shipping and receiving	101
Creating a picklist	103
Completing a shipment	104
Removing items and deleting picklists	108
Shopping carts	108
Creating a shopping cart	108
Converting a shopping cart	109
Returns and exchanges	111
Initiating a return	111
Initiating an exchange order	115
Customers	118
Organizations	118
Contacts	118
Organizations	119
Browsing organizations	119
Creating or editing an organization	125
Deleting an organization	128
Adding dictionary values for an organization	129
Contacts	131
Browsing contacts	131
Creating a contact with an account	138
Editing or deleting a contact and account	142
Adding dictionary values for a contact	143
Roles and tasks	145
Visitor and customer	146
Community member and moderator	146
Recipient	146
Website owner	146
User	146
Administrator	147
Developer	147
Markets	148
How markets are used	148
Browsing markets	149
Creating or editing a market	149

Deleting a market	151
Marketing	152
Campaigns and discounts	152
Campaign view	153
Creating a campaign	156
Editing a campaign	159
Deleting a campaign	159
Discounts	159
Campaigns (Legacy)	199
Reporting	200
Commerce manager reports	200
Managing reports	201
Main menu reports	201
Sales By Day report (Beta)	201
Report information	202
Administration	203
System settings	203
Dictionaries	204
Logging	209
Common settings	211
Business foundation	212
Updating a catalog search index	237
Customizing the left menu	238
Catalog system administration	243
Warehouses	244
Tax categories	247
Catalog meta-classes and meta-fields	247
Order system administration	252
Payments	253
Shipping	261
Configuring taxes	267
Order meta-classes and meta-fields	271
Scheduled jobs	276
Subscription payment plans	276
Remove expired carts	276
Full search index	276
Incremental search index	276
Draft store migration	276
Find catalog URI conflicts	277
Shipment releasing	277

Rotate encryption keys	277
Export product feed	277
Maintain database indexes	277
Export product data to Episerver Campaign	278
Collect report data	278
Remove old Service API uploaded files and directories	278
Managing content	281
Catalog content	281
Catalogs gadget	283
Commerce-specific gadgets	284
Multiple language content	285
Personalized content	285
Find and best bets for catalog content	285
Managing languages in Commerce	285
Enabling a language for catalog content	286
Translating content for catalog entries	286
Switching language and viewing language versions	287
Editing global properties	287
Setting the user interface language	288
Commerce-specific criteria	288
Personalization examples	288
Commerce-specific criteria	289
How visitor groups are used	290
Commerce gadgets	290
Access rights	290
Managing users and groups	290
Groups and access rights	291
Customizing group access to functions	292
Controlling access to catalogs and categories	293
Example: Creating a user with access rights in CMS and Commerce	296
Access rights for the Episerver platform	297
Index	298


Introduction

Online help describes the features and functionality of the of the [Episerver Digital Experience platform](#), and covers CMS for content management, Commerce for e-commerce functionality, Campaign for omnichannel campaigns, Find for extended search, Insight for visitor profiles and customer segments, Perform and Reach for personalized product recommendations and Episerver add-ons.

You access the online help from within the Episerver platform or from [Episerver World](#). The online help is also available in PDF format for users who prefer PDF or want to print the documentation.

This PDF describes the features and functionality of Episerver Commerce which you can find on [Episerver World](#). Developer guides and technical documentation also are found on [Episerver World](#).

The user guide is intended for editors, administrators, marketers and merchandisers, working with tasks as described in Roles and tasks.



Features, licenses and releases

The user documentation is continuously updated and covers the latest releases for the Episerver platform.



Episerver CMS is the core part of the Episerver platform providing advanced content creation and publishing features for all types of website content. CMS features are available in all Episerver installations.



Episerver Commerce adds complete e-commerce capabilities to the core functionality in CMS. It requires a specific installation and license.



Episerver Campaign lets you orchestrate omnichannel campaigns from a single screen, and send triggered emails based on real-time behavior. Campaign requires additional license activation.



Episerver Find adds advanced search functionality to websites. It requires a specific installation and license.



Episerver Insight is a user interface for viewing and filtering visitor profiles, and creating customer segments that can be used in omnichannel marketing campaigns. It requires a specific installation and license.



Episerver Perform lets you create and configure a merchandising campaign with personalized product recommendations from the personalization portal. It requires a specific installation and license.



Episerver Reach lets you include personalized product recommendations in any email, including cart abandonment and retargeting emails, from the personalization portal. It requires a specific installation and license.



Add-ons extend the Episerver capabilities with features like advanced search, multi-variate testing, and social media integration. Some add-ons are free, others require license activation. Add-ons by Episerver are described in the online help.

Note: Due to frequent feature releases, this user guide may describe functionality that is not yet available on your website. See [What's new](#) to find out in which area and release a specific feature became available.

Images and screenshots

The Episerver user guide uses images and screenshots to visually guide you through the features of the Episerver platform. Due to different versions, continuous updates, and specific system permissions, images and screenshots may differ from the actual appearance.

Notes

Three types of notes are color marked throughout the user guide: tips, notes and warnings.

Tip: Green indicates information that helps you understand features, requirements or actions needed.

Note: Yellow indicates important information. If this information is ignored, errors of minor or medium severity may occur.

Warning: Red indicates warnings. If these warnings are ignored, serious errors will occur.

Copyright notice

© Episerver 1996–2019. All rights reserved.

All information and content within this document is the sole copyright of Episerver. Changes to the contents, or partial copying of the contents, may not be done without permission. The document may be freely distributed in its entirety, digitally or in printed format, to all users of Episerver Software. Episerver assumes no liability or responsibility for any errors or omissions in the content of this document. Episerver reserves the right to alter functionality and technical system requirements. Episerver is a registered trademark of [Episerver AB](#). Ektron is a registered trademark of [Episerver Inc.](#)

Roles and tasks

Episerver is designed for interaction with website visitors, and collaboration between users of the platform. In the following you find typical roles and related tasks used in scenarios in this documentation. See [Setting access rights in the CMS Administrator User Guide](#) to configure user groups and roles in Episerver.

Visitor and customer

A *visitor* is someone who visits a website to find information or to use services. If the website is an e-commerce site, the visitor can be a *customer* with purchasing intentions. Purchasing on an e-commerce website can be

done "anonymously" (payment and shipping details provided), or by registering an account. Visitors may also contribute to website content as community members, which usually requires registration of an account profile.

Community member and moderator

Content may be added by visitors or *community members*, if social features and community functionality are available for the website. This content includes forum and blog postings, reviews, ratings and comments, in which case there might be a need for monitoring this type of content on the website. Monitoring can be done by an editor, or a specific *moderator* role for large websites and online communities.

Recipient

A recipient is an individual who has opted-in to receive emails from a business, for example when purchasing from the website. Recipients and their associated data are managed in recipient lists, used for omnichannel marketing. Recipient actions such as clicking on links in an email, can be tracked and analyzed, providing input to website owners and users for further marketing actions.

Website owner

A *website owner* is someone with overall business and/or technical responsibility for the content and performance of one or more websites. May monitor website activities such as page conversions, customer reviews or sales progress. Rarely creates content but can be involved in the approval of content created by others. A website owner may also have administrative access, and be the owner of mailing clients used for organizing campaign mailings.

User

A *user* is someone who logs in to the Episerver user interface to work with different parts of the platform. Can belong to one or more user groups and roles, depending on which parts of the Episerver platform they use, their tasks, and the size and setup of the organization.

Content editor

A *content editor* is someone with access to the editorial interface who creates and publishes content on the website. Content editors with good knowledge of the website content work with search optimization for selected content in search results. Editors may also want to follow-up on content with unusually high or low conversion rate to update or delete this content.

Marketer

A *marketer* creates omnichannel campaigns and content with targeted banner advertisements to ensure that customers get a consistent on-site experience. Furthermore, the marketer monitors campaign KPIs to optimize page conversion. A marketer with good knowledge of the website content may also optimize search for campaigns, and promote content using personalization features.

Merchandiser

A *merchandiser* typically works with stock on an e-commerce website to ensure that the strongest products are put in focus. This role may create landing pages, enrich product content, set product pricing, coordinate cross-product selling, oversee delivery and distribution of stock, and deal with suppliers. May want to identify search queries with unusually high or low conversion rates, to adjust the search. May also work with product promotion using personalization features.

Administrator

An *administrator* works with configuration of various system settings from the administration user interface, including search, languages, personalization, and user access. Administrators usually have extended access rights compared to other user groups, and can access all parts of the Episerver platform. They may also have administration access to integrated 3rd party systems. The administrator may also be the contact person for communication with the developers maintaining the website.

Developer

A *developer* is someone with source code access and programming skills. Developers work with website configuration, implementation, maintenance and development of new functionality. They create the rendering templates for content and product catalogs, configure e-commerce settings, and manage indexing and customized search features. Developers may also install integrations and 3rd party extensions. Developers may be associated directly with the organization owning the website, or with an external partner company.

What's new?

This user guide describes functionality available in the latest release of a standard implementation of the Episerver platform software and services. New features are continuously made available, see [Episerver updates](#).

Note: Due to frequent feature releases, this user guide may describe functionality that is not yet available to you. Contact your system administrator for information about products and versions in your Episerver implementation.

This release of the Episerver User Guide describes features available in Episerver as of **June 13, 2019**, see release notes below for update history. See Archived documentation in the online version of the user guide for previously released user guides.

Release notes

Released	Area	Features and updates
June 13, 2019	CMS	An administrator can now require a review requester to add a comment when sending an item for review. See Managing approval sequences and Collaboration. (update 265)
	Campaign	The Episerver Campaign User Guide is now a section in the Episerver User Guide.
	Marketing Automation connectors	Support for multiple instances of a connector, to use for example in separate regions. See Episerver Pardot and Episerver Marketo. (update 244)

Archived documentation

If your Episerver implementation is not on the latest version, you can access previous versions of the Episerver User Guide under Archived documentation in the online version of the user guide.

Getting started

This topic describes how to log in to an Episerver website, access features and navigate the different views. The login procedure may be different from what is described here, depending on how your website and infrastructure are set up. The examples described here are based on a “standard” installation of Episerver with sample templates.


Logging in

As an editor or administrator, you usually log in to your website using a specified URL, a login button or link. Enter your user name and password in the Episerver login dialog, and click **Log In**.

Accessing features

What you are allowed to do after logging in depends on your implementation and your access rights, since these control the options you see. When logged in, the Episerver quick access menu appears in the upper right corner.

Selecting **CMS Edit** takes you to the edit view and other parts of the system. You can go directly to your personal dashboard by selecting the **Dashboard** option.



Navigation

Pull down the **global menu**, available at the very top, to navigate around. The menu displays the different products and systems integrated with your website. Select **CMS** (for example) to display available options in the submenu.



Note: Your menu options vary depending on your access rights. These user guide examples assume that the user has full permissions to all functions in Episerver.


Next steps

- The User interface and Roles and tasks topics describe the different parts of the user interface and the Episerver user roles.
- Creating content in the CMS Editor User Guide describes how to create content with images, blocks, links, and forms.
- Managing content in the CMS Editor User Guide describes how you can translate, preview, and compare content. It also describes how you can structure the website by moving, copying, and sorting pages etc in the page tree.
- For publishing and collaboration, see Working with versions and Controlling the publishing process in the CMS Editor User Guide.
- Administration interface in the CMS Administrator User Guide to administer and configure settings in Episerver.
- If you have Episerver Commerce installed, see the Commerce User Guide to work with e-commerce tasks.
- If you have Episerver Find installed, see the Find User Guide to work with search optimization.


User interface


Note: The Episerver user interface is flexible allowing developers to plug-in customized features when implementing websites. This description refers to a “standard installation” of Episerver without customizations.

The **toolbar** and the **panes** in the Episerver edit view provide easy access to functions when working with content. When entering the edit view, you have the global menu and the toolbar at the top, and adjustable panes to the left and right.




The **global menu** provides access to other areas of the Episerver platform. You can also access this user guide, your user settings and a global search from the global menu.


In some areas, you pull down the global menu with the arrow. Click the arrow  to make the global toolbar stick in place. Click the arrow again if you want to hide it.




The toolbar contains features like preview and view options, and lets you add items such as pages or blocks.



The page information area below the toolbar displays the page name, the path to the page and when it was last autosaved. If it is possible to undo the latest changes you did to the content, there is also an **Undo** link.




A notification toolbar may be displayed below the toolbar showing confirmation and error messages and such.



General features



- **Context-sensitive actions.** Some features are only available in certain context. The toolbar (for example) presents relevant actions depending on what you are currently doing, and the add (+) button also offers context-sensitive options.
- **Primary actions.** Some actions open in a new window, for example, a page delete confirmation. The background is then dimmed, meaning that you must finish the primary action to continue.
- **Action feedback and notifications.** Successful actions are confirmed by a message in the notification bar. A notification may also appear in case of an error requiring you to take action.
- **Drag-and-drop operations.** Drag-and-drop is supported in many areas. For example, you can drag pages, media files and blocks into the rich-text area or content areas, or re-arrange the page tree structure using drag-and-drop.
- **Tooltips.** Hover the mouse over a button or field and a short tooltip appears.
- **Keyboard commands.** Standard keyboard commands are supported in many areas, such as when you move pages in the page tree or in the rich-text editor.
- **Search.** Supported in many areas to locate, such as pages in the page tree or media in the folder structure.
- **Adaptable work environment.** Resize and pin the panes depending on what you are currently doing, and add and remove gadgets of your choice for quick access to functionality.
- **Support for time zones.** Publishing actions in the edit view are done in your local time zone, whereas administrative actions are based on server time.
- **Context menus** are available in many areas, such as in the panes, the page tree and in item listings. The menu displays different available options depending on where in the interface you are and what you are

doing.




Panes

The user interface has a left-hand and a right-hand pane, which can be adjusted and extended with additional gadgets.

-  **Pane pin** is used for expanding and locking the panes in an open position.
-  **Settings** for a pane or a gadget allow you to configure or remove a gadget, or rearrange gadgets in a pane.

Left-hand navigation pane

Contains the page tree structure (Pages), language branch (Sites) navigation, tasks management (Tasks), and project items (Project Items) by default.




Right-hand assets pane

Contains the Media and Blocks folder structures by default. Drag and drop one or multiple items from the assets pane into the content you are currently working on.

You can also drag and drop multiple items within the assets pane, and delete, cut or copy and paste them, from the context menu or with standard keyboard shortcuts. Any unselected children folders are also moved, copied or deleted.


Note: If you copy and paste multiple folders on different levels, they will be on the same level when pasted.



If you have Episerver Commerce or Episerver Forms installed, the assets pane also displays the Catalogs and Forms gadgets per default.

Editing

The toolbar on top displays an actions menu with context-sensitive publishing options which vary depending on content status and user access rights. During editing, content status and autosave information are displayed.



When working with content such as pages and blocks in CMS, or catalog content in Commerce, there are two editing views, **On-Page Editing** and **All Properties**, with buttons to switch between them.



On-Page Editing view provides quick access to direct editing of a selection of content properties.



All Properties view provides access to all available properties including more advanced ones such as access rights and language settings.

When editing content properties, these options are common when adding, deleting, or selecting items:



Click to select (a category, for example).




Click to select (an image in a media folder, or a page in the page tree).



Click to remove (a category, for example).

Real-time Updates

Episerver is by default set up to display project comments and changes to projects in the user interface immediately. If Episerver experiences problems with these immediate updates, the following dialog box appears.



The *Real-time Updates* dialog box can have two main reasons. It appears because Episerver has encountered a network problem and cannot connect to the web server, or because your system does not have the WebSocket protocol enabled, which is used for the real-time updates of the user interface.

Network problems

Network problems occur if there is an error in the web server configuration, or if there are problems with your corporate network or the with Internet connection. As long as there is a problem, you are unable to continue working with Episerver.

Whatever the reason, Episerver will try to reconnect to the web server. If it still cannot connect after a number of attempts, you get an error message saying: "The server has been unavailable for an extended period of time. Please verify the internet connection and refresh the browser."

Contact your IT department or Internet service provider if the problem persists.

WebSocket support

WebSocket is an Internet protocol used to automatically update the Episerver user interface.

If you are using the projects feature, the WebSocket protocol is used to check for new or updated comments and project items from other users. As soon as one of your colleagues adds a comment or project item, Episerver automatically updates your user interface and displays the comment or item (assuming you have the projects interface open).

However, the WebSocket protocol must be enabled for your system by an administrator for the real-time updates to work. If it was not enabled, you can still work with Episerver and with projects and comments but you need to manually refresh the user interface with the **Refresh** button to see new comments or items.

Depending on the system configuration when the WebSocket protocol is disabled, you may or may not see the *Real-time Updates* dialog box.

My settings

Under the [global menu](#) > *your user name* > **My settings**, you can change some of your account settings. User name and password are usually set in an external system, such as Windows or an SQL database, and cannot be changed in Episerver in that case.

In the **Display Options** tab, you find the following settings:

- **Personal language.** Select your desired user interface language from the drop-down. This settings affects the language of the user interface, such as texts in buttons and dialog boxes. It does not affect the language of your website.
- **Limit touch support.** On touch-screen devices, browsers may have difficulties prioritizing between input from the screen and from the mouse, which may cause problems such as making it impossible to resize panes using the mouse. If you experience problems with Episerver and the touch screen, enable the **Limit touch support** feature. This feature prioritizes mouse input over touch screen input and enables the mouse for interactions such as drag and drop, resizing of panes, and so on.

My Settings ?

User Information | **Display Options**

Language Settings

Personal Language: Use system language

Views

Limit touch support

Reset all views to system default. This will remove any customizations like added, deleted or moved gadgets and restore the panels to system default.

Reset Views


Save

- **Reset all views to system default.** You can reset your user interface views to the settings. If you have changes to the user interfaces, such as added, moved or deleted gadgets, these changes are undone and the default views are displayed.

Add-ons

An add-on is a plug-in or module, developed by Episerver or Episerver partners, to extend the capabilities of Episerver. A developer (or someone with administrative access rights) installs most add-ons. See [Episerver World](#) for installation, configuration, and customizing details for each add-on.

When they are installed on the website, you can add some of the add-ons as gadgets to the dashboard or to the [navigation](#) or [assets](#) panes in edit view.





Shopping flow


The two most common types of e-commerce websites are:

- **Business-to-Consumer (B2C)**: designed for selling goods and services to consumers.
- **Business-to-Business (B2B)**: used to build strategic relationships with other businesses, and to ease the supply and procurement processes that characterize trade among those organizations.

Sites can have multiple roles, and a single site can provide several functions. Episerver Commerce is a flexible platform allowing for seamless integration with external systems such as financial, CRM, inventory, warehouse, and customer service systems.

A typical B2C shopping flow involves a number of interactions between a site visitor, Episerver Commerce, and any integrated external system. You can automate the shopping flow so that it requires little manual attention. But if needed, you can monitor, access, and manually handle a purchase order from the **Orders** system.

The following example shows a B2C shopping flow and the actions and tasks involved.



1. Cart created.

In the shopping flow example, a customer does not need to register on the site to make a purchase. The order process starts when the visitor selects a product and adds it to a shopping cart. A cart (basket) is created and saved in the system, and is viewed in **Order Management > Carts**. If the customer does not complete the checkout procedure, the cart remains in the system for a specified time.

If the customer returns to the website, the cart is available for continued shopping. Already, in this early step, the system performs inventory and pricing checks for warehouse availability and discounts for products in the cart. These checks are updated if the customer returns to the cart.

2. Start checkout.

When the customer completes the purchase and proceeds to checkout, the first step of the checkout procedure is initiated.

3. **Add address.**

The shipping and billing address information is added together with the preferred type of delivery (First class, Express, and so on). An anonymous customer can add the address information manually; a registered and logged-in customer can populate the address information automatically. You can also set up the system to split shipments and ship to different addresses.

4. **Add payment.**

The payment is added to the purchase order-to-be. The system calculates the total, including purchase amount and shipping fee. The customer selects a payment method, such as credit card or PayPal. The payment is registered and verified. Payment can happen instantly or after a specified time, depending on how the payment process is set up and the solution type (B2C or B2B). You can also set up split payments, if the system is configured for this.

5. **Order created.**

Usually, the purchase order is created in the system when the payment is settled. In the last checkout step, a purchase order number is created, the customer confirms the purchase, and an order confirmation is sent to the customer. The shopping cart is converted to a purchase order, which is visible with status **In Progress** in **Order Management > Purchase Orders**.

6. **Order processing.**

After the order is created, order processing starts to check the warehouse and inventory status for the products in the order, and creates the actual shipment. Inventory status for the products may split the order into more than one shipment.

7. **Shipment released.**

After the shipment is verified, it is released. The purchase order now appears in **Order Management > Shipping/Receiving** with the status **Released for Shipping**.

8. **Add to picklist.**

Warehouse personnel use a picklist to create the physical shipping of the order's products, and produce a packing slip that is attached to the package.

9. **Order completed/shipped.**

After the system creates picklists with different orders and their respective packing slips, the order is set to **Completed** by creating a shipment validation number that is associated with a tracking number. You can enter the tracking number manually, or automatically if such an integration exists. The tracking number connects the physical package with the shipping provider for the delivery, and tracks the package on its way to the delivery address. The purchase order appears in **Order Management > Purchase Orders** again, with status **Completed**.

10. **Return/Exchanges.**

Only completed orders are subject to a return or exchange. You can create returns automatically or manually by replacing a delivered product with another one in exchange, or a payment refunds, or both. When

you create a return, it appears in **Order Management > Shipping/Receiving > Returns**. Order status may be **Awaiting Exchange**.

If the return involves replacement of a new product, the shipping procedure is initiated again. The return also may involve receiving a faulty product, in which case a receiving procedure is initiated involving the acknowledgment of a receiving receipt for the returned product.



Integrating with external systems

Episerver Commerce is a flexible platform built for integration with other business systems needed in an e-commerce environment. These systems are typically integrated with various parts of the shopping flow, for exchange of data with Episerver Commerce.

You can integrate the following business systems with Episerver Commerce.

- **Financial system:** Invoice management, payment refunds, and sales reporting.
- **CRM (Customer Relationship Management):** Customer profiles and contact information.
- **ERP (Enterprise Resource Planning):** Pricing, warehouses and inventories, customers, and so on.
- **PIM (Product Information Management):** Product details for output to different online and print channels.
- **DAM (Digital Asset Management):** Product-related assets, such as images and videos.
- **Payment gateways:** Payment solutions, such as credit cards and PayPal.
- **Shipping gateways:** Shipping providers and exchange of tracking information.
- **Inventory/warehouse system:** Inventory information exchange in connected warehouses.
- **Customer services:** Order status information.

You can extend your Episerver Commerce solution with additional modules from Episerver and third-party providers. Extension modules are available from the Episerver Add-on Store in [episerver.com](https://www.episerver.com).



Catalogs

A catalog consists of products and variants (SKUs) organized into a structure based on product categories or *nodes*. Products and variants have associated information such as:

- [pricing](#)
- [markets](#)
- [inventories](#)
- [warehouses](#)
- [assets](#), such as images and documents

A product can exist in one or more catalogs. Catalogs are independent from one another. You can create as many catalogs as you want and assign them to one or more websites. And while you often import product catalogs from an externally integrated system, you can create them manually. Further, you can define dates when a catalog is available, so you can prepare future revisions to items, and review them in advance of the release date.

Note: This documentation describes examples from the sample catalog delivered with the Episerver Commerce sample site. Your installation may look different from the sample catalog.

Catalog structure

A catalog is the top-level container for all types of products. You can structure a catalog in a number of ways. For example, your site has several brands or product lines, and each brand or product line has its own catalog. Or, a retailer may have multiple suppliers, and you can segment each supplier into its own catalog. See also: [Working with catalog entries](#).

Catalog meta-classes and meta-fields

You can define meta-classes and meta-fields for both [catalogs](#) and [orders](#) in the [Administration](#) part of Commerce Manager. For example, you create a meta-class called *Wine*. Then, add meta-fields to capture characteristics of wine, such as *color*, *taste*, *vintage* and *maturity*.



Importing and exporting a catalog

You can import a product catalog from an external system into Episerver Commerce. You can also export a catalog.

When to import or export

When setting up an e-commerce site, you need to get the products into the system. You may also need to import a product catalog as new items are added to an external system's catalog. Or, you might want to move or copy catalogs between websites.

While you can manually create a catalog and [add catalog entries](#), that option is less useful with a large catalog. Instead, use one of the import or export methods to efficiently move products into and out of a catalog.

Import and export methods

- **Import/Export feature.** Export a product catalog or import a .zip file into Episerver Commerce.
- **CSV Import.** Manage a product catalog in bulk using the [Import via CSV files](#), which uses an Excel spreadsheet saved as a .csv file. Before the import or export, the product types are mapped to the catalog structure and format. You can use the CSV import feature for your entire catalog, or just portions of it.


Depending on the import or export setup, you may need to manually [edit the information](#) for imported products (such as adding images, documents, and associations) and their variations to complete the task.

Importing or exporting catalog data


The **Import/Export** feature imports .zip files exported from Commerce Manager. It is a quick way to import catalogs from other websites and start with a base for expanding a catalog.

Importing a catalog

1. Go to **Commerce Manager > Catalog management** page.
2. Select **Import/Export > Import Catalog**.




3. Drag and drop the catalog file from the source location. The uploaded files appear in the import list.
4. Click **Start Import**. A progress window shows the status.
5. When the import is complete, close the progress window.



Exporting a catalog


1. Go to **Commerce Manager > Catalog management** page.
2. All catalog nodes appear. Select the appropriate ones.

3. Select **Import/Export > Export Catalog**. The Export Catalog screen appears.



4. Export catalog items in the following ways.

- To export everything in the catalog node, click **Start Export**. A progress window shows the export status. When the export is complete, close the window.
- To export selected files, click **Download** next to each item.



5. Click **Download** to copy the exported catalog file to your computer.

Importing a catalog using CSV files

You can import and manage catalog entries in bulk using an Excel spreadsheet (CSV format) as an alternative to [manually creating catalog entries](#), which is tedious when dealing with a large amount of catalog data.

This section explains how to complete these tasks.

- Import .csv spreadsheets to create catalog entries in Commerce Manager.
- Assign catalog items to your category structure.
- Associate an entry with others (such as a variant/SKU appears within a product or a package).
- Edit or delete catalog items.

Using the CSV import feature

Follow these steps to import and set up a new catalog.

- I. Create CSV data files (using an Excel spreadsheet or Notepad, for example) with information about categories, entries, and entry relations following the specification below. See also: [Sample CSV files](#).

CSV file format

- In the first row, insert headers that correspond to data attributes being imported (for example, product name, price, description, image file location).
- Use the following attributes to identify each item being imported.
 - **Code.** A unique code to identify each category or entry.
 - **Name.** A unique name for each data row.
 - **Entry Type.** (for catalog entries only) In each row, insert one of the following terms to indicate entry type.
 - **Product**
 - **Variation**
 - **Package**
 - **Bundle**
 - **Parent & Child Entry Code** (for entry relations only). Specify the relationship between entries (for example, to display product variations). For example, you want to relate a variant to a product. In this case, the parent entry code is the product's code, and the child entry code is the variant's code.

For an example of using this attribute, see [CSV File Type 3—Entry relations file](#).

You can also use the **Category Code** attribute to create a hierarchy in your catalog.

- **Action.** Specify the import action.
 - **Insert**
 - **Update**
 - **Delete**

Note: You must specify a command for each row of the CSV file. If you enter **Insert** for data that already exists, or **Update** if no data exists, an error occurs during import, and those rows are not imported.

- **Category Code** (by comma). Specify the entry's category.
- **SEO URL**. A unique URL for each catalog item.

Warning: An error occurs if you import a file that contains more than one occurrence of the same URL.

2. Create necessary meta fields for the new catalog entries. See also: [Creating a catalog meta class](#).
3. For each CSV file, create a mapping file, which links data in the CSV file to Commerce Manager attributes.

Mapping file types

Select the type of mapping file you need.

Mapping file type	Used to specify	Example
Category w/ Meta Data	Data for categories or subcategories within a catalog	CSV File type 1—Category file
Entry w/ Meta Data	Data for catalog entries (packages, products, variant/SKUs, and bundles)	CSV File Type 2—Entry files
Entry Relation	Relationships between entries. For example, many SKUs to one product, or several SKUs and products to a package.	CSV File Type 3—Entry relations file
Entry Association	Associations among entries (such as, advertising other items under text like "You may also be interested in...")	CSV file type 4—Associations file
Variant w/ Inventory	Information for the Inventory tab.	CSV file type 5—Pricing/inventory file
Sale Price	Information for the Pricing tab.	CSV file type 6—Sale price file

For each mapping file type, the view displays a different set of fields and attributes. You manually assign attributes to each CSV file data column.

4. In **Commerce Manager > Catalog Management**, choose an existing catalog folder or create a new one to which to import.
5. Choose **Import/export > CSV Import**.
6. Drag and drop the CSV files you created in step 1.

7. Import the CSV files and their corresponding mapping files.

Sample CSV files

CSV File type 1—Category file

A category file specifies data for categories or subcategories within a catalog.

- The top row has column headers that match metadata fields. The headers can also have different names.
- **Category Code** in column B is important because it specifies where the entry data is stored.
- The code under **Parent Code** (column C) can be used to create subcategories. If **Parent Code** is set to null or root, the category is created in a catalog's root level. Figure 1 shows that *Infants* and *Toddlers* categories are created at the root level, while the *Diapering Supplies* category is located under *Infants* as a subcategory.

Figure 1: CSV file type 1, category file

	A	B	C	D	E	F	G	H	I
1	Action	Category Code	Parent Code	Category Name	Available from	Expires on	Available (True/False)	Sort Order	
2	Insert	Cat1	null	Infants	1/1/2009	6/1/2009	TRUE	1	
3	Insert	Cat2	null	Toddlers	1/1/2009	6/1/2009	TRUE	2	
4	Insert	Cat10	Cat1	Diapering Supplies	1/1/2009	5/1/2009	TRUE	0	
5									

CSV File Type 2—Entry files

Entry files specify data for catalog entries. The Products, Variant/SKUs, and Packages CSV files for this example are shown in Figures 2, 3, and 4.

Figure 2: CSV file type 2, entry file, products

	A	B	C	D	E	F	G	H	I	J
1	Action	Product Code	Product Name	Entry Type	Category Code	Available from	Expires on	Available (True/False)	Description	
2	Insert	Prod1	Diapers	Product	Cat10	1/1/2009	6/1/2009	TRUE	TestBrand Diapers	
3	Insert	Prod2	Wipes	Product	Cat10	1/1/2009	5/1/2009	TRUE	TestBrand Baby Wipes	
4	Insert	Prod3	Potty Training Pants	Product	Cat2	1/1/2009	6/1/2009	TRUE	TestBrand Potty Pants	
5										

Figure 3: CSV file type 2, entry file, variations

	A	B	C	D	E	F	G	H	I	J	K
1	Action	Variation Code	Variation Name	Entry Type	Category Code	Available from	Expires on	Available (True/False)	Description	Primary Image	
2	Insert	Var1	Diapers - Newborn size	Variation	Cat10	1/1/2009 6:00	10/1/2012 18:00	TRUE	Disposable newborn diapers	E:\ECF_BabySampleCatalog\BabyCatalog\images\NBDiapers.jpg	
3	Insert	Var2	Diapers - size 1	Variation	Cat10	1/1/2009 6:00	10/1/2012 18:00	TRUE			
4	Insert	Var3	Diapers - size 2	Variation	Cat10	1/1/2009 6:00	10/1/2012 18:00	TRUE			
5	Insert	Var4	Diapers - size 3	Variation	Cat10	1/1/2009 6:00	10/1/2012 18:00	TRUE			
6	Insert	Var5	Diapers - size 4	Variation	Cat10	1/1/2009 6:00	10/1/2012 18:00	TRUE			
7	Insert	Var6	Training Pants - Blue	Variation	Cat2	1/2/2009 11:00	10/1/2012 18:00	TRUE			
8	Insert	Var7	Training Pants - Pink	Variation	Cat2	1/2/2009 11:00	10/1/2012 18:00	TRUE			
9	Insert	Var8	Training Pants - Yellow	Variation	Cat2	1/2/2009 11:00	10/1/2012 18:00	TRUE			
10	Insert	Var9	Baby Wipes - Portable 80 ct	Variation	Cat10	1/2/2009 11:00	10/1/2012 18:00	TRUE			
11	Insert	Var10	Baby Wipes - 300 ct	Variation	Cat10	1/2/2009 11:00	10/1/2012 18:00	TRUE			
12	Insert	Var11	Baby Wipes - 700 ct	Variation	Cat10	1/2/2009 11:00	10/1/2012 18:00	TRUE			
13											
14											

Figure 4: CSV file type 2, entry file, packages

	A	B	C	D	E	F	G	H	I
1	Action	Package Code	Package Name	Entry Type	Category Code	Available from	Expires on	Available (True/False)	
2	Insert	Package NB	Newborn Package	Package	Cat10	1/1/2009	12/31/2010	TRUE	
3	Insert	Package3to6	3 to 6 mo Package	Package	Cat10	1/1/2009	12/31/2010	TRUE	
4									

CSV File Type 3—Entry relations file

The entry relations file links one entry to others. In the following example, *Var1* through *Var5* (different diaper sizes) are associated with *Prod1* (Diapers), while *Var9* through *Var11* (different quantity for wipes) are associated with *Prod2* (Wipes), and so on. Some variants are assigned to packages.

Note: The Prod, Var, and Package codes must be the codes from the entry CSV files (Figures 2, 3, and 4). If you include codes not defined in the entry CSV files, an error occurs when they are imported into Commerce Manager.

Figure 5: CSV file type 3, entry relations file

	A	B	C	D
1	Action	Parent Entry Code	Child Entry Code	
2	Insert	Prod1	Var1	
3	Insert	Prod1	Var2	
4	Insert	Prod1	Var3	
5	Insert	Prod1	Var4	
6	Insert	Prod1	Var5	
7	Insert	Prod2	Var9	
8	Insert	Prod2	Var10	
9	Insert	Prod2	Var11	
10	Insert	Prod3	Var6	
11	Insert	Prod3	Var7	
12	Insert	Prod3	Var8	
13	Insert	Package NB	Var1	
14	Insert	Package NB	Var10	
15	Insert	Package3to6	Var2	
16	Insert	Package3to6	Var10	
17				

CSV file type 4—Associations file

The associations file creates associations among different entries. In Figure 6, *Var10* is associated to *Var1* as an accessory, and *Var2* to *Var1* as a cross-sell item.

Figure 6: CSV file type 4, associations file

	A	B	C	D	E	F	G
1	Action	Baby Catalog Association Name	Parent Entry Code	Child Entry Code	Sort Order	Association Type	
2	Insert	Accessories	Var1	Var10	1	Optional	
3	Insert	Customers Who Bought This Item Also Bought	Var1	Var2	2	Optional	
4							

CSV file type 5—Pricing/inventory file

The pricing/inventory file specifies information for each entry's Pricing/Inventory tab.

Figure 7: CSV file type 5, pricing/inventory file

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
1	Action	Entry Code	Price	Tax Category	Track Inventory (True/False)	Warehouse	Weight	Package	Min Quantity	Max Quantity	In Stock	Reserved	Reorder Min. Qty	Preorder Qty	Backorder Qty	Allow Backorder	Allow Preorder	Inventory Status	Preorder Avail	Backorder Avail	
2	Update	Var1	16.99	General Sales	TRUE	Default Warehouse	1 box		1	50	10	2	3	0	0	TRUE	TRUE	1	1/1/2009 9:00	1/3/2009 18:00	
3	Update	Var2	17.99	General Sales	TRUE	Default Warehouse	1 box		1	50	10	2	3	0	0	TRUE	TRUE	1	1/1/2009 9:00	1/3/2009 18:00	
4	Update	Var3	17.99	General Sales	TRUE	Default Warehouse	1 box		1	50	10	2	3	0	0	TRUE	TRUE	1	1/1/2009 9:00	1/3/2009 18:00	
5	Update	Var4	18.99	General Sales	TRUE	Default Warehouse	1 box		1	50	10	2	3	0	0	TRUE	TRUE	1	1/1/2009 9:00	1/3/2009 18:00	
6	Update	Var5	18.99	General Sales	TRUE	Default Warehouse	1 box		1	50	10	2	3	0	0	TRUE	TRUE	1	1/1/2009 9:00	1/3/2009 18:00	
7	Update	Var6	25.99	General Sales	TRUE	Default Warehouse	1 box		1	50	10	2	3	0	0	TRUE	TRUE	1	1/1/2009 9:00	1/3/2009 18:00	
8	Update	Var7	25.99	General Sales	TRUE	Default Warehouse	1 box		1	50	10	2	3	0	0	TRUE	TRUE	1	1/1/2009 9:00	1/3/2009 18:00	
9	Update	Var8	25.99	General Sales	TRUE	Default Warehouse	1 box		1	50	10	2	3	0	0	TRUE	TRUE	1	1/1/2009 9:00	1/3/2009 18:00	
10	Update	Var9	4.49	General Sales	TRUE	Default Warehouse	1 box		1	50	10	2	3	0	0	TRUE	TRUE	1	1/1/2009 9:00	1/3/2009 18:00	
11	Update	Var10	15.99	General Sales	TRUE	Default Warehouse	1 box		1	50	10	2	3	0	0	TRUE	TRUE	1	1/1/2009 9:00	1/3/2009 18:00	
12	Update	Var11	25.99	General Sales	TRUE	Default Warehouse	1 box		1	50	10	2	3	0	0	TRUE	TRUE	1	1/1/2009 9:00	1/3/2009 18:00	
13																					

CSV file type 6—Sale price file

The sale price file specifies information for the pricing section of the Pricing/Inventory page.

Figure 8: CSV file type 6, sale price file

	A	B	C	D	E	F	G	H	I
1	Action	Entry Code	Sale Type	Sale Code	Unit Price	Currency	Start Date	End Date	
2	Insert	Var1		BBV1	16.99	USD	1/1/2009 6:00	10/1/2009 18:00	
3	Insert	Var2		BBV2	17.99	USD	1/1/2009 6:00	10/1/2009 18:00	
4	Insert	Var3		BBV3	17.99	USD	1/1/2009 6:00	10/1/2009 18:00	
5	Insert	Var4		BBV4	18.99	USD	1/1/2009 6:00	10/1/2009 18:00	
6	Insert	Var5		BBV5	18.99	USD	1/1/2009 6:00	10/1/2009 18:00	
7	Insert	Var6		BBV6	25.99	USD	1/2/2009 11:00	6/3/2009 23:00	
8	Insert	Var7		BBV7	25.99	USD	1/2/2009 11:00	6/2/2009 22:00	
9	Insert	Var8		BBV8	25.99	USD	1/2/2009 11:00	6/1/2009 19:00	
10	Insert	Var9		BBV9	4.49	USD	1/2/2009 11:00	6/2/2009 22:00	
11	Insert	Var10		BBV10	15.99	USD	1/2/2009 11:00	6/2/2009 22:00	
12	Insert	Var11		BBV11	25.99	USD	1/2/2009 11:00	6/2/2009 22:00	
13									

Export of Commerce Catalog Data to Episerver Campaign

You can set up a periodic transfer of the latest product data from Commerce to Campaign. (For more information, see [Commerce-Campaign integration.](#))

In Campaign, the Commerce product data is used in a Content Interface Paragraph. The data can be rendered dynamically based on personal recommendations, or as a static product recommendation rendered for all recipients who get the paragraph in their message. See also: Content interface paragraph in the Episerver User Guide.




Browsing and searching catalogs

Go to **Commerce > Catalog** to browse [catalogs and their related categories, products, and variants](#). You can also search for catalog entries.

Browsing catalogs

Click **Catalogs** to browse the list of catalogs. The following image shows multiple catalog nodes containing different types of products.






Select a catalog tree node (such as *Books-Art*) to view its categories and catalog entries, which appear in the Catalog item list. The list displays the name, code, price, and availability of products and their variants. To filter an item list by [market](#), use the **Market** selector at the top. You can also display or hide thumbnail images by clicking the **Show as** button in the top right.


Select a category and drill down until you see products, packages, and bundles. Select the arrow next to a product, package or bundle to display related products and variants. Inventory and pricing information appears for variants.










Catalog items have icons, which help you identify their content type.

Icon	Meaning
	category
	bundle

Icon	Meaning
	package
	product
	variant


Select a product or variant to view and edit its content. See also: [Editing and publishing catalog entries](#).



Name	Code	Price	Stock	Published	Available from	Expires	Product Type
 Faded Glory Mens Canvas Twin Gore Slip-On Shoe	P-36127			✓	4/22/15, 7:47 AM	4/22/35, 7:47 AM	Fashion product
  Faded Glory Mens Canvas Twin Gore Slip-On Shoe	SKU-361271e	\$19.50	1997	✓	4/22/15, 7:47 AM	4/22/35, 7:47 AM	Fashion Variant
  Faded Glory Mens Canvas Twin Gore Slip-On Shoe	SKU-361271e	\$19.50	1356	✓	4/22/15, 7:47 AM	4/22/35, 7:47 AM	Fashion Variant
  Faded Glory Mens Canvas Twin Gore Slip-On Shoe	SKU-361271e	\$19.50	1914	✓	4/22/15, 7:47 AM	4/22/35, 7:47 AM	Fashion Variant
  Faded Glory Mens Canvas Twin Gore Slip-On Shoe	SKU-361272c	\$19.50	2145	✓	4/22/15, 7:47 AM	4/22/35, 7:47 AM	Fashion Variant

Searching for catalog entries

To search for catalog entries from the Catalog tree, enter keywords into the search field. If you enter keywords inside quotation marks (such as "canvas"), the search only returns entries with those exact terms. See also: Search.



Accessing products in CMS

You can also access catalog entries from edit view through the **Catalogs** gadget in the assets pane. The gadget is useful when dragging-and-dropping catalog entries into content areas. See also: [Managing content](#).




Creating and editing a catalog

To manually create a catalog, define its properties then [add catalog entries, such as products and variants](#). You can create a catalog only under the catalog root level. (Alternatively, you can [import catalog content from an external source](#).)

Tip: When creating a catalog structure, carefully consider its maintenance and performance aspects. Do not build hierarchies of categories, products and variants that are too deep. On the other hand, a flat catalog structure with too many entries in the same category can negatively impact performance.

1. In the **Catalog Root** context menu, select **New Catalog**. Or, click **+ > Catalog** at the top of the screen.



2. Enter the catalog details. The system automatically saves the catalog, but it is not available on the website until published. See [Working with versions](#).
 - **Name.** Enter the name to appear in the catalog listing.
 - **Name in URL.** Automatically created link, based on name and place in the navigation; depends on the implementation if this is visible in links on the site.
 - **Default currency.** Enter the default currency for this catalog's entries. See [available currency options](#).
 - **Default language.** Enter the default (master) language for this catalog's entries.
 - **Base weight.** Enter the standard weight unit applied to catalog entries when calculating weight values for shipping totals in the checkout.
 - **Available languages.** Select languages (in addition to the master language) for this catalog's content. See [Managing website languages](#).

Catalog properties are global, meaning catalog entries inherit settings from the default (master) language catalog. You can edit properties only from the default (master) language, so if you need to edit properties, switch to the default language. The default language is usually the first language listed next to **Languages** in the header.

Note: Changing a catalog's default language is rarely needed. But if you do, some catalog properties might have empty values.

Deleting a catalog

Warning: Deleting a catalog may cause things to stop working on your site. Before doing so, you may want to [export](#) it and save it for future use. Also, the delete operation may take some time, depending on catalog size.

1. Select the desired catalog in the catalog tree.
2. Click **Delete** in the context menu.

3. Click **Delete Catalog**.



Working with catalog entries


The Catalog interface in Episerver Commerce enables you to work with catalog data. Marketers may want to create new products and variants, and merchandisers may want to enrich products as they are added to e-commerce channels. E-commerce solutions integrated with an external ERP system may have products with core data that only needs to be completed within Episerver Commerce. In other scenarios, you can create new products from scratch.

When working with catalog entries, you typically complete the following tasks.

- Locate incomplete products added from integrated systems, add content and media, then categorize and publish them.
- Create products, add content and media from external sources, then publish them.
- Add missing information to variants: product codes, internal and display names, properties, media, pricing, and inventory information.

Creating a catalog entry

Create a new catalog entry from the catalog tree's context menu or the **Add content** button at top. When you expand the catalog tree, context-sensitive options appear. For example, after selecting a category, you can create a new category, product, variant, package, or bundle. After selecting a product, you can create new products or variants.



The following example shows how to create a catalog entry.

1. Expand the [catalog tree](#) and navigate to the desired category.
2. Select the category within which you want to create the catalog entry.
3. From the context menu, select **New > Product, Variant/SKU, Package, or Bundle**. See also: [Types of catalog entries](#).
4. Enter a **name** for the item.
5. If your Episerver Commerce system supports multiple product types, the system suggests a default one based on the context and previous similar actions. Choose a product type.
6. Complete the product's or variant's properties. See also: [Catalog entry properties](#). Episerver Commerce saves the item automatically but it is not available on the website until published.






Because variants belong to the lowest level in the product hierarchy, you cannot add sub-entries for them; you only can edit them.

Note: The catalog tree does not display products or variants; only category nodes. Use the catalog item list to work with products and variants.

To learn about other catalog entry tasks, such as editing, deleting, moving and so on, see [Editing catalog entries](#)

Types of catalog entries

Each catalog entry has a type.

- **Category.**  A way to group products, such as *Art Books* or *Cocktail Dresses*. See also: [Working with categories](#).
- **Product.**  Merchandise you can display on a front-end site. A product typically consists of several *variants*. Customers purchase a variant.
- **Variant or SKU.**  A purchasable product with specific characteristics, such as size, color, sleeve length, and price.
- **Package.**  Similar to a variant because it is a purchasable item. For example, a shirt and hat combination is shrink-wrapped together and sold as a unit. Although a package is made up of multiple variants, it has a unique SKU number and appears as a single line item in a shopping cart. See also: [Packages and bundles](#).
- **Bundle.**  A collection of variants, allowing customers to purchase two or more items at once. Each item is priced separately. For example, a matching shirt and hat, presented together on the front-end so a user can buy both items at once. Each item appears on its own line in a shopping cart. See also: [Packages and bundles](#).



Editing catalog entries


After you [import products and variants](#), you can add to, edit or delete them.

Properties for products and variants are similar, but pricing and inventory information is only defined for variants. See also: [Catalog entry properties](#)

Note: Changes to related entries, pricing and inventory information are immediately published and visible on the website, and are not part of the publishing flow. Changes to content and assets must be published to become visible on the website. See Working with versions for publishing information.

Catalog-specific editing options

The catalog item list has on the top right a **Select view** with additional editing options. Use these to edit and access the **Pricing**, **Inventory**, **Categories**, or **Related Entries** views.



Editing multiple catalog entries

You can work with several catalog entries at once by


1. Selecting items.
2. Clicking toolbar buttons, such as **cut**, **copy**, **paste**, or **delete**.

Fashion > Mens > Mens Shirts						
	Name	Code	Price	Stock	Published	Average
<input type="checkbox"/>	Beefy-T Short Sleeve Tee	P-22471			✓	4/2 7:5
<input checked="" type="checkbox"/>	Comfortblend EcoSmart Jersey Polo with Pocket	P-24797			✓	4/2 7:5
<input checked="" type="checkbox"/>	Graphic Tee	P-39101			✓	4/2 7:5
<input type="checkbox"/>	L/S ComfortBlend Tee	P-38193			✓	4/2 7:4
<input checked="" type="checkbox"/>	Long Sleeve Woven Shirt	P-37347			✓	4/2 7:5
<input type="checkbox"/>	Printed Short Sleeve Beefy Tee	P-22154			✓	4/2 7:5
<input type="checkbox"/>	Short Sleeve Polo	P-36063			✓	4/2 7:5
<input checked="" type="checkbox"/>	Stripe V-neck	P-42122			✓	4/2 7:5
<input type="checkbox"/>	Wrangler Jeans Co Red Mens' Long Sleeve Woven Shirt	P-42382			✓	4/2 7:5
<input type="checkbox"/>	Wrangler Mens' Short Sleeve Western Shirt	P-42382			✓	4/2 7:5

Updating multiple catalog entries at once

As a catalog grows larger, use the **Catalog Batch Update** to update multiple catalog entries at once. The option lets you filter items of interest then update several at once.

1. Go to **Commerce manager > Catalog Management > Catalog Batch Update**. The Batch Update screen appears.




- **Main Adjustment.**
 - **Entry Type.** Select **Product**, **Variation/SKU**, **Bundle**, or **Package**.
 - **Meta Class** and **Field** menu items depend on the **Meta Class** you select. Your selection populates the Field drop-down selections.
- **Additional Filters.**
 - Use the **Language** filter to select entries by language.
 - Use the **Catalog** filter to narrow the results to one catalog.
 - Enter keywords, such as *Wine Glass*, to narrow the search further.

2. Within search results, you can:

- Select a catalog entry and go directly to its edit page.
- Use the **Field** drop-down to edit a field across several catalog entries. For example, change the **display price** for a group of variants. Using the **Field** drop-down menu, choose **Variation: Display Price**. The right

column changes, letting you update the display price for all catalog entries.




3. Click **Save All**.


Sorting catalog entries

Sorting means changing the display order of items in a category. This affects the Catalog view.

Sorting can also change the arrangement of items on your website's pages. When creating your page templates, a developer determines how to arrange the items on a page. Sort order is one option.

To sort catalog entries, follow these steps.

1. Navigate to the category that contains items you want to sort.
2. Click the **Sort** button . This enables *sort mode*.

Note: When sort mode is enabled, a drag handle  appears to the left of every eligible item's check box.

3. Select one or more items whose sort order you want to change.
4. Drag and drop items to the new position.
Or, to sort a single item, move to its far right, click to open the context menu, and select **Move Up** or **Move Down**.


Notes about sorting

- Changing an item's sort order affects it within that category only.
- Sort mode remains enabled until you click the button a second time, even if you navigate to other categories.
- You cannot sort categories.

Sorting variants

To sort a catalog entry's variants, follow these steps.

1. Select the catalog entry whose variants you want to sort.
2. Click the **Select View** button > **Variants**.



3. Drag and drop variants to a new position.


Duplicating catalog entries

You can duplicate an existing entry to create a new entry. If you do, it gets a unique ID, and you can edit the following details. You can then move the new entry to different catalog tree location.

- If you duplicate a *category*, Episerver Commerce creates a new code, name in URL, and SEO URL, based on the original. Name, internal name, and content are the same as the original. Sub-entries in the original category, such as *products* and *variants*, are not duplicated.
- If you duplicate a *product*, *variant*, *package*, or *bundle*, Episerver Commerce creates a new URL name, SEO URL, and product code based on the original. Other information (name, internal name, content, and so on) is the same as the original.

You can duplicate one or several catalog entries. The following example duplicates multiple variants and moves them to a different category.

1. Open the desired catalog or category node, so items you want to duplicate appear in the catalog item list.
2. Pin the catalog tree so it remains open.
3. Select items to be duplicated.
4. Drag selections to the desired catalog tree location.



5. The **Select Action** dialog appears. Click **Duplicate**. The selected entries are duplicated in the selected location.

Note: You can also use the **List** menu's **Copy** and **Paste** options to duplicate multiple entries, or the **Context** menu's **Copy** and **Paste** options to duplicate a catalog entry.

Moving catalog entries

Moving a catalog entry is the same as assigning it to a different primary category. See [Changing a catalog entry's primary category](#).

Deleting catalog entries







When deleting a product or a variant, the following happens depending on how the deleted entry is related to other catalog entries:

- If a product or variant is deleted, all links from other catalog entries to it are removed.
- If a product with associated variants is deleted, the variants are left associated with the deleted product's category.

See also: [Deleting a package or bundle](#)

Warning: You cannot undo the deletion of catalog entries.

To delete a product or variant, select an item, open its context menu, then click **Delete**.

<input type="checkbox"/>		Belted Striped Maxi Dress	P-407C	✓	4/22/1 7:39 A	4/22/3 7:39 A	Fashion product
<input type="checkbox"/>		Braided Neck Maxi Dress	P-407C	✓	4/22/1 7:41 A	4/22/3 7:41 A	Fashion product
<input checked="" type="checkbox"/>		Braided Neck Maxi Dress	SKU-40707: \$16.50	1571 ✓	4/22/1 7:41 A	4/22/3 7:41 A	Fashion product
<input type="checkbox"/>		Braided Neck Maxi Dress	SKU-40707: \$16.50	2264 ✓	4/22/1 7:41 A	4/22/3 7:41 A	Fashion product
<input type="checkbox"/>		Braided Neck Maxi Dress	SKU-40707: \$16.50	1569 ✓	4/22/1 7:41 A	4/22/3 7:41 A	Fashion product
<input type="checkbox"/>		Braided Neck Maxi Dress	SKU-40707: \$16.50	885 ✓	4/22/1 7:41 A	4/22/3 7:41 A	Fashion product


To delete multiple catalog entries at the same time, select the entries then click **Delete** in the toolbar.

Translating catalog entries


Like other types of content, catalog entries can exist in multiple languages. See [Multi-language management](#).



Catalog entry properties

Catalog entries have several groups of properties that let you further define their inventory, pricing, category information, and so on. To access properties, click the catalog entry's **Select view** button , then the

appropriate tab or drop-down menu option. The image below shows a variant's properties screen.



Header


The header provides an overview of catalog entry information. Much of it is created automatically and rarely needs to be changed, unless you [manually create catalog entries](#). In the top left, a clickable structure path shows the product hierarchy. Header properties are described below.

Note: Change appears next to some properties. Click it to edit a property value.

- **Display name.** Name on the content display page.
- **Name.** Name in catalog item list.
- **Name in URL.** URL automatically created, based on name and place in the navigation; whether it is visible in site links depends on implementation.
- **SEO URL.** Automatically created based on **Name**; whether it is visible in site links depends on implementation.
- **Code.** Product code/identification key, often provided by an external system.
- **Market.** Markets where the item is available. By default, a product or variant is available in all markets.
- **Visible to.** Which users and groups can see the item. By default, catalog content is publicly visible and editable by [CommerceAdmins group](#) members.
- **Languages.** The content is available in the displayed languages. The active language is *not* underlined.
- **ID, Type.** The ID set by the system; the content type upon which the item is based.

Content tab

The **Content** tab properties depend on the product or variant. For example, a *book* product might have *media type* and *author* fields, as shown in the following image.



Descriptions can include formatted text, images, and links, using a rich-text editor.

Belongs To tab

The **Belongs To** tab displays categories and products, packages and bundles to which a product or variant belongs. For example, a variant belongs to a product and has a primary category. Also, an item may be part of a *Weekly specials* category and a *Spring package* category, as the following image shows. See also: [Working with categories](#).

Catalogs

Search: canvas

- Catalog Root
 - Fashion
 - Mens
 - Mens Shoes
 - Mens Jackets
 - Mens Shirts
 - Mens Sweatshirts
 - Womens
 - Womens Dresses
 - Womens Tees
 - Womens Bottoms
 - Womens Shoes
 - Womens Handbags
 - Weekly specials

Fashion > Womens > Womens Dresses >
Braided Neck Maxi Dress

← Back Changes made here will be published immediately while you edit.

Edit Categories

Primary Category

Womens Dresses [Catalog Root\Fashion\Womens\Womens Dresses](#)

Additional Categories

+ Add Category

Name	Path
Weekly specials	Catalog Root\Fashion

You can drop [categories](#) here

Pricing (for variants)

The **Edit Prices** view lets you view and update pricing for packages and variants. The view displays a compact list of prices, which can be filtered by market or customer group. Market filtering displays both active and inactive markets.

The same item can be available in several markets. For each market, you can define multiple currencies and establish a different price for each one.

For each product or variant, you can define the following pricing information.

- market
- price
- valid date range
- sale type
- sale code
- minimum quantity

Tip: In many cases, pricing information comes from an external system, which may prohibit modifications in Episerver Commerce.

Note: Price changes are immediately available on the website. They are not part of a product's publishing workflow.

Viewing prices

1. In the catalog tree, select a category or product.
2. From the view selector in the upper right corner, click **Pricing** test

← [Back](#) Changes made here will be published immediately while you edit.

Edit Prices

Customer Group (Sale Code) Market

Product Name	Code	Market	Price	Valid	Sale Type	Sale Code	Min. Quantity
Braided Neck Maxi Dress	SKU-40707729	AUS	A\$16.50	4/22/15, 7:41 AM - 4/22/35, 7:41 AM	All Customers		0
Braided Neck Maxi Dress	SKU-40707729	BRA	BRL39.50	4/22/15, 7:41 AM - 4/22/35, 7:41 AM	All Customers		0
Braided Neck Maxi Dress	SKU-40707729	CAN	CA\$16.50	4/22/15, 7:41 AM - 4/22/35, 7:41 AM	All Customers		0
Braided Neck Maxi Dress	SKU-40707729	CHL	CLP7,941	4/22/15, 7:41 AM - 4/22/35, 7:41 AM	All Customers		0

3. If desired, use the **Customer Group** and **Market** filters to make it easier to find pricing information.

Note: Only packages or variants with a price appear on the list.

Adding and editing prices

Follow the steps in [Viewing prices](#) to access the **Edit Prices** view. From there, you can complete these tasks.

- To adjust a product's or variant's price information, modify these fields.

- **Market.** Associate the price with a market.
- **Price.** The item's price and currency for that market.

Note: The list of currencies is determined by those available for the selected market.

- **Valid.** The time interval when this price is available.
 - To create a future price change.
 1. Select the item.
 2. Click **Duplicate** from the context menu.
 3. Change the new item's pricing information.
 4. Set the new available dates.
- **Sale Type.** Make the price available to **All Customers**, a specific **Customer**, or a **Customer Price Group**. With the last option, you can create *tiered pricing* (also known as differentiated pricing).
- **Sale Code.** Use this field to assign a price to a specific customer group. For example, create a new price, select **Customer Price Group** as its **Sale Type**, then insert the [customer group](#) name into the **Code** field.
- **Min. quantity.** The minimum number of units that must be purchased to get the listed price. Use this feature to provide a bulk rate. For example if a customer purchases 10 or more, the cost is \$50.00 each. If fewer than 10, \$60.00 each.

Tops-Tunics-CowlNeck-Black-ExtraLarge	Tops-Tunics-CowlNeck-Black-ExtraLarge	ASEAN	\$60.00	Sep 1, 9:00 AM -	All Customers		0
Tops-Tunics-CowlNeck-Black-ExtraLarge	Tops-Tunics-CowlNeck-Black-ExtraLarge	ASEAN	\$50.00	Sep 1, 9:00 AM -	All Customers		10

- From a product's or variant's context menu:
 - click **Duplicate** to create a copy of price information, which you can then modify to create a new pricing setup.
 - click **Delete** to remove a set of price information.

Warning: You cannot undo the deletion of price information.

Setting customer group pricing

Use Customer Groups to set permissions and create targeted [marketing campaigns](#).

Prerequisite: Customer groups are created [in Commerce Manager](#).

To create a customer group price:

1. Follow the steps in [Viewing prices](#) to access the **Edit Prices** view.
2. In the Edit Prices view, click **Add Price**.
3. Click **Customer Price Group**.
4. Select the customer group to which the price applies.

Inventory (for variants)

Inventory information is often transferred from an external system, so you rarely need to change it. Sometimes you cannot edit it. On other sites, you can update quantities but the other information is read-only.

Inventory screen

Content	Belongs To	Pricing	Inventory	Assets	Related Entries	Settings
Min. quantity		<input type="text" value="1"/>				
Max. quantity		<input type="text" value="100"/>				
Weight		<input type="text" value="5"/>				
Shipping Package		<input type="text"/>				
Shipping Dimensions						
Length		<input type="text" value="1"/>				
Height		<input type="text" value="2"/>				
Width		<input type="text" value="3"/>				

Tracked

Inventory locations ✕

Location	Code	Quantity	Preorder Availability	Is Tracked
Hanoi store	SKU-36127195	403	12/31/99, 7:00 PM	✓
London store	SKU-36127195	338	12/31/99, 7:00 PM	✓

When first viewing a variant's inventory information, you have access to the following information.

- **Min. quantity.** If desired, set a minimum number of this variant that a customer must buy. If a customer adds fewer than this to a cart, the quantity will be increased to the minimum during cart validation.
- **Max. quantity.** If desired, set a maximum number of this variant that a customer can buy. If a customer adds more than this to a cart, the quantity will be decreased to the maximum during cart validation.
- **Weight.** Enter the variant's weight in your system's weight unit. Weight is used to calculate shipping costs.

Note: Weight unit (kilograms or pounds) is set in **Administration > System Settings > [Common settings](#)**.

- **Shipping Dimensions**
 - **Length, Height, Width.** Enter the variant's length, height and weight in your system's length unit. These properties may be used to calculate shipping costs.

Note: Length unit (centimeters or inches) is set in **Administration > System Settings > [Common settings](#)**.

- **Tracked.** If this variant is Tracked, the inventory system is checked for sufficient quantity when someone orders the item. If the variant is not Tracked, orders are filled without referencing the inventory quantity.

Note that each inventory for this variant also has an **Is Tracked** field. The inventory check is made only if *both* values are true.

Edit inventory screen

Edit Inventories									
Location	Code	In Stock	Backorder Availability	Backorder Quantity	Preorder Availability	Preorder Quantity	Reorder Min. Quantity	Is Tracked	Purchase Availability
Berlin store	Tops-Tunics-CowlNeck	<input type="text" value="200"/>	9/8/19, 8:00 PM	<input type="text" value="10"/>	12/31/10, 7:00 PM	<input type="text" value="5"/>	<input type="text" value="3"/>	✓	9/1/10, 3:00 AM
Perth store	Tops-Tunics-CowlNeck	<input type="text" value="200"/>	9/8/19, 8:00 PM	<input type="text" value="10"/>	12/31/10, 7:00 PM	<input type="text" value="5"/>	<input type="text" value="3"/>	✓	9/1/10, 3:00 AM

You can view (and possibly edit) the following inventory properties for a product or variant.

- **Location.** The physical stock location of the inventory, as defined in [warehouse settings](#).
- **Code.** Product code/identification key; often provided by an external system. Read only.
- **In Stock.** The quantity of in-stock items for an inventory.
- **Backorder Availability.** If customers can backorder this item, enter the first date when it is possible.
- **Backorder Quantity.** The quantity of this item which may be backordered.
- **Preorder Availability.** If customers can preorder this item, enter the first date when it is possible.
- **Preorder Quantity.** The quantity of this item which may be preordered.

- **Reorder Min. Quantity.** The in-stock quantity level at which items should be reordered. For example, when an inventory location has three or fewer items, it is time to order more. The Low Stock Report uses this value to inform a merchandiser that it is time to reorder. Also, a custom implementation could send email or another alert when in-stock quantity reaches this amount.
- **Is Tracked.** If selected, shoppers can only complete orders for this product/variant if you provide inventory information from the Inventory Locations. If **Is Tracked** is not selected, orders can be placed without inventory amounts.

Note: Note that each variant also has an **Is Tracked** field. The inventory check is made only if the variant-level **Is Tracked** field and this one are true.

- **Purchase Availability.** First date and time when this item can be sold from this inventory.

Variants (for products)


A variant is a version of a catalog entry with specific characteristics, such as price, size, and color. You can perform most of the tasks on a variant that you can perform on a catalog entry. See also: [Working with catalog entries](#).

Assets tab

Use the **Assets** tab to link a catalog entry to a media file, such as an image or a document (PDF for example). For example, you want to assign a picture to a catalog entry to accompany its website description.

To add a media file, open the **Assets** tab, then drag the file from the **Media** tab to the **Assets** tab. Or, click **Add Media** and select the file.

The screenshot shows the Episerver Commerce interface for editing a catalog entry. The entry is titled "Wrangler Men'S Denim Jacket". The "Assets" tab is active, displaying a table of media files assigned to the entry. The table has two columns: "Name" and "Group". The first row shows a media file with the name "0004032698322_Color_Black_SW_500X500" and the group "default". Below the table, there is a green arrow icon and the text "You can drop media here". On the right side of the interface, there is a sidebar with a search bar and a list of media files, each with a small thumbnail and a file ID.

Name	Group
 0004032698322_Color_Black_SW_500X500	default

When assigning media files to a variant, you can assign them to a group, such as *Banner*. You can then sort the files by clicking the **Group** column header.

To rearrange items in the list, click **Move Up** or **Move Down** from the context menu.

On the sample site, the item assigned to the default group at the top of the list is used for the main display.

Related entries tab

The **Related Entries** tab lists catalog entries related to the current one. Typical relationship types are cross-sell and upsell. The types are set up by your developer during implementation.

Here is a typical *cross-sell* scenario: If a site customer views a page with a specific television model, a section of that page is titled "People who bought this also bought". That section shows HDMI cables and wall mounts that fit that TV model.

To set up those relations, an Episerver Commerce merchandiser navigates to the television, clicks its **Related Entries** tabs, and adds suitable cables and wall mounts using the type **cross-sell**.

Content					Belongs To					Pricing					Inventory					Assets					Related Entries					Settings				
Related Entries																																		
Other catalog entries that this entry is related to ✕																																		
Name					Code					Path					Type																			
Books-Entertainment-Remember-7					Books-Entertainment-Remember-7					Catalog Root\Departmental Catalog\Dep					UpSell																			
Books-Fiction-Confession-PDF					Books-Fiction-Confession-PDF					Catalog Root\Departmental Catalog\Dep					UpSell																			
Books-Fiction-Crossfire-AudioMP3					Books-Fiction-Crossfire-AudioMP3					Catalog Root\Departmental Catalog\Dep					UpSell																			
Books-Mystery-Death-AudioMP3					Books-Mystery-Death-AudioMP3					Catalog Root\Departmental Catalog\Dep					UpSell																			
Books-Romance-Dejavu-AudioMP3					Books-Romance-Dejavu-AudioMP3					Catalog Root\Departmental Catalog\Dep					UpSell																			
Books-Travel-Drives-AudioMP3					Books-Travel-Drives-AudioMP3					Catalog Root\Departmental Catalog\Dep					UpSell																			
Books-Art-Kids-AudioCD					Books-Art-Kids-AudioCD					Catalog Root\Departmental Catalog\Dep					Default																			
Books-Business-Economics-Hardcover					Books-Business-Economics-Hardcover					Catalog Root\Departmental Catalog\Dep					Default																			
Edit related entries																																		

Settings tab

Settings is a default tab with several built-in, date-related properties that you rarely need to change.



Working with categories

By applying a category to a product, you can adjust a catalog's structure and range to optimize the selling potential of its products. You can also

- Create new categories
- Edit or delete existing categories
- Change a product's primary and secondary categories

Note: When managing a catalog, consider the maintenance and performance of its structure. Do not create hierarchies of categories, products, or variants that are too deep. On the other hand, a flat catalog structure with too many entries in a category can negatively impact performance.


Categorization involves the following tasks.

- **Move.** Lets you restructure a catalog by moving a catalog entry to another primary category; related products and variants are also moved. Links to other categories and catalog entries are kept intact. See [Moving catalog entries](#).
- **Duplicate.** Creates a copy of a catalog entry in a new catalog location. See [Duplicating catalog entries](#).
- **Link.** Another term for or assigning additional categories. See [Assigning additional categories](#).
- **Detach.** Removes a link.

Creating a category

A category is typically used to organize catalog entries. For example, women's shoes. Categories can also have their own rich content, including assets and descriptions of *wine regions* for a subset of wine products.

1. From the **Commerce > Catalog** interface, navigate to the catalog or category node where you want to create the new category.
2. Choose **+ > Category**. Or, from a catalog node, click to open the context menu and select **New > Category**.
3. Enter a **name** for the category.
4. If your Episerver Commerce system supports multiple product types, the system suggests a default one based on the context and previous similar actions. Choose a product type.



5. Complete the category properties. See also: [Catalog entry properties](#). The system saves the category automatically, but it is not available on the website until published.

Viewing an item's categories

To view an item's categories, select a catalog entry, click **Properties** then the **Categories** tab.

View items assigned to a category

To view all items assigned to a category, select it from the catalog tree. Its items appear in the center of the screen.

Editing a category

1. In the **Catalog** tree, select the desired category.
2. From the context menu, click **Edit**.

3. Update the category information you want to change, such as the name, SEO information, or description. See [Catalog entry properties](#) for information about editable properties.
4. Publish the changes, or schedule for later publishing using the save and publish flow for content.


Deleting a category

If you delete a category, the following happens, depending on how the category is linked to catalog entries or other categories.

- If a category is linked to other categories, links to that category are removed, while other category links are left intact.
- Categories, product, and variant that are linked *only* to the category being deleted (and no other categories) are also deleted.

Warning: After deleting a catalog entry, you cannot recover it.
If you delete a category with many subitems, the deletion may take a while.

To delete a category, select it in the catalog tree, click **Delete** from the context menu, and click **Delete**. Alternatively, you can click **Delete** from the context menu in the catalog item list, or from the upper menu.



Primary and additional categories

You can assign to a catalog entry one primary category and any number of additional categories. They appear on the product's **Categories** and **Belongs to** views.

Fashion > Mens > Mens Shoes > Puma Black Sneakers Shoes

← Back Changes made here will be published immediately while you edit.

Edit Categories

Primary Category

Mens Shoes [Catalog Root\Fashion\Mens\Mens Shoes](#)

Additional Categories

+ Add Category

Name	Path
Summer sale	Catalog Root\Fashion\Mens\Summer sale

You can drop [categories](#) here

The primary category is the product's *home* location, which means that the product is located in this category. If a product's URL is based on the **Name in URL** property, the URL uses the primary category path (see example above). If you move a product, its primary category changes, and its URL changes accordingly.

Any product can also be linked to *additional categories*. For example, consider “Men's Black Puma Sneakers.” Its primary category is “Men's Shoes”. Assume you are running a summer sale and want to include Black Puma Sneakers. To do that, create a “Summer Sale” category and assign “Men's Shoes” to it as an **Additional Category**. If you create a Summer Sale page and place all items in that category on that page, the Black Puma Sneakers will appear.

Assigning a primary category

When [Creating a catalog entry](#), you typically first select its category. That becomes the entry's primary category.

Changing a catalog entry's primary category

Follow these steps to change a catalog entry's primary category.

1. Pin the catalog tree so it does not move.
2. Select the catalog entry whose primary category you want to change.
3. Drag it to the new primary category.
4. The **Select Action** dialog appears. Click **Move**.

As an alternative, you can

1. Select the catalog entry.
2. Select **Cut**.
3. Move to the new category.
4. Select **Paste**.

How changing an item's primary category affects its variants

If you move a catalog entry, its variants keep their previous primary category. If you expand the moved catalog entry in its new category, you see its variants, which implies that the variants were also moved to the new primary category. However, the primary category of the variants was not changed.

If you want to move a catalog entry *and* its variants, expand the entry, then select it and all variants before moving.

As shown in the example below, the Beefy-T Short Sleeve Tee was moved from the **Mens Shirts** node to the **Mens T Shirts** node. If you expand Beefy-T Short Sleeve Tee in **Mens T Shirts** node, the variants appear as children. But the primary category of the variants remains **Mens Shirts**.

The screenshot shows the Episerver Commerce catalog interface. On the left is a 'Catalogs' sidebar with a search bar and a tree view. The tree view shows the following structure:

- Catalog Root
 - Fashion
 - Mens
 - Mens Shoes
 - Mens Jackets
 - Mens Shirts
 - Mens T Shirts** (selected)
 - Mens Sweatshirts
 - Womens
 - Womens Dresses
 - Womens Tees
 - Womens Bottoms
 - Womens Shoes
 - Womens Handbags

The main content area shows the breadcrumb 'Fashion > Mens > Mens Shirts > Mens T Shirts'. A red banner at the top right says 'Moved item in new category'. Below the breadcrumb is a toolbar with icons for Cut, Copy, Paste, and other actions. A table lists the items and their variants:

Name	Code	Price	Stock	Publ
Beefy-T Short Sleeve Tee	P-22471			✓
<input type="checkbox"/> Beefy-T Short Sleeve Tee	SKU-2247142	\$7.50	934	✓
<input type="checkbox"/> Beefy-T Short Sleeve Tee	SKU-2247142	\$7.50	1322	✓
<input type="checkbox"/> Beefy-T Short Sleeve Tee	SKU-1471097	\$7.50	827	✓
<input type="checkbox"/> Beefy-T Short Sleeve Tee	SKU-1471097	\$7.50	2215	✓

The screenshot displays the Episerver catalog management interface for a product named "Beefy-T Short Sleeve Tee". On the left, a navigation pane shows a hierarchy: Catalogs > Fashion > Mens > Mens Shirts. The main content area is divided into two sections. The top section shows a product image of a man in a grey t-shirt and a table of product metadata. The bottom section, titled "Categories", shows the product's primary category as "Mens Shirts" with a red arrow pointing to the path "Catalog Root\Fashion\Mens\Mens Shirts". Below this, the "Additional Categories" section is empty, displaying the message "There are no categories added yet".

Property	Value
Display name	Beefy-T Short Sleeve Tee
Name	Beefy-T Short Sleeve Tee
Name in URL	sku-22471422 Change
SEO URL	SKU-22471422 Change
Code	SKU-22471422 Change
Markets	All Change
Visible to	Everyone
Languages	en,sv
ID, Type	616, Fashion Variant
Product	Beefy-T Short Sleeve Tee

variant details

Primary Category


Mens Shirts	Catalog Root\Fashion\Mens\Mens Shirts
-------------	---

Additional Categories

Name	Path
There are no categories added yet	

Assigning additional categories

Any product can be linked to *additional categories*. For background information, see [Primary and additional categories](#).


1. Navigate the category structure until the item to be linked appears in the catalog item list.
2. Click the **Select view** button  then **Categories**.
3. Click **+ Add Category**.
4. Navigate to the category you want to add and click **Add**.

As an alternative, you can

1. Select the catalog entry.
2. Select **Copy**.
3. Move to the new category.
4. Select **Paste**.
5. On the **Select Action** dialog, choose **Link**.

Editing additional categories

To edit a category entry's additional categories, follow these steps.


1. Navigate to the category entry whose additional categories you want to edit.
2. Click the **Select view** button  then **Categories**.
3. To *add* an additional category, click **+ Add Category**.

To *remove* an additional category, click the corresponding Remove button.

Assigning a category to another category

You can assign a category to another category. If you do, all catalog entries linked to the original category are also linked to the new category. See also: [Primary and additional categories](#).

To assign a category to another category, follow these steps.

1. Navigate to the category to which you want to assign an additional category.
2. Click the **Select view** button  then **Categories**.
3. Click **+ Add Category**.
4. Navigate to the category you want to add and click **Add**.



Packages and bundles

Packages and bundles let you combine several items under one "umbrella" item. But their behavior and usage are quite different.

- A package contains one or more variants, other packages or both, and has a *single SKU and price*. A package is a single line item in a shopping cart.
- A bundle is a collection of packages, products, and variants, *each of which is priced individually*, allowing customers to purchase several items at once. Each item in a bundle is a separate line item in a shopping cart. Once added to a cart, a bundle item is treated like any other cart item.

Working with packages

Like other catalog entries, packages have tabs and menu options that let you view and edit their information. To learn about most settings, see [Catalog entry properties](#). Because packages have an SKU and price, the **Pricing** and **Inventory** tabs are available with them.

The **Package Entries** tab, unique to packages, shows the variants and other packages that make up a package. On that tab, click **Edit entries** to update a package's items.

Click **Manage Entry Groups** to add entry groups with which to associate a package's items.

Departmental Catalog > Departments > Fashion > **Spring outfit**

Autosaved 1:00 PM

Display name: Markets: All [Change](#)

Name: Visible to: Everyone

Name in URL: [spring-outfit Change](#) Languages: en

SEO URL: [Spring-outfit-en.aspx Change](#) ID, Type: 670, Default Package Content

Code: [Spring-outfit_1 Change](#) [Tools](#)

Content | Belongs To | **Package Entries** | Pricing | Inventory | Assets | Related Entries | Settings

Entries included in this package ✕

Name	Quantity	Path	Group
Bottoms-Denim-Bootcut-Black-Large	1	Catalog Root\Departmental Catalog\Departments\Fashion\Bottoms-Denim-Bootcut-Black-Large	Default
Tops-Tunics-CowlNeck-Black-Large	1	Catalog Root\Departmental Catalog\Departments\Fashion\Tops-Tunics-CowlNeck-Black-Large	Default

[Edit entries](#)

Working with bundles

Like catalog entries, bundles have tabs and menu options that let you view and edit their information. To learn about most settings, see [Catalog entry properties](#). Because bundles do not have an SKU or price, the **Pricing** and **Inventory** tabs are not available with them. You can associate bundle entries with entry groups as you can with packages.

The **Bundle Entries** tab, unique to bundles, shows the entries included in a bundle.

The screenshot shows the Episerver Commerce admin interface. On the left is a navigation menu with categories like 'Catalog Root', 'Fashion', 'Mens', 'Mens Shoes', 'Mens Jackets', 'Mens Shirts', 'Mens Sweatshirts', 'Men's blazers', 'Womens', and 'Books-Nature'. The main area displays the '3 colored T shirts' bundle configuration. The 'Bundle Entries' tab is active, showing a table of items included in the bundle:

Name	Quantity	Path	Group
L/S ComfortBlend Tee	1	Catalog Root\Fashion\Mens\Mens Shirts\L/S ComfortBlend Tee	Default
Beefy-T Short Sleeve Tee	1	Catalog Root\Fashion\Mens\Mens Shirts\Beefy-T Short Sleeve Tee	Default
Comfortblend EcoSmart Jersey Polo with Pocket	1	Catalog Root\Fashion\Mens\Mens Shirts\Comfortblend EcoSmart Jersey Polo with Pocket	Default

Click **Edit entries** to edit information about a bundle's packages, products, and variants. From that view, click **Add Entry** to add items to a bundle.

Deleting a package or bundle

If you delete a package or bundle, all links to it from related products and variants are removed.

Warning: After deleting a package or bundle, you cannot recover it.

- To delete a package or bundle:
 - Open the item's context menu.
 - Click **Delete**.
 - Click delete to confirm.
- To delete multiple catalog entries at once, select them from the item list and click **Delete** from the toolbar.

How the Campaigns feature considers packages and bundles

The Campaigns feature treats a package like any other SKU. Since a package has its own price and quantity, any reductions are made to the package. The Campaigns feature ignores the individual items in a package.

The Campaigns feature does not recognize bundles. It only recognizes the individual SKUs that make up a bundle.



Orders

Order management is a central part of the e-commerce system. Since the majority of orders are created from the front-end site, the ordering process is usually automatic, following an order management workflow. In some cases, orders need to be manually managed.

Order Management in Commerce Manager provides shopping cart (baskets), order capture, order fulfillment, payment functions and item return or exchange support.


Carts versus orders

A *cart* is for a buyer, who selects items then proceeds to check out.

After the buyer completes payment, the cart is converted to purchase order. At that point, it is processed by the seller, who performs actions such as: arranging shipment via picklists, delivering the product, and completing the order.

Structure of orders

The structure of a shopping cart or order is depicted below.



So, a cart or an order can contain one or more order forms. In most cases, there is only one form per cart or order. As an example of when multiple forms may be used in an order, in some B2B sites, one person places an order for different sections of an organization. Each section has its own form, with separate details.

Each order form can have one or more shipments, and each shipment is made up of one or more line items.

Order meta-classes and meta-fields

You can define your own meta-classes and meta-fields for both product and orders in Commerce Manager. For example, if you create a meta-class called *Wine*, you want to add meta-fields that are characteristic for wine, such as *color*, *taste*, *vintage* and *maturity*.

When you create meta-fields and meta-classes, you can use them in the product catalog. Meta-classes and meta-fields for catalogs are defined in the **Catalog System** part of **System Administration**. See also: [Catalog meta-classes and meta-fields](#).



Browsing orders

Customers create the majority of orders on the front-end in an online store, and you likely have a significant amount of orders in your system. Episerver Commerce lets you browse and search orders in several ways.

- Filter and search orders by customer, status, market, date range and other properties.
- Use wildcards to limit search results.
- Preview orders while browsing.
- Viewing orders per market.

Searching and viewing orders

Go to **Commerce Manager > Order Management** and click **Order Search**.

Search filtering options include markets and customer contact details. You can use wildcards ("*") to indicate partial search such as for a customer name. You can click column headers to sort the order list.

ID	Customer	Total	Status	Market ID	Last Modified	Created	Order Id	Name	ProviderId
PO9872	Anonymous	\$2,002.00	In Progress	DEFAULT	Today, 12:38 PM	Today, 10:46 AM	10	Default	FrontEnd
PO7207	admin	\$1,012.00	In Progress	DEFAULT	Today, 10:42 AM	Today, 10:42 AM	8	Default	FrontEnd

When browsing orders, you can for example see information about order creation date, market, and from where the order derives.

Order summary preview

Click the **Order Summary** icon next to the purchase order ID to display a summary of the order information.

Order Summary

OrderGroupID: 10 Order #: PO9872

Customer: E-mail: jen@somemail.com Phone: 1234567

Order Forms

Form ID	ID	Name	Quantity	Price	Item Discount	Order Level Discount	Total
10		Bottoms-Denim-Boyfriend-Blue-Medium	1.00	1000.00	0.00	0.00	1000.00
10		Bottoms-Denim-Boyfriend-Dark-Medium	1.00	1000.00	0.00	0.00	1000.00

Payments

Form Id	Name	Transaction Type	Transaction Id	Amount	Status
10	Pay By Phone	Sale		2002.00	Processed

Returns

Form Id	ID	Name	Quantity	Price	Item Discount	Order Level Discount	Total
---------	----	------	----------	-------	---------------	----------------------	-------

Cancel

Viewing orders by time range or status

Using the options under **Purchase Orders** in the left column you can view orders by **time range**. You can for example display orders using **Last 7 days** and **Last 30 days**, to see the last orders from the previous month, in the beginning of a month.

Order Management

Filter by market: All Markets


New Order New Payment Plan New Shopping Cart X Delete Selected

ID	Customer	Total	Status	Created	Last Modified	Market
PO4126		kr 1 790,00	In Progress	Today, 9:16 AM	Today, 9:16 AM	NORWAY
PO4120754		kr 920,00	In Progress	Yesterday, 11:48 AM	Yesterday, 11:48 AM	NORWAY
PO4101550		kr 483,00	In Progress	2/11/2015 11:00:00 AM	2/11/2015 11:00:00 AM	NORWAY
PO4079766		\$364,00	In Progress	2/11/2015 7:39:00 AM	2/11/2015 7:39:00 AM	DEFAULT
PO4059581		kr 250,00	In Progress	2/11/2015 7:51:00 PM	2/11/2015 7:51:00 PM	NORWAY
PO3196201		\$1,850,00	In Progress	2/13/2015 9:58:00 AM	2/13/2015 9:58:00 AM	DEFAULT
PO4048909		kr 1 706,00	In Progress	2/10/2015 12:53:00 PM	2/10/2015 12:53:00 PM	NORWAY
PO4043796		\$934,00	In Progress	2/11/2015 5:28:00 AM	2/11/2015 5:28:00 AM	DEFAULT
PO4036737		kr 483,00	In Progress	2/11/2015 4:02:00 PM	2/11/2015 4:02:00 PM	NORWAY
PO4014970		\$1,382,00	In Progress	2/10/2015 9:00:00 AM	2/10/2015 9:00:00 AM	DEFAULT
PO4010406		483,00 kr	In Progress	2/13/2015 10:39:00 PM	2/13/2015 10:39:00 PM	SWEDEN
PO3997202		1.292,00 kr	In Progress	Yesterday, 7:11 PM	Yesterday, 7:11 PM	SWEDEN
PO3992218		798,00 kr	Completed	1/28/2015 3:10:00 AM	Today, 8:01 AM	SWEDEN
PO3990825		kr 379,00	Completed	2/9/2015 8:00:00 PM	Today, 1:00 AM	NORWAY
PO3988603		kr 1 128,00	Completed	1/25/2015 1:23:00 PM	Today, 1:00 AM	NORWAY
PO3985910		385,00 kr	Completed	2/9/2015 11:39:00 PM	Today, 1:00 AM	SWEDEN
PO3983687		kr 483,00	Completed	1/14/2015 3:44:00 AM	Today, 1:00 AM	NORWAY
PO3980142		122,00 kr	Completed	1/17/2015 11:49:00 AM	Today, 1:00 AM	SWEDEN
PO3978975		kr 1 732,00	Completed	1/23/2015 2:13:00 AM	Today, 1:00 AM	NORWAY
PO3976978		kr 1 003,00	Completed	1/13/2015 2:19:00 PM	Today, 1:00 AM	NORWAY

Using the options under **Purchase Orders By Status** in the left column you can view orders by **status**.

Viewing orders per market

When viewing purchase orders, carts or payment plans, you can filter all views via a drop-down list per market to work with items for a specific market.



The screenshot shows the 'Order Management' interface. On the left is a navigation menu with options like 'Order Search', 'Purchase Orders', 'Purchase Orders By Status', 'Carts', and various time filters. The main area displays a table of orders with columns: ID, Customer, Total, Status, Market ID, Last Modified, Created, Order Id, Name, and ProviderId. The table is filtered by 'Europe' and shows two orders: one for 'admin' with a total of 0.00 € and another for 'Anonymous' with a total of 3 100.80 €.

ID	Customer	Total	Status	Market ID	Last Modified	Created	Order Id	Name	ProviderId
12	admin	0,00 €	In Progress	EUROPE	Today, 1:06 PM	Today, 1:06 PM	12	Default	
11	Anonymous	3 100,80 €	In Progress	EUROPE	Today, 10:50 AM	Today, 10:47 AM	11	Default	FrontEnd



Creating an order


While customers create the majority of orders on the front-end in an online store, you may sometimes need to manually create an order from Commerce Manager.

You can create orders from within **Order Management** or directly for a **Contact** in **Customer Management**. The order management option is the fastest and most common way, providing more order alternatives. The Customer Management system, while a bit slower, lets you to double-check a customer's information before beginning an order.

Note: When you create an order, it appears in the **Purchase Orders** list with an order status of **In Progress**.

Creating an order from order list

1. Go to **Order Management > Purchase Orders**.
2. Click **New Order**. A dialog box appears.
3. Select the **Site** and **Customer** to which the new order applies. Select **Customer > More** if your customer is not listed.



4. Click **OK**. The basic order information appears.
5. Fill out the purchase order and click **Apply**.

Basic Order Info

Customer: admin

Currency: US dollar ▼

Coupon Code: 1234567

- **Customer.** Enter the name of the contact.
 - **Currency.** Select the currency to associate with the purchase order.
 - **Coupon.** If applicable, apply a coupon code that was created with a promotion to associate with the purchase order.
6. Click **New Item** to add items from the site catalog to the purchase order. A dialog box appears so you can select items from a site catalog.

New Item		Delete	
ID	Name		

Page Size: 20 ▼

7. Search for items by entering search terms into the search field and clicking **Find**. To sort search results, select the column header.

New Line Item

bordeaux [Advanced Search](#)

Picture	Name	Catalog	Type	Price	In Stock
	Mixed Cases	France	Variation	£8,546.05	1000
	Ch. Plantey Canteloup	France	Variation	£6.95	1000
	Chateau Langoa-Barton	France	Variation	£47.00	1000
	Chateau Bellevue	France	Variation	£43.00	1000
	Chateau Pichon-Longueville Lalande	France	Variation	£215.00	1000

Page Size: 20 (584 items) | Page 1 2 3 4 5 ...

Use the following fields to refine search results.

- **Select catalog.** Select which catalog to search.
- **Select language.** Select a language (such as German for items described in German).
- **Select entry type.** Select a type of entry, such as variant/SKU or bundle.

8. Select an item from the list and click **Configure Selected Entry**. The **New Line Item** dialog appears.

- **Display Price.** The price displayed on the public website. This is set at the catalog-entry level.
- **Price.** The actual cost of the item that is charged when the item is added to the order.
- **Quantity.** Set how many of the item to add to the order.
- **Discount.** You can apply a discount to the item, value or percentage based.

Note: If you are using the [new Discount system](#), discounts that you manually add to an order are included in the total discount calculations, and are listed under the order's Promotions as **Manual**.

- **Total.** The total is calculated, factoring in the actual price, quantity, and any discounts.

9. Click **Add item to the order**. The item appears on the Purchase Order form.

ID	Name	Quantity	List Price	Total	Discount
ELCB000SOVTF56	Nextware iPhone Screen Protector 2-pk.	1	\$19.99	\$19.99	\$0.00

Page Size: 20 (1 items)

10. Enter a Billing and a Shipping Address. You can select the contact's existing address.

- Select **Add to customer's address book** if you want to save the address with the contact.
- If the Shipping Address is the same as the Billing Address, click **Same as Billing Address**. The Shipping Address form is populated with the Billing Address information.

11. Select the order's **Shipping Method**. Select **Recalculate** to generate and display the cost summary.

Summary	
Item Subtotal:	\$19.99
Shipping Cost:	\$10.00
Less Shipment Discount:	\$0.00
Total Before Tax:	\$19.99
Item Taxes:	\$0.00
Shipment Total:	\$29.99

12. Click **OK** to save the order.

Creating an order within a contact

1. Go to **Customer Management > Contacts**. Select a contact. Its details appear.
2. Click **New Order**. The **New Order** dialog box appears.

The screenshot shows the 'Customer Management' interface with the 'Contacts' tab selected. A 'New Order' dialog box is open, displaying the following information:

Information		Information	
Full Name:	admin	Contact	
Parent Organization:		Full Name:	admin
		Customer Group:	
		First Name:	admin
		Preferred Currency:	
		Middle Name:	
		Preferred Language:	
		Last Name:	
		Registration Source:	
		Parent Organization:	
		Last Order Date:	
		Preferred Shipping Address:	
		Preferred Billing Address:	
Account Edit Account Change Password Remove Account			
User Name:	admin	Is Locked Out:	none
Description:		Last Activity:	Today, 1:23 PM
Email:	admin@yourcompany.com	Last Login:	Today, 12:49 PM
		Last Password Changed:	Today, 6:19 AM

Buttons: Edit, Cancel

3. Select the site where you want to apply the order and click **OK**. The **Purchase Order New** form appears, prompting you to enter order information.
4. Follow the steps in [Creating an order from order list](#) to complete the order.



Order management screen

The Order management screen lets your order support team identify and perform common tasks on shopping carts. For example, you can add or remove line items as well as update their quantity. You can also update customer information.

Note: This feature is a beta release. For more information, see [Beta features](#). Pay special attention to "Enabling Beta features" within that page.

Accessing the Order management screen

From the Commence main menu, click **Order management**.

Working with carts

Searching for carts

The Order management screen lists all shopping carts in reverse numerical order. Scan the screen to find the cart you are interested in.

You can also search for shopping carts by customer name or email address. To find a shopping cart using name or email:

1. Click **Open cart**. The **Open Cart** dialog appears.
2. Enter any part of the user's name or email address.
3. Select the customer.
4. The cart opens.

Note: If no cart exists for the selected customer, an empty default cart is created.

Viewing a cart

The cart screen show the following information about the selected shopping cart:

- Cart information: number, order date, status
- Customer information: name, email address
- Forms in the cart (See Also: [Structure of orders.](#))
 - Shipments in each form
 - Shipping address. See [Selecting a shipping address.](#)
 - Shipping method
 - Line items in the shipment

Note: Changes to an item's quantity can update applicable discounts in real-time.

- Discounts applied. See also: [Viewing and editing discounts](#).
- Order total

Editing carts

After you edit a cart's line items, its total is recalculated. Also, if the edits affect applicable discounts for the cart, the **Discounts** display changes.

Adding a line item

To add a new line item:

1. Click the **Add +** button on the left side of the screen, under any existing line items.
2. A Search window appears. Enter a search phrase of three or more characters. Examples:
 - Enter the entire SKU, for example, **44477844**.
 - Enter all or part of the item name or description, for example, **boot**.
3. Items that satisfy your search phrase appear. Select the one that you want.

If the item is already added to this cart, a cart icon with the previously-ordered quantity appears on the search results.

4. Enter a quantity.

If the item was already added to this cart, the new quantity is added to the existing quantity. a new line item is *not* created.

5. Click **Add**.

Changing a line item's quantity

To change a line item's quantity by a few nearby numbers (for example, from 2 to 4), use the up/down arrows next to the quantity.

To change quantity by a large amount (for example, from 2 to 50), it is quicker to select the current quantity then type in a new one.

Deleting a line item

To delete a line item, click the delete icon to its right.

Selecting a shipping address

Every shipment needs a shipping address. On the Cart Details screen, it appears below the customer information and above the line items.

If a customer has several shipping addresses, use search to find the correct one. You can also enter a new shipping address.

Addresses are stored in and editable from the Contact Details screen's [Address book](#) tab.

Viewing and editing discounts

Discounts are applied to a cart or line items if their conditions are met. For example, a discount stipulates a \$10 reduction for a cart whose total that exceeds \$100. As soon that is true, the \$10 discount appears under **Discounts** and the cart total is adjusted.

Discount codes

A discount code is an additional criterion that you can apply to any discount. For example, customers who enter discount code **CouponABC** during checkout receive 10% off the cart total.

A cart's submitted discount codes appear above the discount list. You can also manually add [discount codes](#) to a cart. As long as codes that you enter satisfy an item's or order's business logic, the discount amount is deducted from the cart total.

For example, men's shoes are 20% off *if* the customer enters the discount code **Shoes** when submitting the order. If a customer places a pair of men's shoes in a cart then enters coupon code **Shoes**, 20% is deducted from the cost and displayed in the **Discounts** area.

Creating discount codes for customer appreciation

You can create a discount that allows customer service representatives to apply refunds to customer carts for loyalty, compensation for problems, and so on. To do this, create a discount for this purpose, enter a discount amount, and a coupon code. Then, train your CSRs to use the code where appropriate to reduce the customer's cart total.

Adding a new customer and cart


You can create a new customer and his or her cart from the **Order management** screen.

1. Click **Open cart**. The **Open Cart** dialog appears.
2. Click **New Customer**.
3. Enter the name, email, and Customer Group information and click **Save**.


4. The **Cart Details** screen appears. Here, you can
 - a. Edit customer information collected earlier.
 - b. Enter shipping information for the customer.
 - c. Enter information about the cart's line items, payments, discounts, and so on.

Updating customer information

You can update customer information from the Cart Details screen. To do so, click the edit icon next to **Cus-
tomer**.



When you do, the Contact Details screen appears with two tabs: **Personal Information** and **Address Book**.




Personal Information tab

You can edit the customer's name, email address, and customer group.

Address Book tab

Initially, you see all of a customer's addresses.



You can edit or delete an existing address, or enter a new one. You may designate one address as the preferred billing address, and the same or a different one as the preferred shipping address.



Processing an order

Order processing (or fulfilling) includes adding a payment and releasing the order for shipping. These steps are needed to complete the order and ship it to the customer. When the payment clears, the order is released for packing and shipping. Depending on how your system is set up, this process may be automatically handled by the system. This topic describes how to complete order processing manually.

Note: When an order is processed and released for shipping, its status is changed to **In Progress** in the order list, and appears in the **Released for Shipping** list under **Shipping/Receiving**.

1. Go to **Order Management** and open the order you want to process.
2. To add a payment to the order, click **Create Payment**.

The screenshot shows the 'Order Management' interface for order PO0850. At the top, there are buttons for 'Add Note', 'Send Notifications', and 'Add Order Address'. Below these, the order details are displayed: 'Order No: PO0850', 'Customer: Mary Smith', 'Order Total: \$59.98', and 'Status: InProgress'. A navigation bar contains tabs for 'Summary', 'Details', 'Payments', 'Returns', and 'Notes'. The 'Payments' tab is active, showing a 'Create Payment' button and a table with columns for 'Name', 'Transaction Type', 'Amount', and 'Status'. The 'Name' column has a dropdown menu. At the bottom, there is a 'Page Size' dropdown set to '100'.

3. Enter the payment amount. The **Amount** field auto-populates the value of the total order, including shipping costs. However, you can change the payment value (for example, to create a split payment between two or more payment methods at the request of the customer).
4. From the drop-down list, select the **Payment Method**.

5. Click **OK**. The order appears in Edit Mode.

The Order is in Edit Mode. Save changes before exiting.

Add Note Send Notifications Add Order Address

Order No: PO2427 **Customer:** Mary Smith
Order Total: £86.00 **Status:** InProgress

Summary | Details | **Payments** | Returns | Notes

Create Payment

<input type="checkbox"/>	Name	Transaction Type	Amount	Status
<input checked="" type="checkbox"/>	Pay By Phone		86.00	Pending

Page Size: 100 ▼

Note: You can add more payments to the order in Edit Mode. However, if you click **Save**, you finalize the payment. At that point, you can no longer add or delete payments.

6. Click **Save** to exit Edit Mode and save your changes. The payment is processed for the amount specified.

The Order is in Edit Mode. Save changes before exiting.

Add Note Send Notifications Add Order Address

Order No: PO0850 **Customer:** Mary Smith
Order Total: \$59.98 **Status:** InProgress

Summary | Details | **Payments** | Returns | Notes

Create Payment

<input type="checkbox"/>	Name	Transaction Type	Amount	Status
<input checked="" type="checkbox"/>	Pay By Phone	Sale	59.9800	Processed

Page Size: 100 ▼

7. Click **Details** to see that the **Shipment Status** is changed to **Awaiting Inventory**. When you determine the item's availability, click **Release Shipment** to release the order to your shipping department.

Summary	Details	Payments	Returns	Notes				
Shipment # 1								
<input type="checkbox"/> New Line Item <input type="checkbox"/> Delete								
<input type="checkbox"/>	ID	Name	Quantity	List Price	Placed Price	Total Discount	Discount Description	Total
<input type="checkbox"/>	830178	Chateau Bellevue	2.00	£43.00	£43.00	£0.00		£86.00
Page Size: 100								
Shipping Information								
Shipping Address:								
1 First Street, Hometown, Alabama, 81818, United States						<input type="button" value="Edit Shipping Address"/>		
Shipping Method:								
Free delivery (2-3 days)						<input type="button" value="Edit Shipping Method"/>		
Shipment Summary			Shipment Status			Returns/Exchanges		
Item Subtotal: £86.00			Status: Awaiting Inventory			<input type="button" value="Create Return"/>		
Shipping Cost: £0.00			<input type="button" value="Complete Shipment"/>					
Shipment Total: £86.00			<input type="button" value="Release Shipment"/>					
			<input type="button" value="Cancel Shipment"/>					
Promotions								
Type	Name	Coupon Code						

8. When you click **Release shipment**, the order's status changes to **Released**. To further process the order, your shipping department goes to **Order Management > Shipment**.

Warning: If you click **Cancel shipment**, you cancel the entire order. You cannot undo the cancellation.

The following table summarizes the events surrounding an order, and lists the corresponding order and shipment status of each event.

Event	Shipment status	Order status
1. Payment pending	Shipment cannot be released. Order is not fully paid.	In progress
2. Payment completed	Awaiting Inventory	In progress
3. Release Shipment	Released	In progress
4. Pickuplist: Add shipment to pickup list	Packing	In progress

Event	Shipment status	Order status
5. Use Complete Shipment on the Shipping/Receiving screen	Shipped	Completed/Partially Shipped
6. Create Return: Select item for return		Completed (Awaiting Return Completion)
7. Acknowledge receipt of items		Completed (Awaiting Stock Return)
8. Complete return: Pay back for returned item		Completed
Cancel Shipment		Canceled



Splitting a shipment

If an order has two or more items, you can split it into separate shipments, up to the number of items in a single order. You may split an order...

- to expedite items that are immediately ready for shipment, while other items require additional shipping lead time.
- to ship multiple heavy items, back-ordered items, or a large volume of items for ease of delivery and pickup.

1. In **Order Management**, go to an [existing purchase order](#) or [create a new one](#).
2. Click **Details** and look for **Shipment # 1**.

Add Note Send Notifications Add Order Address

Order No: PO0663 **Customer:** John Browne
Order Total: £226.00 **Status:** InProgress


Summary | **Details** | Payments | Returns | Notes

Shipment # 1

New Line Item	Delete	ID	Name	Quantity	List Price	Placed Price	Total Discount	Discount Description	Total
<input type="checkbox"/>	<input type="checkbox"/>	74521B	Domaine de Montille	2.00	£69.00	£69.00	£0.00		£138.00
<input type="checkbox"/>	<input type="checkbox"/>	74838B	Maison Camille Giroud	4.00	£22.00	£22.00	£0.00		£88.00

Page Size: 100

3. Click **Move** next to the item you want to move. The **Move Line Item** dialog box appears.



4. Select the data for the line item and click **OK** to save your changes.

Move Line Item

Quantity to move:

Move to existing shipment

Create new shipment

Address:

Shipping Method:

Charge customer for original shipment's shipping rate

Charge customer for new shipment's shipping rate

- **Quantity to move.** Select the quantity of the item to move.
- **Move to existing shipment.** Select an existing shipment.
- **Create new shipment.**
- **Address.** Select an address.
- **Shipping method.** Select a shipping method.
- **Charge customer for original/new shipment's shipping rate.** Select which shipping rate to charge for.

The **Details** page shows the new shipment, which you can process separately from one another, but tied to a single purchase order.

The Order is in Edit Mode. Save changes before exiting.

Add Note Send Notifications Add Order Address

Order No: PO0663 **Customer:** John Browne
Order Total: £226.00 **Status:** InProgress

Summary **Details** Payments Returns Notes

Shipment # 1

New Line Item Delete

ID	Name	Quantity	List Price	Placed Price	Total Discount	Discount Description	Total
74521B	Domaine de Montille	2.00	£69.00	£69.00	£0.00		£138.00

Page Size: 100

Shipping Information

Shipping Address:
 123 Sunset Avenue, Suntown, Marshall Islands, 765432, United States

Shipping Method:
 Free delivery (2-3 days)

Shipment Summary
 Item Subtotal: £138.00
 Shipping Cost: £0.00
 Shipment Total: **£138.00**

Shipment Status
 Status: Inventory Assigned

Returns/Exchanges

Shipment # 2

New Line Item Delete

ID	Name	Quantity	List Price	Placed Price	Total Discount	Discount Description	Total
74838B	Maison Camille Giroud	4.00	£22.00	£22.00	£0.00		£88.00

Page Size: 100

Shipping Information

Shipping Address:
 123 Sunset Avenue, Suntown, Marshall Islands, 765432, United States

Shipping Method:
 Free delivery (2-3 days)

Shipment Summary
 Item Subtotal: £88.00
 Shipping Cost: £0.00
 Shipment Total: **£88.00**

Shipment Status
 Status: Inventory Assigned

Returns/Exchanges



Setting up a payment plan

A payment plan works exactly like [processing an order](#), except that a payment plan spreads payments over time, giving you flexibility in how you sell your products, and how a customer pays for them. Use a payment plan for large and complicated orders, orders that need to be shipped in sequence, magazine or grocery subscriptions, or expensive items.

A Customer Service Representative (CSR) sets up a payment plan to generate recurring payments. Payment plans are handled in the background through the [Subscription payment plan scheduled job](#).

1. Go to **Order Management > Payment Plans (recurring)**.
2. Open up the **Payment Plans List** and click **New Payment Plan**.
3. Select a customer contact to whom the payment is attached. The **Payment Plan New** page appears.
4. Complete the form as you would when [creating an order](#).
5. Set the cycles and parameters of the **Payment Plan Details**.

Payment Plan Details

Plan Cycle (en-US): ▼
Cycles mode is used to define period for recurring payments. Can be day, week, month, year or custom.

Cycle Length (en-US):
Cycle length in units of cycle mode.

Max Cycles (en-US):
Number of maximum cycles to process

Completed Cycles (en-US):
Number of completed cycles

Start Date (en-US):
Plan start date

End Date (en-US):
Plan end date

Is Plan Active (en-US): True False
Set to true if plan is active

Last Transaction Date (en-US):
The date of last transaction

- **Plan Cycle.** (Cycle Mode)

You can choose from the following plan cycles, which determine how often the customer is charged.

- **No Cycle.** No recurring payment is created. The customer is charged once when the initial purchase order is created.
 - **Daily Cycle.** Recurring payment happens daily from start date.
 - **Weekly Cycle.** Recurring payment happens weekly from start date.
 - **Monthly Cycle.** Recurring payment happens monthly from start date.
 - **Custom 1/Custom 2.** These are placeholders for developers to create custom cycles within the `Mediachase.Commerce.Orders.PaymentPlanCycle` class.
- **Cycle Length.** Entering a value of 1 or higher determines the unit of time for the Plan Cycle. For example, if the Plan Cycle is **Daily**, and the **Cycle Length** is **3**, a transaction occurs every three days. If the Plan Cycle is **Monthly** and the **Cycle Length** is **1**, a transaction occurs each month.
 - **Max Cycles.** Determines the maximum number of cycles to run for this payment plan. For example, if the **Max Cycles** is set to **2**, payment plan stops after two transaction cycles. If you want the plan to go on indefinitely, set **Max Cycles** to **0**.
 - **Completed Cycles.** This tallies the number of completed cycles since the payment plan was created. When initially creating the payment plan, set this field to **0**.
 - **Start Date.** Set the start date and time when recurring transactions begin.
 - **End Date.** Set the end date and time when recurring transactions end.
 - **Is Plan Active.** **True** enables the payment plan. Set **False** to create the payment plan but keep it inactive.
 - **Last Transaction Date.** Logs the last transaction date. Leave the date and time fields as is when you create the payment plan.

6. Click OK.

Payment plan order detail page explained

The payment plan begins when the first purchase order is generated. You can create the purchase order manually (by clicking **Create First Purchase Order**) or automatically by the payment plans scheduled job.

After you create a new payment plan, a new **Order** page appears. This is slightly altered from the original Order detail page that appears after creating a new order. The changes include:

- Inability to manage shipment (release shipments for further processing).
- An **Orders** tab that shows a history of processed purchase orders from this payment plan.
- A **Create First Purchase Order** button that a CSR clicks to create the first purchase order related to this payment plan. The button disappears after creating the first purchase order manually, or if the payment plan scheduled job runs and generates the first purchase order. The payment plan goes into effect after the first purchase is generated.

- The generated purchase order number includes the parent ID of the payment plan. For example, if the payment plan parent ID is 35, subsequent purchase orders are numbered as PO35XXX.
- When a payment is added to a payment plan, the customer is not charged. The payment plan simply collects payment information until converted to a purchase order. The customer is charged once the purchase order is generated for the first time (and through subsequent purchase orders).

Editing and canceling a payment plan

1. To edit an existing payment plan, go to **Order Management > Payment Plans (Recurring)** or **Today/This Week/This Month/All**. Click the payment plan ID number to open the payment plans order details page and make edits.
2. To cancel a payment plan, click **Summary** then click **Cancel Payment Plan**.

Creating a recurring payment plan using Authorize.Net

Episerver Commerce supports the **Authorize.Net** recurring payment plan gateway. For information about setting up payment methods, see [Payments](#).

1. Go to **Administration > Order System > Payments > (Language)** and create a new payment method or select an existing payment method (such as **Pay by Credit Card**).
2. When you set up the parameters of the payment method, select the **Mediachase.Commerce.Plugins.Payment.Authorize.AuthorizePaymentGateway** class name.

Class Name:	Mediachase.Commerce.Plugins.Payment.Authorize.AuthorizePaymentGateway ▼
--------------------	--

3. Click **Yes** for **Supports Recurring**.
4. Click **OK**.
5. Click the name of the payment method again and click **Parameters**.

6. Configure your Authorize.net account for both regular payments and recurring payments.

Configure Authorize.Net Account
Get an Authorize.Net account at www.authorizenet.com.

API UserId:

Transaction Key:

Regular Payments

Processing Url:

Payment Options:

Authorization

Sale

Recurring Payments

Processing Url:

Recurring Method:

Cancel Status:




Editing, canceling, and deleting orders

Editing an order

1. Go to **Order Management**.
2. Select the order to edit.
3. Edit the order.
4. Click **Save**.

Canceling an order

1. Go to **Order Management**.
2. Select the order to cancel.
3. Under the **Summary** tab, click **Cancel Order**. The status of the order changes to **Cancelled** but it remains in the order list for viewing. The cancellation of the order is logged under the **Notes** tab.

Order No: PO0850		Customer: Mary Smith		
Order Total: \$59.98		Status: Cancelled		
Summary	Details	Payments	Returns	Notes
 New Item				
<input type="checkbox"/>		Originated By	Date/Time	Note Text
<input type="checkbox"/>	5	admin	2/21/2011 9:49:43 AM	New order placed by admin in ConsoleManager
<input type="checkbox"/>	6	admin	2/21/2011 10:01:16 AM	New Other payment in the amount of \$59.98 added to order
<input type="checkbox"/>	7	admin	2/21/2011 10:08:10 AM	Shipment 10 status changes to Released
<input type="checkbox"/>	8	admin	2/21/2011 10:11:21 AM	Order status changed to Cancelled
Page Size: 100				

Deleting an order

Warning: When you delete an order, it is removed from the order list.

1. Go to **Order Management**.
2. Select one or more orders to delete.
3. Click **Delete Selected**.
4. Click **OK**.



Shipping and receiving

Completing the order processing includes these tasks:

- [Completing the shipment](#) by preparing the physical package to be shipped.
- [Creating picklists](#) for picking up the physical items in the warehouse.

Shipping and Receiving are split into two areas: shipment and return.

- A shipment controls items released for shipping and picklist, or items that are packed and prepared for shipping or ready for pick up.
- Returns are incoming items that are returned by customers for some reason, such as faulty items that need to be replaced by exchange. Episerver processes returns similarly to outgoing shipments, and manages returned items as incoming package. You can track them at **Order Management > Shipping/Receiving > Shipments > Returns**.

The **Shipments** view contains the following information.

The screenshot shows the 'Order Management' interface. On the left is a navigation sidebar with 'Shipments' selected. The main area displays a table of shipments under the heading 'Add Shipment to Picklist'. The table has columns for 'Order Created', 'Last Modified', and '#'. Two rows are shown:

	Order Created	Last Modified	#
<input type="checkbox"/>	2/18/2011 9:58:27 AM	2/18/2011 9:58:27 AM	PO1537-2
<input type="checkbox"/>	Today, 11:46 AM	Today, 11:46 AM	PO0485-11

- **Order Created.** Specifies when an order was created. This is useful, for example, if you want to ship orders by date and time.
- **Last Modified.** If changes were made to an order, the last modification date appears here.
- **Number #.** The order's ID number. The first number is the unique tracking number. The second number is the unique tracking number assigned to the order for shipping purposes.
- **Customer.** The full name of the customer as it appears on the package. This is useful, for example, if you want to ship orders all together to one customer.
- **Shipping Method.** Specifies the order's shipping method. Shipping methods are specified in the Administration > [Shipping methods](#) section of Commerce Manager.
- **Address.** The address that the package is being shipped to.
- **Warehouse.** A warehouse is (most likely) a physical location where you store goods before delivery. You can select any [warehouse](#) in the system. Remember to select the correct one when attempting to check for shipments.
You can change the **Default Warehouse** in the Administration section of the Commerce Manager. If you have only digital products, the default warehouse is adequate.



Creating a picklist

After you create and process an order, its status is **Released for Shipping**. Before you can complete or ship an order, you must add it to an existing picklist or create a new picklist. After adding a shipment to a picklist, you select the warehouse where the physical item is packed and shipped.

Note: After an order is added to a picklist, its status is **In Progress** in the order list. It disappears from the **Release for Shipping** list and appears in the **Picklist** listing, under **Shipping/Receiving**.

1. Go to **Order Management > Shipping/Receiving > Shipments > Released for Shipping**. The **Released Shipments** list appears.

The screenshot shows the Order Management interface. On the left is a navigation tree with 'Order Management' expanded to 'Released for Shipping'. On the right, there is a 'Warehouse: Default Warehouse' dropdown and an 'Add Shipment to Picklist' button. Below that is a table with the following data:

<input type="checkbox"/>	Order Created	Last Modified	#
<input type="checkbox"/>	i 2/18/2011 9:58:27 AM	2/18/2011 9:58:27 AM	PO1537-2
<input type="checkbox"/>	i Today, 11:46 AM	Today, 11:46 AM	PO0485-11

2. Select a **Warehouse** to determine from where the item is packed and shipped.
3. Select orders to add to the picklist and click **Add Shipment to Picklist**. The **Add Shipments to picklist** dialog box appears.
4. You can create a **New Pick List** (by default, the **List Name** shows the date and time the picklist was generated), or add shipments to an existing picklist.

The screenshot shows the 'Add Shipments to Pick List' dialog box. It has two radio buttons: 'Create New Pick List' (selected) and 'Add to Pick List'. Under 'Create New Pick List', there is a text field for 'List Name' containing '2011-06-16 16:36'. Under 'Add to Pick List', there is a dropdown menu for 'List Name'. At the bottom are 'OK' and 'Cancel' buttons.

Note: You cannot change the name of the picklist.

5. Click **OK**.



Completing a shipment

This is the final stage of an order where you prepare the physical shipment by assigning tracking information, preparing a packing slip and sending the package when the order is completed. The order becomes available for creating a return if needed; returns can only be created for completed orders.

Note: A completed order has the status **Completed** in the order list and disappears from the **Picklist** listed under **Shipping/Receiving**. The picklist remains in the list even if there are no packing shipments remaining.

Use the following methods to complete a shipment.

Method 1

1. Select the box next to the shipment then click **Complete**. The **Complete shipment** dialog box appears.

<input type="checkbox"/> Complete <input type="checkbox"/> Print Picklist <input type="checkbox"/> Print Packing Slip <input type="checkbox"/> Remove from Picklist					
<input type="checkbox"/>		Last Modified	#	Customer	Shipping Method
<input type="checkbox"/>		6/16/2011 12:09:53 PM	PO4563-4	Carlos Nevada	Fixed Shipping Rate
<input type="checkbox"/>		6/16/2011 12:14:41 PM	PO6908-6	Jennifer Browne	Fixed Shipping Rate
<input checked="" type="checkbox"/>		Today, 1:40 PM	PO10728-9	Lisa Prescott	Ground Shipping

The default shipment number is based on the number after the purchase order number. For example, in the above image, the PO number for the selected order is PO10728-9. The number after the dash is the number to enter into the text field. In this case, it is **9**.

Complete | Print Picklist | Print Packing Slip | Remove from Picklist

Last Modified	#	Customer	Shipping Method
6/16/2011 12:09:53			
6/16/2011 12:14:43			
Today, 1:40 PM			

Complete shipment

Shipment #:

- Click **Validate**. When validated, you see the customer name, shipping address, shipping method, and a field to enter the tracking number provided by the shipping provider. Enter a tracking number and click **OK**. The shipment is sent out and completed. The purchase order status changes to **Completed**.

Complete shipment

Shipment #:

Customer: Lisa Prescott

Shipping Address: 111 Palm Street, Sun City, Florida, 333445, United States












Shipping Method: Ground Shipping

Tracking Number:

Tip: The Complete shipment dialog box appears over the purchase order number. To reference the shipment number without closing the dialog box, move the dialog box so you can see the PO number by hovering your mouse cursor over the Complete shipment title bar.

Method 2

1. To complete a shipment, click **Complete Shipment** . The **Complete shipment** dialog box appears.

 Complete  Print Picklist  Print Packing Slip  Remove from Picklist						
<input type="checkbox"/>			Last Modified	#	Customer	Shipping Method
<input type="checkbox"/>			6/16/2011 12:09:53 PM	PO4563-4	Carlos Nevada	Fixed Shipping Rate
<input type="checkbox"/>		 	6/16/2011 12:14:41 PM	PO6908-6	Jennifer Browne	Fixed Shipping Rate

The shipment number is already validated with the last number of the PO number.

Complete shipment ✕

Shipment #: 6

Customer: Jennifer Browne

Shipping Address: 75 Sun Street, Sunshine Valley, South Wales, 333567, Australia


Shipping Method: Fixed Shipping Rate

Tracking Number:

2. Enter a tracking number provided by the shipping provider.
3. Click **OK** to complete the shipment and order.

Printing a picklist and packing slip

1. Go to **Order Management > Shipping/Receiving > Shipments > Pick Lists**. You can filter the view by choosing which warehouse the pick list was generated in. You can also sort existing picklists by **Name**, **Packing Shipments**, **Warehouse**, and **Created By**.



2. Select an existing picklist. The **Packing Shipments** window appears.

- To print a picklist, select one or more purchase orders and click **Print Pick List** to generate a printable and exportable (Excel or PDF) picklist.

Customer Name	Product Code	Product Name	Qty
Shipment Id: 6			
Customer Name	Product Code	Product Name	Qty
Mary Smith	83017B	Chateau Bellevue	2.00
Shipment Id: 9			
Customer Name	Product Code	Product Name	Qty
John Browne	74521B	Domaine de Montille	2.00

- To print a packing slip, select one or more purchase orders to include in the packing slip then click **Print Packing Slip**.



Removing items and deleting picklists

Removing items from a picklist

1. Go to **Order Management > Shipping/Receiving > Shipments > Picklists**.
2. Select a picklist to display the related order shipment.
3. Select the shipments you want to remove and click **Remove from Pick List**.
4. Click **OK**.

Deleting picklists

Note: A picklist must be empty of packing shipments (0 shipments remaining) before you can delete it.

1. Go to **Order Management > Shipping/Receiving > Shipments > Picklists**.
2. Select one or more picklists.
3. Click **Delete Selected**.
4. Click **OK**.



Shopping carts

A visitor creates a shopping cart when the visitor clicks **Add to basket** option on any page. You can manually create and manage a shopping cart from **Order Management > Carts** where you can view registered and anonymous customer carts and manually convert a cart into a purchase order. See also: [Shopping process flow](#).




Creating a shopping cart

Each shopping cart is unique and has its own ID. A customer can have only one cart open at a time. So, if the customer already has a cart open, the system redirects to the open cart.

When a cart's checkout is complete and payment is submitted, the cart is converted to an order. At that point, the cart disappears from the **Carts** list, and appears in the purchase order list.

1. Go to **Order Management > Carts**.
2. Click **New Shopping Cart**.




3. Select a customer for whom you want to create the cart. If you do not see the customer in the list, click **More** to search for them.
4. Enter product items to the cart by clicking **New Line Item**.
5. Return to the **Carts** view to verify that the cart is there.



Converting a shopping cart

Typically, a shopping cart is converted to a purchase order when a customer proceeds to checkout and finalizes the purchase. However, you may need to manually complete a purchase by converting a shopping cart into an order for further processing.

1. Go to **Order Management > Carts**. You see the **Shopping Carts** list. You can also select **Today**, **This Week**, or **This Month** to filter by date range.



2. Select the **ID** number of the shopping cart you want to convert to a purchase order. The Cart View window appears with customer cart details.

More Actions

Overview

Cart #: 1015

Created Date: 1/10/2017 2:35:02 AM

Order Level Discounts: \$0.00

Cart Total: \$26.00

Currency: USD

Market: US

Customer: admin

Customer ID: 8d21c87d-7515-4ee6-b714-3a1b520c5bd0

Email Address:

Line Items | **Notes**

New Line Item | Delete

	ID	Name	Quantity	List Price	Placed Price	Total Discount	Discount Description	Total
<input type="checkbox"/>	SKU-40797426	Tank Maxi Dress	1.00	\$12.00	\$12.00	\$0.00		\$12.00
<input type="checkbox"/>	SKU-40707713	Belted Striped Maxi Dress	1.00	\$14.00	\$14.00	\$0.00		\$14.00

Page Size: 100

- **Edit Currency.** Change the purchase order's currency.
 - **Edit Market.** Change the purchase order's market.
 - **Open Customer Profile.** View the profile of the registered customer (not available for anonymous shopping carts).
 - **Line Items.** The list of items in the customer's shopping cart, displaying the **Quantity** of each item, **List Price**, and **Total**.
 - **Notes.** Add, edit, or delete notes about the shopping cart.
3. Select **More Actions** > **Convert to Purchase Order**. The page refreshes and shows the Order view page for [further processing of the purchase order](#).

More Actions ▼

Convert to Purchase Order
 Create Payment Plan

Edit Currency

Edit Market

Cart #: 1015

Created Date: 1/10/2017 2:35:02 AM

Order Level Discounts: \$0.00

Cart Total: \$26.00

Currency: USD

Market: US

Customer: admin

Customer ID: 8d21c87d-7515-4ee6-b714-3a1b520c5bd0

Email Address:

Open Customer Profile



Returns and exchanges

After a package is finalized and shipped out, you can process return and exchange directly in the order. A return is the actual return of the faulty delivery item. You can refund the customer or offer an exchange of the same product item or something else.

A separate exchange order (denoted by EO, instead of PO) is tied to the original purchase order. An exchange order is similar to [processing a purchase order](#), because it involves payment processing and releasing packages for shipment.

Note: You can only process returns and exchanges after a purchase order's status is **Completed**.

Initiating a return

1. Go to a purchase order that is finalized and shipped.
2. Go to the **Details** tab and, under **Returns/Exchanges**, click **Create Return**. The **Create/Edit Return** form appears.

<p>Shipment Summary</p> <p>Item Subtotal: £86.00</p> <p>Shipping Cost: £0.00</p> <p>Shipment Total: £86.00</p>	<p>Shipment Status</p> <p>Status: Shipped</p> <p>Complete Shipment</p> <p>Release Shipment</p> <p>Cancel Shipment</p>	<p>Returns/Exchanges</p> <p>Create Return</p>
---	---	--

3. Click **New Item** to add specify items to be returned. The Line Item drop-down menu defaults to items that from the original purchase order.
4. Set the **Return Quantity** and the **Return Reason** from the drop-down list. You can also add free text comments to the return.

Create/Edit Return

Code	Name	Return Quantity	Placed Price	Total Before Return	Reason
SKU-36127195	Faded Glory Mens Canvas Twin Gore Slip-On Shoe	1.00	\$14.50	\$11.60	Faulty

Page Size: 20 (1 items) | Page 1 of 1

Total Information

Line Items: 100014.50

Invalidated Discounts: -2.90

Return Total: 100011.60

Invalidated Discounts

20 % off Mens Shoes: 2.90

Additional Information

Comments:

5. Click **OK** to save your changes. The purchase order goes into **Edit Mode**.
6. Click **Save** to continue the return process. In the **Order List**, the order appears with status **Completed/Awaiting Return Completion**.

ID	Customer	Total	Status	Last Modified
PO0663	John Browne	£226.00	Partially Shipped	Today, 11:34 AM
PO10564	Carlos Santana	£1,290.00	In Progress	Today, 11:30 AM
PO0791	Carlos Santana	\$180.85	In Progress	Today, 10:27 AM
PO2427	Mary Smith	£86.00	Completed <i>(Awaiting Return Completion)</i>	Today, 10:23 AM

7. Click the **Returns** tab to process the return further. For example, after the shipping department notifies you that they received the returned item.

8. Click **Acknowledge Receipt Items**. (You can also choose to edit the return or cancel the return completely.)

Order No: PO2427 Customer: Mary Smith
 Order Total: £86.00 Status: Completed

Summary Details Payments **Returns** Notes

Return # RMA8980

Date/Time Initiated: Today, 12:50 PM **Notes:**
Created By: admin Strange taste in batch 12345.
Status: Awaiting Stock Return
ReturnTotal: £86.00

Returns Actions

Edit Return
 Cancel Return
 Complete Return
 Acknowledge Receipt Items

Exchange Actions

View Exchange
 Create Exchange


ID	Name	Quantity	List Price	Total	Reason
83017B	Chateau Bellevue	2.00	43.00	86.0000	Faulty

Page Size: 100

9. Click **Complete Return** to open the **Create Refund** form.

Returns actions

Edit Return
 Cancel Return
 Complete Return
 Acknowledge Receipt Items



Create Refund

Amount:

Existing Payments

Pay By Phone (Sale) – £86.00

New Credit

Payment Method:


- **Amount.** Defaults to the item's invoice cost (excluding shipping costs). For example, if the item cost \$49.99 and the shipping cost was \$2, the **Amount** box shows \$49.99.

You can specify a different amount to refund to the customer, including the full cost of the order, items plus shipping cost, etc.

By default, the refund is deposited based on the payment method the customer used to make the order.

- **Existing Payments.** If the customer wants the refund processed and deposited to a different credit card or payment method (such as cash, money order, or electronic transfer), click **New Credit**. Then, enter the alternate credit card information or other refund information.
- **Payment Method.** Select the method.

10. Click **OK** to create and process the refund. The status of the purchase order changes to **Completed**.



Add Note Send Notifications Add Order Address

Order No: PO2427 Customer: Mary Smith
Order Total: £86.00 Status: Completed

Summary Details Payments **Returns** Notes

Return # RMA8980

Date/Time Initiated: Today, 12:50 PM Notes:
Created By: admin Strange taste in batch 12345.
Status: Complete
Return Total: £86.00

Returns Actions

Exchange Actions

ID	Name	Quantity	List Price	Total	Reason
830178	Chateau Bellevue	2.00	43.00	86.0000	Faulty

Page Size: 100

Initiating an exchange order

1. Go to a purchase order, click the **Details** tab, and click **Create Return**.
2. Add the items for exchange.
3. Click the **Returns** tab and click **Acknowledge Receipt Items**.
4. Click **Create Exchange**. The **Create Exchange Order** form appears.
5. Click **New Item**.
6. Select the item to be exchanged by clicking **Configure Selected Entry**.

Create Exchange Order

New Line Item

Find [Advanced Search](#)

Picture	Name	Catalog	Type	Price	In Stock
	Chandon de Briailles	France	Variation	£55.00	1000
	Louis Jadot	France	Variation	£125.00	1000
	Dujac Fils & Pere	France	Variation	£36.60	1000
	Domaine Sylvie Esmonin	France	Variation	£72.00	1000
	Maison Joseph Drouhin	France	Variation	£165.00	1000

Page Size: 20 (2779 items) | Page 1 2 3 4 5 ...

Cancel **Configure Selected Entry**

Day Phone: Postal Code:

You can adjust the price, quantity, and applicable discount. Next, click **Add item to the order** to add the item to the exchange order.

7. Enter a shipping and billing address.
8. Select the shipping method for the exchange order.
9. Click **Recalculate** to adjust the Summary total.
10. Click **OK**.
11. After you create an exchange order (EO), click **View Exchange** to view its details. (An EO is similar to how a PO is set up.)

12. Click the **Payments** tab to add a payment to the exchange order.
13. Select a payment method for processing the EO. You can adjust the amount if needed (the amount default value is based the item cost plus shipping). The exchange order enters **Edit Mode**.

The Order is in Edit Mode. Save changes before exiting.

Order No: EO0335 **Customer:** Carlos Santana **Original Order:** PO0791

Order Total: £72.00 **Status:** AwaitingExchange

<input type="checkbox"/>	Name	Transaction Type	Amount	Status
<input checked="" type="checkbox"/>	Pay By Phone		72.00	Pending

Page Size: 100

14. Click **Save** to process the payment and the order. The payment Transaction Type changes to **Authorization**. In the **Order List**, there is an exchange order with prefix EO instead of PO, and with status **Awaiting Exchange**.


<input type="checkbox"/>	ID	Customer	Total	Status	Last Modified
<input checked="" type="checkbox"/>	EO0335	Carlos Santana	£72.00	Awaiting Exchange	Today, 1:22 PM
<input type="checkbox"/>	PO0663	John Browne	£226.00	Partially Shipped	Today, 11:34 AM
<input type="checkbox"/>	PO10564	Carlos Santana	£1,290.00	In Progress	Today, 11:30 AM
<input type="checkbox"/>	PO0791	Carlos Santana	\$180.85	Completed <i>(Awaiting Stock Return)</i>	Today, 10:27 AM
<input type="checkbox"/>	PO2427	Mary Smith	£86.00	Completed	Today, 10:23 AM

15. Go back to the original purchase order and click the **Returns** tab.
16. Click **Complete Return** to enable the Customer Service Representative (CSR) to release the EO shipment. After you release shipment, the CSR repeats the same process as shipping a purchase order.



Customers

The **Customer Management** system in Episerver Commerce is based on contacts and accounts. A contact is a website [visitor](#) who registers an account on the front-end site. You can use **organizations** to manage contacts in structures appropriate for your e-commerce business.



Organizations

Create an organization hierarchy by creating parent-child relationships among organizations. For example, you can create a hierarchy of organizations, such as *Administration > EU Headquarters > EU Management*. You then may associate contacts with the appropriate level of the organization hierarchy. You can set permissions to determine which users can view organizations in the hierarchy.

The same principle applies to creating customer group hierarchies. For example, you have a customers organization with sub-organizations of *Gold, Silver, and Bronze* levels of customer groups. You can leverage the customer groups to display different prices for each group. See [Organizations](#).

Contacts

When a visitor registers on a site's front-end (for example, to make a purchase), a contact and account are automatically created. You can manage contacts within customer groups and organizations, to which you can apply specific pricing and personalization. See [Contacts](#).

Note: The default implementation of Episerver Commerce supports anonymous shopping. This means that customers are not required to create an account to purchase. Anonymous customers are not available as contacts.



Organizations

Under **Organizations**, you can create new organizations. Categorize organizations into different types, such as *regional branches* and *departments*, and also business categories, such as *Computer and Electronics* or *Clothing and Accessories*.


You can assign an organization to a customer group, to which you can apply specific pricing and personalization.

You can structure an organization as a tree, with sub-units and different permissions assigned to each branch. For example, you can set up your company as a parent-level organization while setting up departments, such as *Sales & Marketing*, *IT/Development*, and *Operations*, as organization units. Within this scenario, you can restrict the access of users in each department to appropriate systems, screens, and functionality within Commerce Manager.



Browsing organizations

To browse organizations, go to **Commerce Manager > Customer Management > Organization**.



The **Organization List** page appears.

Customer Management					
View: All organizations					
New Organization Printer Version Delete					
<input type="checkbox"/>	Name	Description	Type	Organization Customer Group	Business Category
<input type="checkbox"/>	Electronics Inc	Main electronics distributor	Organization Unit	Partner	Computers & Electronics
<input type="checkbox"/>	Global Electronics	Global appliances services	Organization Unit	Customer	Computers & Electronics
<input type="checkbox"/>	Nordic Electronics				

This view provides the following information:

- **Name.** Name of the organization.
- **Description.** Additional details about the organization.
- **Type.** Organization or Organization Unit.
- **Business Category.** Category under which the organization falls.

Viewing organization details

Select an organization in the list to view its type, related contacts, organizations (parent/sub), addresses, and credit cards.

The screenshot shows a web interface for viewing organization details. At the top, there is a header with 'Edit' and 'Organizations' icons. Below the header, the organization's name 'Company X' is displayed, along with a 'Parent:' field. A left-hand navigation menu is visible, with 'Information' selected. The main content area displays the following details:

Information	
Organization	
Name:	Company X
Description:	Company X Corporation
Organization Customer Group:	Partner
Type:	Organization
Business Category:	Computers & Electronics


Searching for an organization

Use the search field on top of the **Organization List** to find organizations by name.


Customizing views for browsing organizations

As an organization list gets longer, you can create and customize views to filter it. Define columns to be displayed for the view, and filters to be applied.


1. Select **View > [New View]**. The New View dialog appears.




2. On the **General** tab, enter a **Title** for the custom view. Click **Show this view for all users** if you want other users to see this view.




3. On the **Fields** tab, select columns to appear in the custom view. To do so, select an available column then click **Right Arrow** to move it to the **Visible columns** list. To deselect, select a visible column and click **Left Arrow**. To re-order the list, click **Up** and **Down** arrows.



- On the **Filters** tab, set the view filters. Click **+** to add a filter.




- Click **Save** to return to the **Organization List** screen. The new view appears in the **View** drop-down box.



Editing and deleting views


To edit an existing view, select it from the drop-down menu and click **Edit**. The **View Editing** dialog appears, and you can edit all properties.




To **delete** a custom view, click **X**.

Customized view example


The following example creates a view that shows only organizations that match a business category and organization name. Create a filter condition that displays organizations with a **Business Category** that equals *Business & Professional Services*, and an **Organization Name** that equals *Company X*.



1. In **New View > Filters**, click **Add (+)** and, from the drop-down list, click **Business Category**. Two fields, which default to **Equals** and **Arts & Entertainment**, appear.
 - a. Click **Equals** and a drop-down appears. Keep the field as "Equals."
 - b. Select the field to its right and select a **Business Category** name (such as **Business and Professional Services**).
2. Click the next **Add (+)** and click **Name** to add another filter so that the organization matches **Business Category** and **Name**.
 - a. Click **Equals**.
 - b. In the **Text** field, enter the organization name.



3. Click **Save**.
4. To apply the view, select it from the drop-down. Your organization list reflects the columns and filters you applied in the **Fields** tab.




Printing a list of organizations

Click **Printer Version** to generate a list of organizations. A new window renders a table suitable for printing.



Creating or editing an organization

1. Go to **Commerce Manager > Customer Management and Organizations**. The **Organizations** page lists existing organizations.
2. Click **New Organization** or any existing organization. A screen appears.



3. Enter data for the new organization.

The screenshot shows a dialog box for creating a new organization. The fields are as follows:

- Name:** Company X West
- Description:** Online software applications
- Type:** Organization (dropdown menu with an add icon)
- Organization Customer Group:** [No value] (dropdown menu with an add icon)
- Business Category:** Computers & Electronics (dropdown menu with an add icon)
- Parent:** Not Set (dropdown menu with a blue arrow icon)

At the bottom of the dialog, there are two buttons: **OK** and **Cancel**.

- **Name.** Enter the organization name. (This is the only required field.)
 - **Description.** Enter details about the organization.
 - **Type.** Assign a type to the organization. If the organization is a parent organization, click **Organization**. If the organization is a sub-organization, click **Organization Unit**. To add more types to the drop-down, click the icon.
 - **Organization Customer Group.** Select a customer group to assign for the organization, which lets you apply pricing, discounts, and personalization of content to this group.
 - **Business Category.** Assign a category to the organization. To add more categories, click the icon.
 - **Parent.** You can assign a parent organization to an organization. If the organization you are creating is a sub-unit (child) of a larger organization, select the parent in the drop-down menu. If the Organization is not listed on the drop-down menu, click **More...**
4. Click **OK** to save the organization. The **Organization Info** window appears, where you can view **Information** about the organization you just created. You can also see associated **Contracts, Organizations, Addresses,** and **Credit Cards** that Episerver provides by default. Click **Edit** to edit the organization. Click **Organizations** to return to the organization List.

The screenshot shows a web interface for managing organizations. At the top, there is a title bar with 'Edit' and 'Organizations'. Below this, the 'Name' is 'Company X West' and the 'Parent' field is empty. A left-hand navigation menu is visible with 'Information' selected. The main content area is titled 'Information' and contains the following details:

Organization Name:	Company X West	Type:	Organization
Description:	Online software applications	Business Category:	Computers & Electronics
Organization Customer Group:			

Creating an organizational hierarchy

You can create an organization hierarchy by assigning a parent organization to a child organization and then another organization to the child. You can set permissions to determine which users can view which organizations in the hierarchy. In the following example, *Company X* is the parent organization and *Company X West* is the organization unit.

1. Go to Organizations and click **New Organization**.
2. Enter data for the organization (see previous section).
3. Under the **Parent** option, assign the desired parent organization ("Company X"). If you do not see the organization on the drop-down menu, click **More...**

The screenshot shows the 'Overview' form for creating a new organization. The fields are filled with the following information:

- Name:** Company X West
- Description:** Online software applications
- Type:** Organization Unit
- Business Category:** Computers & Electronics
- Parent:** Company X

The 'Parent' dropdown menu is open, showing the following options:

- Not Set
- Company X (highlighted)
- More...

At the bottom of the form, there are 'OK' and 'Cancel' buttons.

4. Click **OK** to save the organization. In the **Organization Info** page, the organization unit (*Company X West*) becomes the child to the Organization (*Company X*) you selected.

5. Repeat the above steps to create additional organization units for the parent organization.




Deleting an organization

1. Go to **Commerce Manager > Customer Management > Organizations**. The **Organizations** page appears.
2. Select the organization to delete and click **Delete**. A confirmation message appears.

<input type="checkbox"/>	Name	Description	Type
<input type="checkbox"/>	Knudsen inc	temp	Organization
<input checked="" type="checkbox"/>	Company X West	Company X West	Organization Unit
<input type="checkbox"/>	Big Bank	A large bank with lots of VIP customers	Organization
<input type="checkbox"/>	Company X East	Company X East	Organization Unit
<input type="checkbox"/>	Company X	Company X	Organization
<input type="checkbox"/>	The Wine Cellar	The Wine Cellar	Organization

3. Select **Delete Organizations Only** or **Delete Organizations, Child Organizations and Contacts** and click **OK** to complete the deletion.



You can delete organizations with children without deleting the child organizations and contacts with no repercussions. This leaves the contacts and child organizations as orphans. You can later reassign them, as described in [Creating an organization](#).



Adding dictionary values for an organization

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

You can create your own organization types, customer groups, and business categories. For example, you can create a customer group called *Partner*, and a business category can be an industry branch called *Automotive* or *Food & Dining*. This type of data is managed in dictionaries. This section describes how to add [dictionary values](#).

1. In **Commerce Manager > Customer Management**, open the **Organization Edit** page by creating a new organization or editing an existing one.

- Click **Edit Dictionary** next to the **Type** drop-down menu.

The dialog box contains the following fields:

- Name:** Company X
- Description:** Company X Corporation
- Type:** Organization (dropdown menu)
- Organization Customer Group:** Partner (dropdown menu)
- Business Category:** Computers & Electronics (dropdown menu)
- Parent:** Not Set (dropdown menu)

Buttons: OK, Cancel

- On the dialog box that appears, click **Edit** to modify an existing organization type dictionary. To add a new item to the dictionary, click **New Item**.

Manage List			New Item Close
System Name: OrganizationType		Friendly Name: OrganizationType	Type: Single Value
Nº	Item Value	Display Value	
1	Organization	Organization	
2	Organization Unit	Organization Unit	

- Select the order of the item from the drop-down on the left. Enter a name for the item on the field next to the drop-down.

Manage List			New Item Close
System Name: OrganizationType		Friendly Name: OrganizationType	Type: Single Value
Nº	Item Value	Display Value	
1	Organization	Organization	
2	Organization Unit	Organization Unit	
3	Division		

5. Click **Save**.
6. Click **Close**. You can select the dictionary item in the **Type** drop-down.

To delete a dictionary item, open the dictionary list and click **Delete** next to the item.

Note: If you change the number to a position higher in the list, the list is not automatically reordered. You must manually edit the entire list. However, having multiple copies of the same numerical value does not affect the system. So, you can use the numbers as a ranking system or devise your own internal numbering method.

Creating, editing and deleting business categories

Episerver provides a list of categories that you can assign to an organization. You can add categories the same way you add organization types.

1. Click **Edit Dictionary** next to the **Business Category** drop-down menu.
2. On the resulting dialog box, click **Edit** to modify existing business categories. Click **New Item** to add a new item to the dictionary. Click **Delete** to delete an item from the list.
3. Select the order of the item from the drop-down on the left and enter a **name** for the item on the field next to the drop-down.
4. Click **Save**. You can select the new business category in the **Business Category** drop-down menu.



Contacts


A contact and a related account are created automatically when a visitor registers on the public front-end site. You can also manually create a contact from Commerce Manager.

You can assign a contact to customer groups and **organization customer groups**. A customer group is assigned to an organization, which may determine eligibility for prices that are different from other users. A contact in an organization is a member of that organization's customer group, even if the contact is assigned individually to a different customer group.



Browsing contacts

To browse contacts, go to **Commerce Manager > Customer Management > Contacts**.

A screenshot of the contact list table in the Customer Management interface. The table has a search bar at the top, a 'View: All contacts' dropdown, and action buttons for 'New Contact', 'Printer Version', and 'Delete Selected'. The table columns are 'FullName2', 'FirstName2', 'Last Name', and 'Middle Name'. The table contains ten rows of contact information, each with a checkbox and a pencil icon for editing.

<input type="checkbox"/>	<u>FullName2</u>	<u>FirstName2</u>	<u>Last Name</u>	<u>Middle Name</u>
<input type="checkbox"/>	Receiving Manager	Receiving	Manager	
<input type="checkbox"/>	Order Manager	Order	Manager	
<input type="checkbox"/>	Jennifer Browne	Jennifer	Browne	
<input type="checkbox"/>	Mary Smith	Mary	Smith	
<input type="checkbox"/>	Shipping Manager	Shipping	Manager	
<input type="checkbox"/>	admin	admin		
<input type="checkbox"/>	Order Supervisor	Order	Supervisor	
<input type="checkbox"/>	Carlos Nevada	Carlos	Nevada	
<input type="checkbox"/>	Lisa Prescott	Lisa	Prescott	

Select a contact to see detailed information about the contact, such as addresses, order history, and so on.

Full Name: admin Parent Organization:

Information

- Information
- Addresses
- Credit Cards

Security

- Roles

Orders

- Order History

Shopping Lists

- Wish Lists
- Shopping Carts

Contact

Full Name: admin Customer Group:

First Name: admin Preferred Currency:

Middle Name: Preferred Language:

Last Name: Registration Source:

Parent Organization: Last Order Date:

Preferred Shipping Address:

Preferred Billing Address:

Account Edit Account | Change Password | Remove Account

User Name: admin Is Locked Out: none

Description: Last Activity: Today, 2:49 PM

Email: admin@yourcompany.com Last Login: Today, 2:48 PM

Last Password Changed: 7/7/2011 9:34:48 AM

Edit Cancel

Note: You can add objects or metadata to the default View Form via [Business Foundation](#).

Searching for a contact

On the **Contact Info** page, use the search form to search for a contact. Contacts that match the search criteria appear on the list.

visitor

New Contact | Printer Version | Delete Selected


	Full Name	First Name
<input type="checkbox"/>	EPIserver Commerce Visitor	Visitor

To clear the search and revert back to show all contacts, click **Reset** (eraser).


Customizing views for browsing contacts

As an contact list gets longer, you can create and customize views to filter the list. Define columns to be displayed for the view, and the filters to be applied when selecting what to include in the view.

1. Select **View > [New View]** The New View dialog appears.




2. On the **General** tab, enter a **Title** for the custom view. Click **Show this view for all users** if you want other users to see this custom view.




3. On the **Fields** tab, select columns to appear in the custom view. Select an available column then click **Right Arrow** to move it to the **Visible columns** list. To deselect a column, select one and click **Left Arrow**. To re-


order the list, click **Up** and **Down** arrows.



- On the **Filters** tab, set the view filters. Click **+** to add another filter.




- Click **Save** to return to the **Contacts List** screen. The new view appears in the **View** drop-down box.



Editing and deleting views

To edit an existing view, select the view from the drop-down menu and click **Edit**. The **View Editing** dialog appears, and you can edit all properties.



To **delete** a custom View, click X.

Printing a list of contacts

Click **Printer Version** to generate a table of contacts.

<input type="checkbox"/>	<u>FullName2</u>	<u>FirstName2</u>	<u>Last Name</u>
<input type="checkbox"/>	Receiving Manager	Receiving	Manager
<input type="checkbox"/>	Order Manager	Order	Manager
<input type="checkbox"/>	Jennifer Browne	Jennifer	Browne
<input type="checkbox"/>	Mary Smith	Mary	Smith
<input type="checkbox"/>	Shipping Manager	Shipping	Manager
<input type="checkbox"/>	admin	admin	
<input type="checkbox"/>	Order Supervisor	Order	Supervisor
<input type="checkbox"/>	Carlos Nevada	Carlos	Nevada
<input type="checkbox"/>	Lisa Prescott	Lisa	Prescott

Contact

Full Name	First Name	Last Name	Middle Name	Last Order Date	Customer Group
Receiving Manager	Receiving	Manager			
Order Manager	Order	Manager			
Jennifer Browne	Jennifer	Browne			
Mary Smith	Mary	Smith			
Shipping Manager	Shipping	Manager			
admin	admin				
Order Supervisor	Order	Supervisor			
Carlos Nevada	Carlos	Nevada			
Lisa Prescott	Lisa	Prescott			




Creating a contact with an account

Note: Creating **system users** and assigning access rights (roles) to work with CMS and Commerce is done from the **CMS admin view**. See Access rights for Commerce. The procedure described here relates to website visitors and shopping customers.

The following procedure creates a contact with an account.

Note: The [Customer Information screen](#) also lets you update some customer information. However, that screen does not let you create an account for a customer.

1. In **Commerce Manager > Customer Management**, click **New Contact** on the **Contact List** page. The **Contact Edit** page appears.



2. Enter information about the contact.

The screenshot shows a software window titled "Overview" with the following fields and values:

- Full Name:** Mary Smith
- First Name:** Mary
- Middle Name:** (empty)
- Last Name:** Smith
- Email:** mary.smith@companyx.com
- Contact Email Description:** (empty)
- Parent Organization:** Company X (dropdown menu)
- Contact Organization:** (empty)
- Customer Group:** Customer (dropdown menu)
- Preferred Currency:** US dollar (dropdown menu)
- Preferred Language:** English (United States) (dropdown menu)
- Preferred Shipping Address:** [No value] (dropdown menu)
- Preferred Billing Address:** [No value] (dropdown menu)
- Registration Source:** (empty)

At the bottom of the window are "OK" and "Cancel" buttons.

- **Full Name.** Required. Enter the contact's full name.
- **First Name.** Required. Enter the contact's first name.
- **Middle Name.** Optional. Enter the contact middle name.
- **Last Name.** Required. Enter the contact's last name.
- **Email.** Required. Enter the contact's email address.
- **Parent Organization.** Optional. Select a parent organization to which the contact is assigned .

- **Customer Group.** Optional. Select a customer group to which the contact is assigned. You can add customer groups by editing the [Customer group dictionaries](#). Customer groups are useful for targeted [Marketing campaigns](#).
- **Preferred Currency.** Optional. Select a currency for the contact. For example, if the contact is in France, select the Euro currency. You set available currency options in **Administration > System Settings > Dictionaries > Currencies**.
- **Preferred Language.** Optional. Select a language for the contact. You set available languages in **Administration > System Settings > Dictionaries > Languages**.
- **Preferred Shipping Address.** Automatic; related to company accounts.
- **Preferred Billing Address.** Automatic; related to company accounts.
- **Registration Source.** Optional. Enter notes about the contact (such as the website under which the contact is currently registered).

Note: The **Registration Source** field is automatically filled when a user creates a new account from the public website.

3. Click **OK** to save the contact. The **Contact Information** form appears. To display the Contacts List, click **Contacts** or **Cancel**.

The screenshot shows a web application window titled 'Get Help For This Page'. The main content area is a form for editing a contact. At the top, there are navigation links: 'Edit', 'Delete Contact', 'Contacts', and 'New Order'. The form is divided into two main sections: 'Information' and 'Parent Organization'. The 'Information' section is further divided into 'Contact' and 'Account'. The 'Contact' section contains the following fields: Full Name (Mary Smith), First Name (Mary), Middle Name, Last Name (Smith), Parent Organization, Preferred Shipping Address, Preferred Billing Address, Customer Group, Preferred Currency (USD), Preferred Language (en), Registration Source, and Last Order Date. The 'Account' section shows 'Account not found' and a 'Create account' button. At the bottom of the form, there are 'Edit' and 'Cancel' buttons.

You can enter additional information for the contact, view order history, and add notes for both orders and the contact. You can customize the form using [Business foundation](#).

Note: A customer account is automatically created for a customer who registers from the front-end public website, allowing them to log in and view personalized information. To manually create an account, continue with the procedure.

4. On the **Contact Info** page, click **Create account**. The **Create Account** dialog appears.

The screenshot shows a web application window titled 'Get Help For This Page'. The main content area is divided into two sections: 'Information' and 'Account'. The 'Information' section is currently active and displays the following details for 'Mary Smith' at 'Company X':

Full Name:	Mary Smith	Customer Group:	Customer
First Name:	Mary	Preferred Currency:	USD
Middle Name:		Preferred Language:	en-US
Last Name:	Smith	Registration Source:	companyx
Parent Organization:	Company X	Last Order Date:	

Below the 'Information' section, there is an 'Account' section with the text 'Account not found:' and a 'Create account' button. The 'Create account' button is highlighted with a mouse cursor. At the bottom of the window, there are 'Edit' and 'Cancel' buttons.

5. Enter data in the **Create account** dialog.

The screenshot shows the 'Create account' dialog box with the following fields and options:

- User Name:** Mary
- Password:** (masked with dots)
- Description:** mary.smith@companyx.com
- Email:** mary.smtih@companyx.com
- Approved:** Yes No

At the bottom of the dialog, there are 'OK' and 'Cancel' buttons.

- **User Name.** Required. Enter a name that may include spaces and special characters.
 - **Password.** Required. Enter a password for the account.
 - **Description.** Optional. Add information about the contact account.
 - **Email.** Enter the contact's email address.
 - **Approved.** Click **Yes** to enable. Click **No** to keep the account inactive and inaccessible by the contact.
6. Click **OK** to create the account. User account information appears under the **Account** section of the **Contact Information** form.
- **Is Locked out.** Last time a user was locked out due to too many failed log in attempts.
 - **Last Activity.** Last time the user logged in or made any changes to the site.

- **Last Login.** Last time the user logged into his or her account.
- **Last Password Changed.** Last time the user account password changed.

The screenshot shows a web application window titled "Get Help For This Page". The main content area is divided into two panes. The left pane is a navigation menu with categories: Information (selected), Addresses, Credit Cards, Contact Notes (with sub-items Order Notes and Contact Notes), Security (with sub-item Roles), Orders (with sub-item Order History), and Shopping Lists (with sub-items Wish Lists and Shopping Carts). The right pane displays details for a contact named "Mary Smith".

Contact Information:

- Full Name: Mary Smith
- Parent Organization: [blank]
- Customer Group: [blank]
- Preferred Currency: USD
- Preferred Language: en
- Registration Source: [blank]
- Last Order Date: [blank]

Account Information:

- User Name: Mary
- Description: [blank]
- Email: mary@somemail.com
- Is Locked Out: none
- Last Activity: Today, 12:03 PM
- Last Login: Today, 12:03 PM
- Last Password Changed: Today, 12:03 PM

At the bottom of the right pane, there are three links: "Edit Account" (highlighted with a mouse cursor), "Change Password", and "Remove Account". At the bottom of the window, there are "Edit" and "Cancel" buttons.



Editing or deleting a contact and account

Go to **Commerce Manager > Customer Management > Contacts** to do the following:

- **Edit a contact.** Select the contact in the contact list and click **Edit**. Edit the information and click **OK**.
- **Edit an account.** Select the related contact in the contact list and select the **Edit Account** option in the lower part of the dialog box. Edit the information and click **OK**.

Note: You cannot change the **User Name** unless you remove the account and recreate the same account again.

- **Delete a contact.** Select the contact in the list of contacts click **Delete**. Click **OK** to confirm.
- **Delete an account.** Select the related contact in the contact list and click **Remove Account** in the lower part of the dialog.



Adding dictionary values for a contact

You can create your own customer (contact) groups that you can apply when you add contacts to your organization. By default, customer groups can be of type **Customer**, **Partner** or **Distributor**. This type of data is managed in dictionaries. You can use customer groups when [you define pricing](#) or restrict promotions.

1. In **Commerce Manager** > **Customer Management**, open the **Contacts Edit** page by creating a new contact or editing an existing one. Click **Edit Dictionary** next to the Customer Group drop-down menu.

Overview

Full Name:

First Name:

Middle Name:

Last Name:

Email:

Contact Email Description

Parent Organization:

Contact Organization

Customer Group:

Preferred Currency: **Edit Dictionary**

Preferred Language:

Preferred Shipping Address:











Preferred Billing Address:

Registration Source:

2. On the dialog box that appears, click **Edit** to modify an existing customer group dictionary. To add a new item to the dictionary, click **New Item**.

Manage List			 New Item	 Close
System Name: ContactGroup		Friendly Name: ContactGroup	Type: Single Value	
Nº	Item Value	Display Value		
1	Customer	Customer		
2	Partner	Partner		
3	Distributor	Distributor		

3. Select the order of the item from the drop-down on the left and enter a name for the item on the field next to the drop-down.

Manage List			 New Item	 Close
System Name: ContactGroup		Friendly Name: ContactGroup	Type: Single Value	
Nº	Item Value	Display Value		
1	Customer	Customer		
2	Partner	Partner		
3	Distributor	Distributor		
4	Subvondor			

4. Click **Save**.
5. Click **Close**. You can select the dictionary item in the **Customer Group** drop-down.

To delete a dictionary item, open the dictionary list and click **Delete** next to the item.

Note: If you change the number to a position higher in the list, the list is not automatically reordered. You must manually edit the list. However, having multiple copies of the same numerical value does not affect the system. You can use the numbers as a ranking system, or devise your own internal numbering method.

Roles and tasks

Episerver is designed for interaction with website visitors, and collaboration between users of the platform. In the following you find typical roles and related tasks used in scenarios in this documentation. See *Setting access rights in the CMS Administrator User Guide* to configure user groups and roles in Episerver.

Visitor and customer

A *visitor* is someone who visits a website to find information or to use services. If the website is an e-commerce site, the visitor can be a *customer* with purchasing intentions. Purchasing on an e-commerce website can be done "anonymously" (payment and shipping details provided), or by registering an account. Visitors may also contribute to website content as community members, which usually requires registration of an account profile.

Community member and moderator

Content may be added by visitors or *community members*, if social features and community functionality are available for the website. This content includes forum and blog postings, reviews, ratings and comments, in which case there might be a need for monitoring this type of content on the website. Monitoring can be done by an editor, or a specific *moderator* role for large websites and online communities.

Recipient

A recipient is an individual who has opted-in to receive emails from a business, for example when purchasing from the website. Recipients and their associated data are managed in recipient lists, used for omnichannel marketing. Recipient actions such as clicking on links in an email, can be tracked and analyzed, providing input to website owners and users for further marketing actions.

Website owner

A *website owner* is someone with overall business and/or technical responsibility for the content and performance of one or more websites. May monitor website activities such as page conversions, customer reviews or sales progress. Rarely creates content but can be involved in the approval of content created by others. A website owner may also have administrative access, and be the owner of mailing clients used for organizing campaign mailings.

User

A *user* is someone who logs in to the Episerver user interface to work with different parts of the platform. Can belong to one or more user groups and roles, depending on which parts of the Episerver platform they use, their tasks, and the size and setup of the organization.

Content editor

A *content editor* is someone with access to the editorial interface who creates and publishes content on the website. Content editors with good knowledge of the website content work with search optimization for selec-

ted content in search results. Editors may also want to follow-up on content with unusually high or low conversion rate to update or delete this content.

Marketer

A *marketer* creates omnichannel campaigns and content with targeted banner advertisements to ensure that customers get a consistent on-site experience. Furthermore, the marketer monitors campaign KPIs to optimize page conversion. A marketer with good knowledge of the website content may also optimize search for campaigns, and promote content using personalization features.

Merchandiser

A *merchandiser* typically works with stock on an e-commerce website to ensure that the strongest products are put in focus. This role may create landing pages, enrich product content, set product pricing, coordinate cross-product selling, oversee delivery and distribution of stock, and deal with suppliers. May want to identify search queries with unusually high or low conversion rates, to adjust the search. May also work with product promotion using personalization features.

Administrator

An *administrator* works with configuration of various system settings from the administration user interface, including search, languages, personalization, and user access. Administrators usually have extended access rights compared to other user groups, and can access all parts of the Episerver platform. They may also have administration access to integrated 3rd party systems. The administrator may also be the contact person for communication with the developers maintaining the website.

Developer

A *developer* is someone with source code access and programming skills. Developers work with website configuration, implementation, maintenance and development of new functionality. They create the rendering templates for content and product catalogs, configure e-commerce settings, and manage indexing and customized search features. Developers may also install integrations and 3rd party extensions. Developers may be associated directly with the organization owning the website, or with an external partner company.




Markets

Markets are designed to help you target merchandising and create more personalized user experiences. For example, you create a 20% off promotion to mark Independence Day in Canada. Only products in the Canadian market are eligible.

A single site can have multiple markets, each with its own product catalog, language, currency, and promotions. The market determines which products and prices a customer sees on the website. When creating a market, you can define a geographic entity (such as region, a country, a group of countries).

Developers implement markets during site creation, and each implementation can be different. Some sites let the customer choose the market (see example below). Others use different URLs for different markets, for example [yoursite.uk](#) and [yoursite.de](#). As another alternative, a site can extract a customer's geographic location from the IP address to determine the appropriate market.




How markets are used

- When browsing in Catalog View, you can filter results by market.
- When viewing a variant.
- When defining a variant's pricing information, you assign a market then its price in an appropriate currency.
- You can filter [reports](#) by market.
- As a criterion when creating [a customer group](#).

- Order management objects (purchase orders, shopping carts, payment plans, wishlists) have a market. You can filter by them.
- [Shipping methods](#) and [payment options](#) are assigned to markets.

Browsing markets

Go to **Commerce Manager > Market Management > Markets** and expand the markets. The market overview displays existing markets with their languages, currencies and status (active or not), and whether the prices include tax.



Market Management		Create New	More Actions				
	Market ID	Name	Default Language	Default Currency	Active	Prices Include Tax	
<input type="checkbox"/>	AUS	Australia	en	AUD	True	False	
<input type="checkbox"/>	BRA	Brazil	en	BRL	True	False	
<input type="checkbox"/>	CAN	Canada	en	CAD	True	False	
<input type="checkbox"/>	CHL	Chile	en	CLP	True	False	
<input type="checkbox"/>	DEFAULT	Default Market	en	USD	False	False	
<input type="checkbox"/>	DEU	Germany	en	EUR	True	False	
<input type="checkbox"/>	ESP	Spain	en	EUR	True	False	

Note: The **Default Market** defines the language and currency used as a fallback for markets that are not specified.

Creating or editing a market

1. Go to **Commerce Manager > Market Management > Markets**. The markets list appears.
2. Select **Create New > New Market**, or select an existing market from the list. The **Market Overview** tab appears.

Market Overview

*Market ID:

Market Name:

Market Description:

Is Active: Yes No

Prices Include Tax: Yes No

This property will affect how prices in this market are calculated in orders

Countries

Available Countries

- Afghanistan
- Albania
- Algeria
- American Samoa
- Andorra
- Angola
- Anguilla
- Antarctica

Add ->

Add All ->>

<- Remove

<<- Remove All

Chosen Countries

- United States**

Languages

Available Languages

- svenska

Add ->

Add All ->>

<- Remove

<<- Remove All

Chosen Languages

- English**

Default Language:

Currencies

Available Currencies

- UAE Dirham
- Afghanistan Afghani
- Albanian Lek
- Armenian Dram
- Netherlands Antillean Guilder
- Angolan Kwanza
- Argentine Peso
- Australian Dollar

Add ->

Add All ->>

<- Remove

<<- Remove All

Chosen Currencies

- US Dollar**

- **Market ID.** Enter an identifier for the market.
- **Market Name.** Enter the name that appears in the markets list.
- **Market Description.** Enter free-text notes about the market.
- **Is Active.** **Yes** to activate; **No** to deactivate. Only active markets can be used by visitors when shopping.
- **Prices Include Tax.** Check **Yes** to indicate that the prices returned for this market include tax. You would typically do this for markets where customers usually see and shop with prices that include tax (for example, most EU countries).

You might want to do this to send a tax-included price to the front-end site, so a customer can see the price including tax when shopping. At checkout, when the Commerce system has enough information to accurately calculate the tax, you can implement business logic to subtract the included tax amount from the actual tax.

- **Countries.** Select each country you want and click **Add**.
A developer can use a market's country to build site features. For example, you define a Nordics market that includes all European Union countries. If a site visitor's IP address belongs to Sweden, he or she belongs to the EU market.
- **Languages.** Select each language you want and click **Add**.
A developer can use a market's language to build site features. For example, in the Quicksilver sample site, a site visitor's market determines the default language for that user.

Note: A website can support several languages. By defining a market's language, you allow a market to display content in that language. For example, if you select English as the preferred language, it does not automatically mean that a visitor belongs to the US or UK markets. You can provide content in English for a Swedish market, for non-Swedish speaking visitors in Sweden.

- **Currencies.** For each currency you want, select the currency and click **Add**.
- **Default currency.** Set the default fallback currency.

3. Click **OK**.

Deleting a market

1. Go to **Commerce Manager > Market Management > Markets**. The markets list appears.
2. Check the box next to the market you want to delete.
3. Select **More Actions > Delete Selected**.
4. Click **OK**.



Marketing

Note: The marketing system provides a new Campaigns user interface, in addition to the legacy campaign system, for managing campaigns and discounts.

Use Episerver's **Marketing** system to create discount and promotion that can be applied to product, orders, or shipping. Typically, promotions are created and managed by marketing and catalog managers, and other users who handle pricing and discounts.

The marketing features allow you to create campaigns with unique and compelling discounts. Discounts are typically based on a percentage or fixed value. You can target discounts to specific customers, time periods, or markets.

Common marketing tasks are listed below. Available tasks depend on whether you are using the new Marketing system, or the legacy marketing system.

Marketing view

- Creating and managing [campaigns](#).
- Creating [discounts](#).
- [Prioritizing discounts](#).
- [Discount exclusions](#).
- [Built-in discounts](#)

Marketing system in Commerce Manager (Legacy)

- Creating and managing [campaigns](#), which can be targeted to specific groups of users.
- Configuring customer segments, for targeting of promotions to specific groups of users and customers.
- Creating different types of promotions with discounts and coupons.
- Configuring expressions and policies for defining additional rules and promotion types.



Campaigns and discounts

Note: The marketing system provides a new Campaigns user interface, in addition to the legacy campaign system, for managing campaigns and discounts.

In Episerver Commerce, you use campaigns to manage discount when deploying targeted marketing efforts. You can assign a campaign to a specific market, to serve local needs, or to all markets. You can also limit a campaign to members of selected visitor group.

When setting up a campaign, you define its essential information, such as active date range, target market, eligible visitor groups, and discounts.

Campaign view

To view existing campaigns or create new ones, go to the global menu and select **Marketing**. The Campaign view displays each campaign's status and discounts. From Campaign view, you can perform tasks such as create new campaigns, edit existing ones, create and edit discounts, and so on.

Campaign Name	Status	Available from	Expires on	total orders	Redemptions
QuickSilver Campaign	Active	Yesterday - 8/8/18		0	
Womens handbag sale Campaign	Expired	Aug 1 - Aug 3		0	
Christmas sale Campaign	Inactive	Dec 1 - Dec 24		0	




Understanding the Campaign View

The view sorts campaigns by *status* (identifiable by background color), described below.

- **Active** (green). **Active** box is checked, **Available from** date is in the past, and **Expires on** date is in the future.
- **Scheduled** (orange). **Active** box is checked but **Available from** date is in the future.
- **Expired** (red). **Active** box is checked, but **Expires on** date is in the past.
- **Inactive** (gray). **Active** box is unchecked.

Note: Below each campaign, its discounts appear on a white background.

On the Campaign view, each discount has an icon that illustrates the discount type.

-  Discount applies to entire order.
-  Discount applies to items.
-  Discount applies to shipping costs.

The Campaign view also displays numbers for each campaign and discount.

Note: Canceled orders do not appear on Campaign View.

- For each *campaign*, you see the number of orders that include discounts. If an order has multiple discounts that belong to different campaigns, that order increases each campaign's total.
- For each *discount*, the Campaign view displays
 - the total number of orders that include it.
 - *redemptions*, the number of times a discount reduces cost. For example, a discount provides 20% off all sweatshirts.
 - If one order includes three sweatshirts, the redemption for that order is 1.
 - If three orders include one sweatshirt each, the discount for all orders is 3.

Campaign View facets and search

The view's left pane displays *facets* and a search. Use facets to filter information by selecting a campaign status, and one or more discount types and market. If you select facets, the view is refreshed, showing only campaigns and discounts that include your selections. Next to each facet is a number indicating how many campaigns and discounts include it.

Campaigns

▼ CAMPAIGN STATUS

- 🔊 **All** 1
- ↑ Active 0
- 🕒 Scheduled 1
- ⏸ Expired 0
- ✂ Inactive 0

▼ DISCOUNT TYPE Clear

- 🛍 **Item** 1
- 🛒 Order 0
- 🚚 Shipping 0

▼ MARKET Clear

- Australia and New Zealand
- ASEAN
- Default Market
- Europe**
- Central and South America
- Scandinavia
- USA and Canada

▲


Spring 2017

Campaign

Spend \$20 get free deicer

🛍 Item discount

Campaign View contains a search to help you find campaigns or discounts. The search only examines campaign and discount *titles*—it does not consider other fields.



Search tips

- The search ignores any selected facets.
- You need to enter at least two characters to get results.
- The search includes active and inactive campaigns and discounts.

Creating a campaign

To create a campaign, identify the following:

- Schedule
- State (active or inactive)
- Market
- Revenue goals
- Google tracking code
- Visitor groups
- Discounts

Tip: You can watch the following demonstration video, [Demo of creating a campaign and discount](#). (4:46 minutes)

1. From edit view, select **Commerce > Marketing**.
2. Select **Create +> Campaign**.

3. Assign a name to the campaign. The Edit Campaign view appears.

CAMPAIGN STATUS		QuickSilver Campaign		
All	1	Active	24 total orders	Redemptions
Active	1	Yesterday - 5/8/18		
Scheduled	0			
Expired	0			
Inactive	0			
DISCOUNT TYPE				
Item	1			
Order	1			
Shipping	1			
MARKET				
Australia				
Brazil				
Canada				

Discount	Orders	Redemptions
\$10 off shipping from Women's Shoes Shipping discount	12 orders	12
\$50 off Order over \$500 Order discount	8 orders	8
20 % off Mens Shoes Item discount	4 orders	4

4. Complete its fields using the following information, then click **Save**.

Campaign fields

Field	Description
Name	The campaign name appears. Edit if desired. The name appears on the Campaign view and on dialogs that let users select campaigns.
Description	Enter a description of the campaign. It only appears on this view.
Scheduling and Status	
Available from	<p>Select the date and time when the campaign is available. The campaign is active only if the shopping date/time is between the Available from and Expires on dates/times <i>and</i> the Active box is checked.</p> <p>Note: The time refers to local time on the Episerver server. For example, you manage the website from Stockholm, Sweden and set a campaign to expire at 11:00 PM. Due to a nine-hour time difference, for a customer in California, USA, the campaign expires at 2:00 PM.</p>

Field	Description
Expires on	Select the date and time when the campaign is no longer available.
Active	<p>Select the box to make the campaign active, or clear it to make it inactive. For a campaign to be active, the Active box must be selected <i>and</i> the shopping date/time must be between the Available from and Expires on dates/times.</p> <p>Active check box examples</p> <ul style="list-style-type: none"> • When you set up a new campaign (including its discounts), keep Active cleared. When everything is correct, select Active, and the campaign goes live. • An active campaign is configured incorrectly. Clear Active to pause the campaign, correct it, then select Active to enable it.
Market and Revenue	
Target markets	<p>Select one or more target markets. If you select no markets, the campaign is effectively inactive.</p> <p>Effects of choosing markets</p> <ul style="list-style-type: none"> • If you choose one or more markets, only customers in those markets are eligible to receive this campaign's discounts. • If you create a discount for this campaign that involves an amount reduction, the list of currencies is determined by the active currencies for countries in the selected market(s).
Revenue goal	<p>Specify a revenue goal for the campaign.</p> <p>Note: The Commerce system does not currently use this value—you must manually track campaign revenue.</p>
Tracking Code	<p>Use to enter a tracking code for campaign analytics. This field must be specifically implemented for your site.</p> <p>This tracking code is only a data property. So, for example, you can create a Google Analytics tracking code, use that, then save the code for your campaign to map the data later. Commerce does not use the tracking code for any internal functionality.</p> <p>By default, the code is not stored with the order after checkout. But you can get promotions from <code>IOrderForm.Promotions</code>, then get their campaigns and tracking codes.</p>

Field	Description
Personalization	If you want to limit this campaign to certain visitor group, select them. If you do, only group members can use the campaign's discounts. See also: Commerce-specific criteria . Note: If more than two visitor groups are selected, hover over the ellipsis to see them all.
Discounts	See Discounts

Editing a campaign

1. From the Campaign view, hover over a campaign. On the far right side, a context menu appears.
2. Select **Edit**.
3. Modify the [fields](#).

Deleting a campaign

1. From the Campaign view, hover over a campaign. On the far right side, a context menu appears.
2. Select **Delete**.

Note: Deleting a campaign cannot be undone, and all discounts created for the campaign are also deleted.

See also: [Discounts](#)



Discounts

Episerver Commerce has a powerful and flexible feature for applying discounts to create targeted [campaigns](#). Episerver Commerce offers a set of [standard discounts](#), featuring the most common setups, which you can easily customize to accommodate specific campaigns.

Discount colors

A discount is color-coded to help you identify its components.

- **Gray.** Products or categories from which purchases must be made to activate the discount.
- **Blue.** Discounted items.
- **Green.** Discount amount or percentage.

Buy Products for Discount from Other Selection

Buy at least X items from catalog entries and get related catalog entries at a discount.


Buy at least...

X items

From these entries

You can add these content types
All

No items




Drag and drop items here, or [Browse...](#)

Include subcategories

Get...
these entries

You can add these content types
All

No items



Drag and drop items here, or [Browse...](#)

Include subcategories

Limit number of discounted items

At the following discount

Percentage off %

Amount off

Creating a discount

Discounts are a key component of an effective marketing campaign, for example "buy 3, get the cheapest for free."

Warning: If you create several concurrent promotions that apply to one line item with quantity greater than one, be sure you understand the impact of all promotions on an order.

Prerequisite: A campaign. If no campaigns exist, **create one**.

Video: Demo of creating a campaign and discount

Tip: You can watch the following demonstration video, [Demo of creating a campaign and discount](#). (4:46 minutes)

1. Access the Discount view using any method listed below.
 - From the Campaigns view's top left corner, select **Create > Discount**.
2. Assign a name to the discount.
3. Choose a discount type. (See [Built-in discounts](#).) The **Edit Discount** view appears.
4. Complete the fields using the following information, then click **Save**.

Discount fields


Field	Description
Name	Enter the name of the discount.
Description	Enter a description of the discount. The description only appears on this view. Use it to communicate the discount's purpose to other merchandisers.
Banner Image	If you want to use a banner image with this discount, upload it to the Episerver media folder, then select it here. Uploading media. The image can illustrate the discount on the web page. Your developer determines how to display the banner.
Scheduling and Status —By default, a discount's start and end dates match its campaign's dates. To change the discount's active dates, click Different start and end dates, within the campaign dates and complete the following fields.	
Available from	Select the date and time when the discount is available. The discount is active only if the shopping date/time is between the Available from and Expires on dates/times, and the Active box is selected. Note: The time refers to local time on the Episerver


Field	Description
	<p>server. For example, you manage the website from Stockholm, Sweden and set a campaign to expire at 11:00 PM. Due to a nine-hour difference, for a customer in California, USA, the campaign expires at 2:00 PM.</p>
Expires on	Select the date and time when the discount is no longer available.
Active	<p>For a discount to be active, the shopping date/time must be between the available and expiration dates/times, <i>and</i> the active box must be selected.</p> <p>Active check box examples</p> <ul style="list-style-type: none"> • While setting up a new discount, keep Active cleared. When everything is correct, select Active, and the discount is live. • An active discount is configured incorrectly. Clear Active to pause it, correct it, then select Active to enable the discount.
Promotion codes	If applicable, enter a promotion code for this discount. Promotion codes are also known as coupons. See also: Using promotion codes .
Discount	Complete the information to define the discount. See Example: Buy three items, get cheapest free and Built-in discounts .
This discount does not apply to these catalog items	Use this area to exclude catalogs, categories, or catalog entries from a specific discount. See Exclude catalog items from a discount .
Redemption limits	If applicable, enter one or more <i>redemption limits</i> for this discount; that is, the maximum number of times a discount can be redeemed. See also: Applying redemption limits .

Example: Buy three items, get cheapest free

Assume you want to implement the following discount: If a customer buys 3 automotive accessories, the least expensive item is free. To create that discount, follow these steps.

Prerequisite: A campaign. If no campaigns exist, **create one**.

1. From the Campaigns view's top left corner, select **Add > Discount**.
2. Select the campaign to which the discount will belong.
3. Assign the name **AutoAcc Buy 3 get cheapest free**.
4. For **Type**, select **Get Cheapest for Free**.
5. At the **Scheduling and Status** area, select the discount's beginning and ending dates and whether the discount is active.
6. This example assumes that the discount does not use a **Promotion code**, so ignore that field. See also: [Using promotion codes](#)
7. At the **Buy... at least X items** field, enter **3**.
8. From the top right corner of the view, click **Catalogs** .
9. Select **Automotive > Accessories** then drag and drop it to the area below **from these categories/entries**. See also: [Selecting discount-eligible items](#).



The screenshot displays the configuration page for a discount campaign. The campaign name is "AutoAcc Buy 3 get cheapest free". Under "Scheduling and Status", the "Same as the campaign" option is selected, with dates from Jan 31, 6:00 PM to Feb 28, 6:00 PM. The "Active" checkbox is unchecked. The "Promotion code" field is set to "Not set".

The discount type is "Get Cheapest For Free". The main configuration area shows the template: "Buy at least X items from categories/entries, get the cheapest Y for free." The "Buy..." section has a dropdown menu set to "X". Below this, the "from these categories/entries" section contains a dashed box with the text "No items" and a green arrow pointing down, with the instruction "Drag and drop items here, or Browse...".

On the right side, a "Catalogs" sidebar is open, showing a tree view of the catalog structure. The "Automotive" category is expanded, and the "Accessories" sub-category is selected. A red arrow points from the "Accessories" item in the sidebar to the "No items" area in the main configuration form.

10. At the **Get cheapest Y for free** field, enter **1**.
11. Click **Save**.

Selecting discount-eligible items

To select discount-eligible items, drag and drop them from the catalog or click **Browse**.

Note: If you select no items, the discount is not applied.

When working in the gray area of the view, you can select:

- One or more categories. Its products are eligible. Use the **Include subcategories** box to determine if products in selected categories' subcategories also are eligible. By default, the box is selected.
- Individual products, SKU, or package.
- Some discounts let you select a catalog. If you can, **Catalog** appears on the view.



Note: A package counts as one item when calculating the X in **Buy at least X items**. If a bundle is purchased, its items are treated like they were ordered separately.

Copying a discount

You can copy (or cut) and paste any discount to another campaign using menu options or drag and drop. You can also copy and paste a discount to its current campaign. If you do, a number is appended to its name to distinguish it from the original discount.

Impact of copying on a discount's field values

When you copy a discount, all field values from the original discount are copied to the new one with the possible exception of these.

- **Status.** The copied discount is inactive by default.
- **Dates.**

If the scheduling value is **Same as the campaign**, the value is maintained, and the dates are adjusted to match the "copy to" campaign's active dates.

If the scheduling value is **Different start and end dates**, those dates are copied to the new discount.

- If one or both dates are outside of the "copy to" campaign's date range, a warning appears next to that date. No other warning is issued either initially or if you later edit the discount.

Different start and end dates, within the campaign dates

Available from

Expires on

If a conflict exists between a campaign's and a discount's active dates, the campaign's active dates override the discount's active dates. For example, a campaign runs from June 1 until June 30 at midnight, while one of its copied discounts has a begin date of June 15 and an end date of July 15. As of July 1, that discount is no longer active.

Copy procedure


1. From Marketing view, identify the campaign that contains the discount that you want to copy.
2. Expand the campaign to see its discounts.
3. From the discount's context menu, choose **Copy** or **Cut**.
4. Move to the campaign to which you want to copy the discount.
5. Select **Paste** from the campaign's context menu.

Note: You can also drag and drop a discount to another campaign.

Editing a discount

Follow these steps to edit a discount.

1. From Marketing view, identify the campaign that contains the discount that you want to copy.
2. Click the small arrow on the left side of the campaign. Its discounts appear.
3. Hover over the right side of the discount until its menu icon appears.


Active	0	Redemptions	
May 1 - May 31	total orders		
going live Jun 7	0	orders	
Inactive	0	orders	Options

4. Click the icon then **Edit**. To learn about the fields, see [Discount fields](#).
5. Edit the desired information then click **Save**.

Deleting a discount

Follow these steps to delete a discount. You cannot recover a deleted discount.

1. From Marketing view, identify the campaign that contains the discount that you want to delete.
2. Click the small arrow on the left side of the campaign. Its discounts appear.
3. Hover over the right side of the discount until its menu icon appears.



4. Click the icon then **Delete**.
5. Click **Save**.

How Episerver Commerce determines which items to discount

Sometimes, an order has several discount-eligible items but not all can be discounted. For example, if a customer buys 5 shirts, they get a discount on two. Or, the **limit number of discounted items** drop-down restricts how many items get discounted. To determine *which* items are discounted, Episerver Commerce calculates the *maximum customer savings*.

Example

Discount: Buy at least 9 eligible items, and get a 25% discount on three. Assumes no redemption limits.

Sample order before discount

Item	Quantity	Cost per item	Item total
White shirt	5	\$5.00	\$25.00

Item	Quantity	Cost per item	Item total
Blueshirt	2	\$10.00	\$20.00
Yellowshirt	2	\$15.00	\$30.00
			Total cost = \$75.00

After discount

To maximize customer savings, the discount is first applied to the two most expensive items, the yellow shirts. Next, it is applied to one of the next most expensive items, a blue shirt. Since only three items are discounted, the second blue shirt is full price.

Item	Quantity	Cost per item	Line item total
White shirt	5	\$5.00	\$25.00
Blueshirt	1	\$10.00	\$10.00
Blueshirt	1	\$7.50 (25% discount on 1 item)	\$7.50
Yellowshirt	2	\$11.25 (25% discount on 2 items)	\$22.50
			Total cost = \$65.00

Using promotion codes

A promotion code (also known as a *coupon*) is an additional criterion that you can apply to any discount. A typical use case is: customers who enter promotion code **CouponABC** during checkout receive 10% off the order.

To apply a promotion code to a discount, create the discount as you normally do. Then, in the discount view's **Promotion codes** field, enter a unique promotion code.

Edit Discount

Name

Description

Banner Image

Scheduling and Status

Schedule the discount to follow the campaign, or select a different date range. Enable the discount by selecting 'Active'.

Same as the campaign (Aug 24, 12:00 AM to Tomorrow, 12:00 AM)

Different start and end dates, within the campaign dates

Active

Promotion Codes

Specify a promotion code for customers to qualify for discount.

Promotion code

Discount: Reduction on Related Items

Buy at least X items from catalog entries and get related catalog entries at a discount.

Buy at least...

X items

From these entries

If you create such a discount, it is activated if the customer enters the promotion code and the other discount criteria are satisfied (for example, the discount is active, date is within the active date range, eligible products are selected, and so on).

Applying redemption limits

When creating a discount, you can set redemption limits, that is, the maximum number of times a discount can be redeemed on a single order form. Set these limits on the Edit discount view. See also: [Creating a discount](#).

Redemption Limits

The number of times a promotion can be redeemed. If limits are increased during a campaign period the previous redemptions will be kept.

Total	Unlimited	▲ ▼
	Redeemed in total across all orders	
Order	Unlimited	▲ ▼
	Per order	
Customer	Unlimited	▲ ▼
	Per registered user	

There are three types of redemption limits.

- **Total.** The maximum number of times a discount can be redeemed across *all orders and customers*.
- **Order.** The maximum number of times a discount can be redeemed on a single order form.

Note: This limit is not available to discounts that apply to an entire order.

- **Customer.** The maximum number of times that one *customer* can redeem a discount. If you set this limit, the discount is not available to anonymous (not logged-in) users.

You can adjust redemption limits at any time during a campaign. If you do, it does not affect the number of redeemed discounts.

Note: Built-in order and shipping promotions have a default value of one redemption per order.

Combining redemption limits

You can set a redemption limit on the total number of discounts, or per order, or per customer. And, you can combine limits. If you set more than one, during validation, the lowest number of available discounts determines if the discount is still available. For example, a discount has three limits:

- Per discount: 500
- Per customer: 10
- Per order: 5

If a discount was redeemed 497 times, and the logged-in customer has not redeemed it yet, and the discount was not used on this order, the maximum number of redemptions is 3.

To continue the example, once the discount is redeemed 500 times, it is no longer available.

Here is another example.

- Per discount: unlimited
- Per customer: 10
- Per order: 2

If a customer creates an order and tries to apply this discount to three items, only two items (the per order limit) are discounted. The third item is full price.

Viewing the number of redeemed discounts

The Campaign View shows the current number of redemptions for each discount.

Campaigns		
Handbag sale Campaign	Active Aug 24 - Tomorrow	Redemptions
handbag sale Item discount		1



Built-in discounts

Episerver Commerce provides many common discounts out-of-the-box. This topic explains the built-in discounts.

Item discounts

Cheapest items for free

Buy at least **X** eligible items, and get the cheapest **Y** items for free. For example, on an order that has 5 electronic accessories, the cheapest one is free.

Cheapest Items For Free

Buy at least X items from catalog entries, get the cheapest Y for free.

Buy at least...


X items

From these entries

You can add these content types

All

No items



Drag and drop items here, or [Browse...](#)

Include subcategories

Get cheapest Y for free

Example

Buy at least 10 eligible products, get the cheapest 3 for free. Assumes no redemption limits.

Sample order before discount

Product	Quantity	Cost per product	Line total
White shirt	5	\$5.00	\$25.00
Blueshirt	3	\$10.00	\$30.00
Yellowshirt	3	\$15.00	\$45.00
			Total cost of order = \$100.00

After discount

Product	Quantity	Cost per product	Line total
White shirt	5	\$5.00	\$10.00; 3 of 5 shirts are free
Blueshirt	3	\$10.00	\$30.00
Yellowshirt	3	\$15.00	\$45.00
			Total cost of order = \$85.00

The view has two sections:

- **Buy at least X items...** Enter the number of items then the categories, products, and so on from which customers may pick. See also: [Selecting discount-eligible items](#).
- **Get the cheapest Y for free.** Enter the number of items to which no charge will be applied at checkout. Only this number of the cheapest items will be free.

This discount supports multiples. That is, if a promotion is "buy at least 5 eligible items, and get the most expensive 1 item for free", and a customer buys 10 items, they get 2 free items. You can limit this factor by applying [redemption limits](#).

Most expensive items for free

Buy at least X eligible items, and get the most expensive Y items for free. For example, if an order includes 5 hardcover books, the most expensive one is free.

Most Expensive Items For Free


Buy at least X items from catalog entries, get the most expensive Y for free.

Buy at least...
X items

From these entries

You can add these content types
All

No items



Drag and drop items here, or [Browse...](#)

Include subcategories

Get most expensive Y for free

The view has two sections:

- **Buy at least X items...** Enter the number of items then the categories, products, and so on from which customers may pick. See also: [Selecting discount-eligible items](#).
- **Get most expensive Y for free.** Enter the number of items to which no charge will be applied at checkout. Only this number of the most expensive items will be free.

This discount supports multiples. That is, if a promotion is “buy at least 5 eligible items, and get the most expensive 1 item for free”, and a customer buys 10 items, they get 2 free items. You can limit this factor by applying [redemption limits](#).

Buy products for fixed price

Buy a fixed number of items from selected categories for a set price. For example, buy 3 men's shirts for £50.

The discount is applied only if the fixed price is less than the items' cost. For example, you create a fixed price discount: **Buy 2 from Top-Tunics for \$250**.

- Buyer A selects two Top-Tunics items: \$150 each, \$300 total. In this case, the discount *is* applied, because the fixed price (\$250) is less than the \$300 total.
- Buyer B selects two Top-Tunics items: \$100 each, \$200 total. In this case, the discount is *not* applied, because the fixed price (\$250) exceeds the \$200 total.

Buy Products for Fixed Price

Buy X items from catalog entries at a fixed price.

Buy at least...

X items

From these entries

You can add these content types

All

No items



Drag and drop items here, or [Browse...](#)

Include subcategories

Receive catalog entries at fixed price

Currency	Amount
AUD	<input type="text" value="Not set"/>
DKK	<input type="text" value="Not set"/>
EUR	<input type="text" value="Not set"/>
GBP	<input type="text" value="Not set"/>
NOK	<input type="text" value="Not set"/>
NZD	<input type="text" value="Not set"/>
RUB	<input type="text" value="Not set"/>
SEK	<input type="text" value="Not set"/>
USD	<input type="text" value="Not set"/>

The view has two sections:

- **Buy at least X items...** Enter the number of items then the categories, products, and so on from which customers may pick. See also: [Selecting discount-eligible items](#).
- **Receive catalog entries at fixed price.** For the above items, enter a fixed price for each currency. If no amount is entered for a currency, no discount is available for it.

Note: The list of currencies is determined by the campaign's target market.

Buy products for discount from other selection

Buy a minimum amount from a group of items to get a discount on a second group of items. For example, customers who purchase a winter coat get a 30% discount on scarves, gloves, and hats. There is no relationship between the first set of items and the second.

Buy Products for Discount from Other Selection

Buy at least X items from catalog entries and get related catalog entries at a discount.

Buy at least...

X items

From these entries

You can add these content types

All

No items



Drag and drop items here, or [Browse...](#)

Include subcategories

Get...

these entries

You can add these content types

All

No items



Drag and drop items here, or [Browse...](#)

Include subcategories

Limit number of
discounted items


At the following discount

Percentage off %

Amount off

The view has three sections:

- **Buy at least X items...** Enter the number of items then the categories, products, and so on from which customers may pick. See also: [Selecting discount-eligible items](#).
- **Get... these entries.** Select items to be discounted. This area has a context-sensitive menu that includes **Move up** and **Move Down** options for each item. A product's position has no effect on how discounts are processed.



- **At the following discount.** Choose how to calculate the discount.
 - **Percentage off.** Enter the discount as a percentage of the items' cost.
 - **Amount off.** Enter a discount amount for each eligible currency. The discount is only available for currencies with amounts.

Note: The list of currencies is determined by the campaign's target market.

Buy products for discount on all selections

Buy a minimum number of selected items and get a discount on all items. For example, purchase 2 or more long-sleeved shirts and get a 15% discount on all long-sleeved shirts. The discount can be an amount or a percentage.

Buy Products for Discount on All Selections

Buy at least X items from catalog entries and get a discount on every selected items.

Buy at least...


X items

From these entries

You can add these content types

All

No items



Drag and drop items here, or [Browse...](#)

Include subcategories

At the following discount


Percentage off %

Amount off

The view has these sections:

- **Buy at least X items...** Enter the minimum number of items then the categories, products, and so on from which customers must pick. See also: [Selecting discount-eligible items](#).

This area has a context-sensitive menu with **Move up** and **Move Down** options for each item. A product's position has no effect on how discounts are processed.



- **At the following discount.** Choose how to calculate the discount.
 - **Percentage off.** Enter the discount as a percentage of the items' cost.
 - **Amount off.** Enter a discount amount for each eligible currency. The discount is only available for currencies with amounts.

Note: The list of currencies is determined by the campaign's target market.

Buy products for discount in same categories

When creating this discount, you select a category then a discount amount or percentage. The discount applies to all items in that category and its subcategories.

When calculating [redemption limits](#), this discount counts each eligible item as 1. For example, if the order redemption limit is 5, and a shopper purchases 10 items in the selected category or subcategories, the discount only applies to 5 items. This is different from the way that Episerver Commerce typically handles redemption limits, where item quantity does not affect them.

[How Episerver Commerce determines which items to discount](#) explains what happens if only some items are discounted because a redemption limit is reached.

Buy Products for Discount in Same Categories

Buy any items from category to get a discount on them.

Buy from

At the following discount

Percentage off %

Amount off

The view has these sections.

- **Buy from.** Select a category. All items in it and its subcategories are eligible for the discount.
- **At the following discount.** Choose how to calculate the discount.
 - **Percentage off.** Enter the discount as a percentage of the items' cost.
 - **Amount off.** Enter a discount amount for each eligible currency. The discount is only available for currencies with amounts.

Note: The list of currencies is determined by the campaign's target market.

Spend for discounted selection

Spend a minimum amount to get a discount on selected items. For example, spend at least €1 00 and get 10% off all belts. The discount can be an amount or a percentage.

The second group of items is independent of the first group. You have total flexibility in determining both groups.

Spend for Discounted Selection

Spend X amount and receive a discount off items from selection.

Spend at least...

Currency	Amount
AUD	<input type="text" value="Not set"/>
DKK	<input type="text" value="Not set"/>
EUR	<input type="text" value="Not set"/>
GBP	<input type="text" value="Not set"/>
NOK	<input type="text" value="Not set"/>
NZD	<input type="text" value="Not set"/>
RUB	<input type="text" value="Not set"/>
SEK	<input type="text" value="Not set"/>
USD	<input type="text" value="Not set"/>

Get...

these entries

You can add these content types

All

No items



Drag and drop items here, or [Browse...](#)

Include subcategories

Limit number of discounted items


At the following discount

Percentage off %

Amount off

The view has three sections:

- **Spend at least....** Enter a minimum order amount needed to qualify for the shipping discount. This section displays all currencies for the campaign's target market. Enter a minimum qualifying amount for each eligible currency. If no amount is entered, the discount is not available in that currency.
- **Get... these entries.** Select items to be discounted. This area has a context-sensitive menu that includes **Move up** and **Move Down** options for each item. A product's position has no effect on how discounts are processed.



- The **Get these entries** section also has a **Limit number of discounted items** drop-down that lets you set a maximum number of discount-eligible items, if desired. See also: [How Episerver Commerce determines which items to discount.](#)
- **At the following discount.** Choose how to calculate the discount.
 - **Percentage off.** Enter the discount as a percentage of the items' cost.
 - **Amount off.** Enter a discount amount for each eligible currency. The discount is only available for currencies with amounts.

Note: The list of currencies is determined by the campaign's target market.

Spend for free items

Spend a minimum amount on an order and get free items.

Spend for Free Items

Spend at least X amount and get all variants/skus as gift items.

Spend at least...

Currency	Amount
AUD	<input type="text" value="Not set"/>
DKK	<input type="text" value="Not set"/>
EUR	<input type="text" value="Not set"/>
GBP	<input type="text" value="Not set"/>
NOK	<input type="text" value="Not set"/>
NZD	<input type="text" value="Not set"/>
RUB	<input type="text" value="Not set"/>
SEK	<input type="text" value="Not set"/>
USD	<input type="text" value="Not set"/>

Get free items

You can add these content types

Variant/SKU, Package

No items



Drag and drop items here, or [Browse...](#)

The view has two sections:

- **Spend at least....** Displays all currencies for the campaign's target market. Enter a minimum qualifying amount for each eligible currency. If no amount is entered, the discount is not available for that currency.
- **Get free items.** Select variants/SKUs or packages that are automatically added to an order when the minimum amount is spent.
To give away the same product more than once, select it multiple times.

Order discounts

Spend for discount on order

Spend a minimum amount to get a discount on an entire order. For example, spend at least €100 and get 10% off the order total.

Shipping and taxes excluded from the calculation of the order total. Also, if other discounts are applied to an order before this discount which reduce the order total below the minimum, this discount is not applied.

Warning: With this discount, you typically set a redemption limit of 1 per order. See [Applying redemption limits](#).

For example, you create the discount "Spend at least \$1000 and get \$100 discount off total order amount" but set no redemption limits. If a customer purchases \$2000 worth of items, a discount of \$200 is applied. To limit the discount to \$100, set a redemption limit of 1.

Spend for Discount on Order

Spend at least X amount and receive a discount off total order value.

Spend at least...

Currency	Amount
AUD	<input type="text" value="Not set"/>
DKK	<input type="text" value="Not set"/>
EUR	<input type="text" value="Not set"/>
GBP	<input type="text" value="Not set"/>
NOK	<input type="text" value="Not set"/>
NZD	<input type="text" value="Not set"/>
RUB	<input type="text" value="Not set"/>
SEK	<input type="text" value="Not set"/>
USD	<input type="text" value="Not set"/>

Get the following discount

- Percentage off %
- Amount off

The view has two sections:

- **Spend at least....** Define a minimum order value for each currency for which you want to provide a discount. If no amount is entered for a currency, no discount is available for it.

- **At the following discount.** Choose how to calculate the discount.
 - **Percentage off.** Enter the discount as a percentage of the items' cost.
 - **Amount off.** Enter a discount amount for each eligible currency. The discount is only available for currencies with amounts.

Note: The list of currencies is determined by the campaign's target market.

Examples

Spend at least \$1 000 and get \$1 00 discount off total order amount.

- Customer buys a projector for \$1 000. There are no shipping costs or taxes. No other discounts or coupons are applied. Customer gets \$1 00 discount, so order total is reduced to \$900.
- Customer buys a tablet for \$999. The order has a shipping cost of \$20 and taxes of \$10. Customer does not get the \$1 00 discount because the order total (excluding shipping and taxes) is less than the minimum.
- Customer buys a laptop for \$1 010. There are no shipping costs or taxes. The order has a promotional code worth \$50, which is applied before this discount. Since the adjusted order total, \$960, is less than the minimum, the customer does not get the \$1 00 discount.

Buy products and get discount on order

Buy a minimum number of products and reduce the cost of the order. You determine which products are eligible, and whether the discount is an amount or a percentage.

Buy Products and Get Discount on Order

Buy at least X items from catalog entries and get discount on order value.

Buy at least...

X items

From these entries

You can add these content types
All

No items

Drag and drop items here, or [Browse...](#)

Include subcategories

Get the following discount

Percentage off %

Amount off

The view has two sections:

- **Buy at least X items...** Enter the number of items then the categories, products, and so on from which customers may pick. See also: [Selecting discount-eligible items](#).
- **Get the following discount.** Define the discount as an amount or a percentage
 - If an *amount*, enter an amount for each currency for which you want to provide a discount.

Note: The list of currencies is determined by the campaign's target market.

 - If a *percentage*, it applies to all available currencies.

Shipping discounts

Spend for discount on shipping cost

Spend a minimum amount on an order and get discounted shipping costs. The discount can be an amount or a percentage. Also, you choose which shipping methods qualify.

Warning: With this discount, you typically set a redemption limit of 1 per order. See [Applying redemption limits](#).

For example, you create the discount "Spend at least \$100 and get 25% off shipping cost" but set no redemption limits. If a customer purchases \$200 worth of items, he gets a 25% discount for each \$100, so a 50% discount. To limit the discount to 25%, set a order redemption limit of 1.

Spend for Discount on Shipping Cost

Spend at least X amount and receive a discount off selected shipping methods.

Spend at least...

Currency	Amount
AUD	<input type="text" value="Not set"/>
DKK	<input type="text" value="Not set"/>
EUR	<input type="text" value="Not set"/>
GBP	<input type="text" value="Not set"/>
NOK	<input type="text" value="Not set"/>
NZD	<input type="text" value="Not set"/>
RUB	<input type="text" value="Not set"/>
SEK	<input type="text" value="Not set"/>
USD	<input type="text" value="Not set"/>

Get selected shipping methods...

- Default Shipping
- In Store Pickup
- Online Download

At the following discount

- Percentage off %
- Amount off

The view has three sections:

- **Spend at least.** Enter a minimum order amount needed to qualify for the shipping discount. This section displays all currencies for the campaign's target market. Enter a minimum qualifying amount for each eligible currency. If no amount is entered, the discount is not available in that currency.
- **Get selected shipping methods...** Select shipping method eligible for a discount. This section displays all shipping methods for a campaign's target market.

The list of currencies is determined by the campaign's target market.

Buy products for discount on shipping cost

Buy a minimum number of items to get a reduction in shipping cost. For example, buy at least 3 shirts and get 25% off shipping. You determine which shipping methods are eligible, and whether the price reduction is an amount or a percentage.

Warning: With this discount, you typically set a redemption limit of 1 per order. See [Applying redemption limits](#).

For example, you create the discount "Buy at least three items and get 25% off shipping cost" but set no redemption limits. If a customer purchases six items, he gets a 25% discount for each three items, so a 50% discount. To limit the discount to 25%, set a redemption limit of 1.

Buy Products for Discount on Shipping Cost

Buy at least X items from categories/entries and receive a discount off selected shipping methods.

Buy at least...

X items

From these entries

You can add these content types

All

No items

↓

Drag and drop items here, or [Browse...](#)

Include subcategories

Get selected shipping methods...

Default Shipping

In Store Pickup

Online Download

At the following discount

Percentage off %

Amount off

The view has three sections:

- **Buy at least X items...** Enter the number of items then the categories, products, and so on from which customers may pick. See also: [Selecting discount-eligible items](#).
- **Get selected shipping methods...** Select shipping method eligible for a discount. This section displays all shipping methods for a campaign's target market.
- **At the following discount.** Choose how to calculate the discount.
 - **Percentage off.** Enter the discount as a percentage of the items' cost.
 - **Amount off.** Enter a discount amount for each eligible currency. The discount is only available for currencies with amounts.

Note: The list of currencies is determined by the campaign's target market.

Buy products for free shipping

Buy a minimum number of items to get free shipping. For example, buy at least 3 ties and get free shipping. You determine which shipping methods are eligible.

Buy Products for Free Shipping

Buy at least X items from categories/entries and receive free shipping for selected shipping methods.

Buy at least...


X items

From these entries

You can add these content types

All

No items



Drag and drop items here, or [Browse...](#)

Include subcategories

Get selected shipping methods...

Default Shipping

In Store Pickup

Online Download

The view has two sections:

- **Buy at least X items...** Enter the number of items then the categories, products, and so on from which customers may pick. See also: [Selecting discount-eligible items](#).
- **Get selected shipping methods...** Select the shipping method that will be free with this discount. This section displays all shipping methods for a campaign's target market.

Spend for free shipping

Spend a minimum amount of money to get free shipping. For example, spend €100 and get free shipping. You determine which shipping methods are eligible.

Spend for Free Shipping

Spend at least X amount and get free shipping for selected shipping methods.

Spend at least...

Currency	Amount
AUD	<input type="text" value="Not set"/>
DKK	<input type="text" value="Not set"/>
EUR	<input type="text" value="Not set"/>
GBP	<input type="text" value="Not set"/>
NOK	<input type="text" value="Not set"/>
NZD	<input type="text" value="Not set"/>
RUB	<input type="text" value="Not set"/>
SEK	<input type="text" value="Not set"/>
USD	<input type="text" value="Not set"/>

Get selected shipping methods...

- Default Shipping
- In Store Pickup
- Online Download

The view has two sections:

- **Spend at least....** Enter a minimum order amount needed to qualify for free shipping. This section displays all currencies for the campaign's target market. Enter a minimum qualifying amount for each eligible currency. If no amount is entered, the discount is not available in that currency
- **Get selected shipping methods...** Select the shipping method that will be free with this discount. This section displays all shipping methods for a campaign's target market.



Prioritizing discounts

Marketers often run multiple campaigns and discounts in parallel, with possible overlaps. The **Discount Priority** view lets you prioritize discounts, so you can determine the sequence in which active ones are applied. The view displays discounts in priority order (highest one at top), and includes all statuses (active, inactive, scheduled, and expired).

Discount Priorities			Save	Close
1	Cardigans clearing Item discount	Scheduled Dec 19 - Dec 24	Christmas sales	
2	Denims clear models Item discount	Scheduled Dec 19 - Dec 24	Christmas sales	↑ Move Up
3	Sweaters associated Item discount	Active Dec 1 - Dec 31	Ski accessories	↓ Move Down

Adjusting discount priorities



From the Campaign view, click **Discount Priorities and Exclusions** in the top right.

To prioritize discounts, use the context menu or drag and drop them within the list. Click **Save** when done.

How prioritization works

- Only active discounts are applied.
- If multiple discounts apply to a product, the top active discount is applied first, followed by lower ones.
- If two discounts are excluded from being applied simultaneously, the higher priority discount is applied and the lower one is ignored. See also: [Discount exclusions](#).

Examples

Assumption: Product's original cost is \$100.

- **Example 1: Two discount percentages**

- First discount: percentage 20%
- First discount amount: \$20
- Adjusted price: \$80
- Second discount: percentage 30% (of \$80)
- Second discount amount: \$24
- Final adjusted price: \$56

- **Example 2: Two discount amounts**

- First discount: amount \$20
- Adjusted price: \$80
- Second discount: amount \$30
- Final adjusted price: \$50

- **Example 3: One percentage, one amount**

- First discount: percentage 20%
- Adjusted price: \$80
- Second discount: amount \$30
- Final adjusted price: \$50

- **Example 4: One amount, one percentage**

- First discount: amount \$30
- Adjusted price: \$70
- Second discount: percentage 20%
- Second discount amount: \$14
- Final adjusted price: \$56



Discount exclusions

To any discount, you can apply *exclusions*: campaigns or discounts that cannot be combined with the current discount. You can apply an exclusion to individual discounts, all discounts in one more campaigns, or all other discounts.

For example, you are running a sale where automotive supplies are 20% off. Customers should not be able to combine this discount with the *Get cheapest item free* discount. To create this exclusion, follow these steps.



1. From Campaign view, click **Discount Priorities and Exclusions** in the top right ().
2. Select the discount to which you will apply exclusions. To continue the above example, select **automotive supplies 20% off**.
3. Click **Add +** to the right of the **Cannot be combined with...** field.

Discount Priorities and Exclusions
Move discounts up or down to change order. Select which exclusions apply for each discount.

Order	Discount Name	Status	Dates	Season	Exclusion Field	Action
1	Buy 3, get 20% off others Item discount	Active	Mar 23 - May 4	Spring 2016	Cannot be combined with...	+
2	10% off tops Item discount	Inactive	Mar 23 - May 4	Spring 2016	Cannot be combined with...	+
3	Auto supplies 20% off Item discount	Active	Mar 23 - May 4	Spring 2016	Cannot be combined with...	+
4	Get cheapest item free Item discount				Cannot be combined with...	+

Select Excluded Campaigns or Discounts [X]

Find discounts by typing here

- All
- Spring 2016
 - Buy 3, get 20% off others
 - 10% off tops
 - Auto supplies 20% off
 - Get cheapest item free


OK Cancel

4. Select campaigns or discounts that cannot be combined with the one selected in step 2. To continue the above example, select the **Get cheapest item free** discount.
5. Click **Save** then **Close**.

Additional notes about exclusions

- You can apply an unlimited number of exclusions to a discount.
- If you select a campaign, you exclude *all* of its discounts, both current *and* future.
- The **Cannot combine with** field
 - After you select an exclusion, it appears in the **Cannot combine with** field for reference and possible removal.
 - The **Cannot combine with** field displays campaigns first, followed by discounts.
 - If you select **All** (the campaign root folder), only that tag appears in the **Cannot combine with** field.
 - Similarly, if you exclude a discount then later exclude its parent campaign, the discount's tag is removed from the **Cannot combine with** field. This is because the parent campaign includes the child discount.

- If more than two items are excluded, an ellipsis in the **Cannot combine with** field indicates additional entries. To view all exclusions for that discount, click **Add** or hover over the ellipsis.



Exclude catalog items from a discount

This topic explains how to exclude catalogs, categories, or catalog entries from a specific discount. For example, you want to exclude men's Puma sneakers from a store-wide 25% off sale.

1. Select the campaign then the discount to which you want to apply the exclusion.
2. On the **Edit Discount** view, scroll down to **This discount does not apply to these catalog items**.
3. Choose one or more catalogs, categories, or catalog entries to exclude from the discount.

USD

Get the following discount


Percentage off %

Amount off

This discount does not apply to these catalog items

You can add these content types
Catalog, Category, Entry

No items



Drag and drop items here, or [Browse...](#)

Redemption Limits

The number of times a discount can be redeemed. If limits are increased during a campaign period the previous redemptions will be kept.

Total %
Redeemed in total across all orders




Campaigns (Legacy)

Since the new Campaigns and Discounts system has been available since September, 2016, this Legacy section is being retired. If you want to read the Campaigns (Legacy) documentation, see [version 18-5, or earlier, of the user guide](#).



Reporting

Episerver Commerce provides reports within Commerce Manager as well as from the **Reports** main menu option.



Commerce manager reports

By default, the Commerce Manager user interface provides a set of common types of reports.

- **Sales Report.** Website sales performance over a time period.
- **Shipping Report.** The shipping method, number of orders, and total shipping cost over a time period.
- **Best Sellers Report.** Products that sell most in terms of quantity and total revenue over a time period.
- **Low Stock Report.** Products that are low in inventory, reported when a product's inventory is less than its reorder minimum quantity.

You can also develop custom reports. See [Episerver World](#).

Managing reports

You can do the following tasks with a Commerce report:

- Generate a report by clicking **Reporting** and select one of the default reports available under **Sales** and **Products: Sales Report, Shipping Report, Best Sellers Report** or **Low Stock Report**. The report display is generated.



- Filter a report by date, time, currency, and [markets](#) by selecting **Market, Currencies** and set the **Start Date** and **End Date** ranges and time. You can also group the report data by **Day, Month, or Year**. Click **Apply Filter** to filter; click **reload** to regenerate the report after changing the filtering.



- Export a report by selecting **Select a format > Export > Open** or **Save**. You can export to Excel or PDF.
- Print a report by clicking **Print**.

Main menu reports

Sales By Day report (Beta)

Note: This is a Beta feature, which means that it is still in development. Developers can read about how to enable Beta features [here](#).

This report shows the following Commerce order information for each day. To learn about how this data is collected, see [Collect data for reports \(Beta\)](#).

To compile the data used in this report, run the [Collect report data](#) scheduled job.

Commerce - epi ? admin@example.com

Catalog Marketing Customer Service Commerce Manager **Reports** Settings

Export order data
Sales by day

Sales By Day Report

Date	Market	Currency	Number Of Orders	Items Ordered	Sub Total	Tax	Shipping Total	Discounts	Total
Sep 26, 2018	CAN	CAD	50	107	1537.1	76.43	1000	35.4	2613.53
Sep 26, 2018	US	USD	51	109	1433.2	68.33	1020	5.8	2521.53
Sep 27, 2018	UK	GBP	50	111	1348.5	44.03	1000	12.5	2392.53
Sep 27, 2018	US	USD	50	118	1507	28.28	1000	28.5	2535.28
Sep 28, 2018	SWE	SEK	199	438	5625.6	197.42	3980	30.9	9803.02
Sep 28, 2018	US	USD	101	235	2936.7	105.23	2020	40.3	5061.93
Sep 29, 2018	SWE	SEK	20	44	491.8	15.95	400	3.7	907.75
Sep 29, 2018	SWE	USD	32	74	918	14.03	640	0	1572.03
Sep 29, 2018	US	USD	50	106	1349.1	30	1000	2.9	2379.1
Oct 18, 2018	US	USD	397	876	11435.1	532.82	7940	77.9	19907.92

Report information

- Date: The order's creation date
- Market, Currency: The order's market and currency. For each combination of market and currency, the following data is provided for the displayed date.
 - The number of orders
 - The number of items in those orders
 - Subtotal (quantity × placed price - entry discount amount)
 - The tax amount for those orders
 - The shipping amount for those orders
 - The discount amount for those orders
 - Total: Total amount spent on those orders (Subtotal + Tax + Shipping Total - Discounts)



Administration

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

You can configure and administer Episerver Commerce through general settings for the entire system, and specific settings for parts of the system, such as Catalog and Order management.

Note: Languages supported by Commerce are added from the Episerver CMS administration and edit views, as described in Managing website languages in the CMS Administrator User Guide.

You can do the following from the administration interface:


- Add [countries](#), [currencies](#), and [return reasons](#) to the e-commerce system, which is done through [Dictionaries](#).
- Track changes and monitor system activities through the [log features](#).
- [Configure common settings](#) such as default language, currency, and length and weight units to be used by Episerver Commerce.
- [Customize, create](#) and [publish business objects](#) to extend the attributes of the Customer Management system, and provide more flexibility for fields and attributes displayed and collected.
- [Update the search index](#) for the website to reflect changes to the product catalog.
- [Customize the left menu](#) by adding your own menu items.
- Define [warehouses](#), [tax categories](#), and [meta-classes and meta fields](#) used by the [Catalog Management](#) system.
- Define [payment gateways](#), [shipping methods and providers](#), and [configure taxes](#) used by the [Order Management](#) system.
- Manage Commerce-specific scheduled jobs from the Episerver CMS administration view, as described in [Scheduled jobs](#).



System settings

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

You can set language, currency, units and metadata fields and classes, and many other possible configurations by selecting **Administration > System Settings**.



Note: You add languages in Episerver Commerce from the Episerver CMS administration and edit views, as described in Managing website languages in the CMS Administrator User Guide.



Dictionaries

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

Dictionaries and dictionary values enrich data when you work with [currencies](#), [countries](#), [customer organization](#), [customer contact groups](#), [return reasons](#), and catalog content.

Note: You add languages in Commerce from the Episerver CMS admin and edit views, as described in Managing website languages in the CMS Administrator User Guide.




Adding a country to dictionaries

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

A country helps to define a market.

1. Open Commerce Manager and go to **Administration > System Settings > Dictionaries > Countries**.



2. Click **New Country** and fill in the following:

- **Overview** tab

- **Country Name.** Enter a name of the country.
- **Code.** Enter the country code, which you can get from the [MSDN site Table of Country/Region and State/Province Names and Codes \[C++\]](#) (use the ISO Short Code or ISO Long Code as long as you remain consistent).

- **Sort Order.** Enter a number starting from 0 (the lower number is listed at the top).
- **Visible.** Select **Yes** to make the country name visible on the public site; otherwise **No**.

• **Regions** tab

Edit Command	Name	Ordering	Visible
	CA	0	<input checked="" type="checkbox"/>

- **New Region Name.** Enter a name, such as CA, to identify a state, province, or prefecture. Then click **Add**. You can also select whether the region name is **Visible** on the public site.

When you click **Edit**, you can change the **Ordering** of the region. Click **Update** to save those changes.

Edit Command	Name	Ordering	Visible
Update Cancel	CA	0	<input checked="" type="checkbox"/>




Adding a currency to dictionaries

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

A currency helps to define a market and for catalog.

1. Open Commerce Manager and go to **Administration > System Settings > Dictionaries > Currencies**.



2. Click **New Currency**. The **Currency Overview** tab appears.

 A screenshot of the 'Currency Overview' dialog box. It has two tabs: 'Overview' and 'Rates'. The 'Overview' tab is active. There are three input fields: 'Currency Name', 'Code', and 'Modified'. At the bottom, there are 'OK' and 'Cancel' buttons.

- **Overview** tab
 - **Currency Name.** Enter the name of the currency that shows on the public site and various Commerce Manager administration pages.
 - **Code.** Enter the currency code, which you can get from https://en.wikipedia.org/wiki/ISO_4217#Active_codes.

- **Rates** tab

 A screenshot of the 'Currency Rates' dialog box. It has two tabs: 'Overview' and 'Rates'. The 'Rates' tab is active. There is an 'Add Rate' button. Below it is a table with columns: 'Edit Command', 'Currency', 'Rate', 'Rate Date', and 'Modified'. At the bottom, there are 'OK' and 'Cancel' buttons.

- **Add Rate.** Select to add a foreign exchange rate when you want to convert from one currency to another. The **Edit Currency Rate Information** dialog box appears.

Edit Currency Rate Information

From Currency: Australian dollar (AUD)

To Currency: Canadian dollar

End Of Day Rate: 0.0000

Average Rate: 0.0000

Currency Rate Date: 5/25/2010 11:25 AM

Modified: 5/25/2010 11:25:12 AM

Save Changes

- **From Currency.** Displays the current currency.
- **To Currency.** Select the currency to which you want to convert from the current currency.
- **End of Date Rate.** Enter the end-of-day rate.
- **Average Rate.** Enter the average rate.
- **Currency Rate Date.** Enter a currency rate date.


3. Click **Save Changes**.



Creating a return reason

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

Return reasons add data about return in the order management process. The built-in return reasons in Episerver Commerce are **Faulty**, **Incorrect Item**, and **Unwanted Gift**. You can add more return reasons.



1. Go to **Administration > System Settings > Dictionaries > Return Reasons**. The **Return Reasons** screen appears.
2. Click **New Return Reason**. The **Return Reason Edit** dialog appears.
 - **Return Reason**. Enter a name, such as *Changed Mind*.
 - **Sort Order**. Enter a number. The lower the value, the higher the position the return reason is on the list screen.
 - **Visible**. Select **Yes** to enable to return reason; otherwise **No**.
3. Click **OK**. The new return reason appears on the list.

Deleting a return reason

- To delete an individual return reason, click **Delete**.
- To delete multiple return reasons at one time, select the check boxes next to the return reason and select **More Actions > Delete Selected**. Click **OK** to confirm.



Logging

Note: This topic is intended for administrators and developers with administration access rights in Episerver.


Logs contains the system log and application log. These logs track the activities within the Episerver Commerce system specifically. This is useful when troubleshooting, and to track events and changes in the system during a specific time period.

Note: There is also a change log for tracking changes to content in the system. See Change Log in the Administrator User Guide.

To access the logs, go to **Administration > System Settings > Logs**.

System log


This log tracks system-related activities within Episerver Commerce.



- Filter the logs by **Operation**, **Object Type**, or the **Created Before** date and time and click **Apply Filter**.
- Click **Export Log** to move the content of your filtered records to a csv file.
- Select **More Actions > Delete Selected** or **Delete All** to remove log items.

Application log

This log tracks changes made in the [Catalog management system](#). For example, when you add a SKU to a catalog, it gets logged.




- Filter the logs by **Source Type**, **Operation**, **Object Type**, or the **Created Before** date and time and click **Apply Filter**.
- Click **Export Log** to move the content of your filtered records to a csv file.
- Select **More Actions > Delete Selected** or **Delete All** to remove log items.



Common settings

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

Go to the **Administration > System Settings > Common Settings** to select your default language, currency, length unit, and weight unit.



You have the following options:

- **Language.** Select from the available languages as defined in the [language settings](#). See also: [Multi-language management](#).
- **Currency.** Select from the available currencies as defined in the [currency settings](#).
- **Length units.** Select **Centimeters** or **Inches**. Length settings are used for calculating shipping costs.
- **Weight units.** Select **Kilograms** or **Pounds**. Weight settings are used for calculating shipping costs.

Overview

Default Language: English ▼
Language that will be selected by default in drowdowns, etc.

Default Currency: US dollar ▼
Currency that will be used is cases where currency is needed but not specified

Default Length Unit: Centimeters ▼
Default unit of length

Default Weight Unit: Pounds ▼
Default unit of weight

OK
Cancel



Business foundation

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

Business Foundation extends the attributes of the Customer and Asset Management systems to give you more flexibility with the displayed and collected fields and attributes. Business Foundation works with the metadata engine to allow no-code customization of the data mode with which you can define new objects and relations between these for the [Customer Management](#) system.

Welcome ▾ Change Language About ▾
Get Help For This Page

Administration

- Administration
- System Settings
- Dictionaries
- Logs
- Common Settings
- Business Foundation
- Workflow
- Search Index
- Left Menu
- Catalog System
- Order System

Create New ▾
Export/Import ▾

Show: All ▼

System Name	Friendly Name	Plural Name	Type
Address	Address	Addresses	Info
Contact	Contact	Contact	Info
CreditCard	Credit Card	Credit Cards	Info
CustomizationItem	Customization Item	Customization Item	Info
CustomizationItemArgument	Customization Item Argument	Customization Item Arguments	Info
CustomPage	Custom Page	Custom Pages	Info
Folder	Folder	Folder	Info
FolderElement	Folder Element	Folder Element	Info
GiftCard	Gift Card	Gift Cards	Info
ImageFolderElement	ImageFolderElement	ImageFolderElement	Card
Organization	Organization	Organization	Info
PdffFolderElement	PdffFolderElement	PdffFolderElement	Card
RecentReferenceHistory	User Recent Reference	User Recent References	Info

You can define the layout of [customizable forms](#) and specify the fields you want to display. You can also work with system fields. For example, you can set a standard height and width for an image that is uploaded to the Asset Management system, or create a **Gift Card** field in the Customer Management system to track how much money a customer has on a gift card.

Note: Business Foundation only supports the Customer and Asset Management subsystems. The Asset Management subsystem in Commerce Manager was replaced by the Episerver Asset system.



Creating a business object

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

A business object extends customer and asset forms to track and relate types of data. You can create a new business object to support customized business scenarios. The following example shows how to create a Contract business object.

Creating a contract business object

Do the following to add a contract business object:

1. Go to **Administration > System Settings > Business Foundation**. The **Business Foundation Configuration** page appears.
2. Click **Create New** and click **New Business Object**. The **New Business Object** dialog appears.

Base Info

- **System Name.** Enter the name of the business object, after which the Friendly Name and Plural Name fields are automatically populated.
- **Friendly Name.** Alternative to the System Name.
- **Plural Name.** Plural version of the system or friendly name, such as *inventories*.

- **Supports Extensions.** Select the check box to extend an existing meta-class with extra properties. For example, you can extend a download class with **imagedownload**, which contains extra parameters such as height and width.

Field Info

- **System Name.** Enter a system name.
 - **Friendly Name.** Enter an easy-to-understand name.
 - **Maximum Length.** Enter the maximum number of characters allowed in this field.
3. Click **Save**. The details of your newly created business object appear.

Business Object Customization						New Field	Edit	Publish	Back To List
System Name:		Contract			Friendly Name:		Contract Name		
Type:		Business Object (Public)			Plural Name:		Contract		
Fields	1:N Relations	N:1 Relations	N:N Relations	Forms	System Views				
System Name		Friendly Name			Type				
	Contract	Contract Name			Text				
	ContractId	Id			Guid				



Customizing a business object

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

A good starting point to model business objects for your needs is to customizing an existing business object. Episerver Commerce includes a number of business objects that you can edit and customize.

Editing an existing business object

You can edit and delete many, but not all, default business objects and related fields. For example, you can edit but cannot delete the **Address** and **Organization** business objects. Business objects that you can edit and delete have an **Edit** and **Delete** icon next to them.

System Name	Friendly Name	Plural Name	Type
Address	Address	Addresses	Info
Contact	Contact	Contact	Info
CreditCard	Credit Card	Credit Cards	Info
CustomizationItem	Customization Item	Customization Item	Info
CustomizationItemArgument	Customization Item Argument	Customization Item Arguments	Info
CustomPage	Custom Page	Custom Pages	Info
Folder	Folder	Folder	Info
FolderElement	Folder Element	Folder Element	Info
GiftCard	Gift Card	Gift Cards	Info
MyCard	MyCard	MyCard	Info
NewCard	NewCard	NewCards	Info
Organization	Organization	Organization	Info
RecentReferenceHistory	User Recent Reference	User Recent References	Info

Editing an existing field of a business object

You can edit or delete fields that have an **Edit** and **Delete** icon next to them.

CreditCardNumber	Card Number	Text	
CustomerServicePhoneNumber	Customer Service Phone Number	Text	
ExpirationMonth	Expiration Month	Integer	
ExpirationYear	Expiration Year	Integer	

You cannot edit locked fields such as **Field Name** and **Field Type** (which are grayed out) in the following image.

Edit Field Back

Business Object:	Credit Card	Field Type:	String
Field Name:	CustomerServicePhoneNumber	Format:	Text
Friendly Name:	Customer Service Phone Number	Maximum Length:	100
Description:	Phone # found on back of card	<input type="checkbox"/> Unique value	
<input checked="" type="checkbox"/> Allow Nulls		<input type="button" value="Save"/>	<input type="button" value="Cancel"/>

Update the fields that are unlocked and click **Save** to save the changes to the business object.



Adding fields to a business object

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

You can customize existing Business Foundation objects to have additional data entry fields. For example, you can add fields to the built-in Commerce Manager **New Credit Card** form.

Do the following to add fields to an existing business object:

1. Click **Administration**, expand **System Settings**, and click **Business Foundation** to access the list of objects. This example uses the **CreditCard** business object.

The screenshot shows the Episerver Business Foundation administration interface. At the top, there are buttons for 'Create New' and 'Export/Import'. Below that is a 'Show:' dropdown menu set to 'All'. The main content is a table with four columns: System Name, Friendly Name, Plural Name, and Type. The table lists various business objects, with 'CreditCard' highlighted in blue. To the right of the 'CreditCard' row, there are icons for editing and deleting.

System Name	Friendly Name	Plural Name	Type
Address	Address	Address	Info
Contact	Contact	Contact	Info
CreditCard	Credit Card	CreditCard	Info
CustomizationItem	Customization Item	Customization Items	Info
CustomizationItemArgument	Customization Item Argument	Customization Item Arguments	Info
CustomPage	Custom Page	Custom Pages	Info
Folder	Folder	Folder	Info
FolderElement	FolderElement	FolderElement	Info
GiftCard	Gift Card	Gift Cards	Info
ImageFolderElement	ImageFolderElement	ImageFolderElement	Card
Organization	Organization	Organization	Info
PdfFolderElement	PdfFolderElement	PdfFolderElement	Card
RecentReferenceHistory	User Recent Reference	User Recent References	Info

2. Select the business object in the list to open it for editing, or click **New Field** to add a new field to the business object.







Business Object Customization			
System Name: CreditCard		Friendly Name: Credit Card	
Type: Business Object		Plural Name: CreditCard	
Fields	1:N Relations	N:1 Relations	N:N Relations
Forms	System Views		
System Name	Friendly Name		Type
Address	Address		Text (ReferencedField)
AddressId	Address		Reference
CardType	Type		CreditCardType
Contact	Contact		Text (ReferencedField)
ContactId	Contact		Reference
Created	Created		DateTime
CreatorId	Creator		Guid
CreditCardId	Id		Guid
CreditCardNumber	Card Number		Text
ExpirationMonth	Expiration Month		Integer
ExpirationYear	Expiration Year		Integer
LastFourDigits	Last Four Digits		Text
Modified	Modified		DateTime
ModifierId	Modifier		Guid
Organization	Organization		Text (ReferencedField)
OrganizationId	Organization		Reference
SecurityCode	Security Code		Text

3. Fill out the **New Field** form to specify the type of data field you want created for the business object.


New Field		Back
Business Object:	Credit Card	
Field Name:	CustomerServicePhoneNumber	
Friendly Name:	CustomerServicePhoneNumber	
Description:		
Add Field To:	<input checked="" type="checkbox"/> Allow Nulls <input checked="" type="checkbox"/> Edit Form <input checked="" type="checkbox"/> View Form <input checked="" type="checkbox"/> Short Info Form	
Field Type:	String	
Format:	Text	
Maximum Length:	100	
	<input type="checkbox"/> Unique value	
	<input checked="" type="button" value="Save"/>	<input type="button" value="Cancel"/>

- **Business Object.** Automatically populated with the business object name.
- **Field Name.** Enter the system ID or name of the field. This name automatically populated the **Friendly Name** field.

- **Friendly Name.** Automatically populated using the Field name of the business object. You can change it, but must be unique from an existing field name (special characters and spaces are permitted).
 - **Description.** Optionally enter text that appears below the data entry field.
 - **Allow Nulls.** Select the box to make this an optional field that the user fills in while editing a form. Deselect the box to make it a required field.
 - **Add Field to.** Select the Forms you want the field to render in, such as the **Edit Form** (to enter and submit information) or **View Form** (read information only).
 - **Field Type.** Select a field type from the drop-down, such as **integer**, **URL** or **date**.
 - **Format.** Select a format. The drop-down menu options depend on your **Field Type** selection.
 - **Maximum Length.** The value depends on the Field Type selection.
 - **Unique value.** Leave unselected.
4. Click **Save**. The new field appears on the list of fields.

 CreditCardId	Id	Guid	
 CreditCardNumber	Card Number	Text	
 CustomerServicePhoneNumber	Customer Service Phone Number	Text	 
 ExpirationMonth	Expiration Month	Integer	

5. To verify the new field, check the form associated with that new field.




Customizing a form

Note: This topic is intended for administrators and developers with administration access rights in Episerver.


This section describes how to customize and adapt a form for your Episerver Commerce users.

Forms dictate how fields appear to the Episerver Commerce user when viewing and editing information in the system. Every field is associated with a form, and each business object is associated with one or more types of forms. Common types of forms are Edit Forms, Short Info Forms, and View Forms.

Editing a form


1. Select a **Business Object** and then click the **Forms** tab to see the list of associated forms.

2. Click **Edit** next to the form you want. The form customization window appears.



Editing a form's layout

1. Click **Edit Form**.




- a. Select a **View Type** (layout of the form).
 - Two Columns (1:1)
 - Two Columns (1:2)
 - Two Columns (2:1)
 - Three Column (1:1:1)
 - b. Enter in a pixel value for the **Cell Padding** (spaces between each cell).
2. Click **Save**.

Adding a section

A section separates groups of fields on a form with its own header and border. After you set the layout, you can add sections and fields.

1. Select **Add > Add Section** to add a new section.




- **Title.** Enter the name of the section to display on the form (if enabled).
- **Show border line for this section.** Select the check box to show the border around section.
- **Show the name of this section on the form.** Select the check box to show the Title of the section on the form.
- **View Type.** Choose one.
 - One Column
 - Two Columns (1:1)
 - Two Columns (1:2)
 - Two Columns (2:1)
- **Cell Padding.** Enter the number of pixels for **Cell Padding** to determine the amount of space between each cell in the section.

2. Click **Save**.

Editing a section

You can edit a section by selecting a section and click **Edit**.



Adding a field to a section


1. Highlight a section and click **Add > Feld hinzufügen**.

The screenshot shows the Episerver administration interface for editing a form. The top bar includes 'Common Tasks' and buttons for 'Recreate Form', 'Edit Form', and 'Save'. Below this, the 'Table:' is 'Credit Card' and the 'Form:' is 'Edit Form'. A toolbar contains 'Add', 'Up', 'Down', 'Left', 'Right', 'Edit', and 'Remove' icons. A dropdown menu is open under 'Add', showing 'Add Section' and 'Add Field' (highlighted by a mouse cursor). The form content is organized into sections. The first section contains a table with the following fields:

Last Four Digits:	Expiration Month:
Card Number:	Expiration Year:
Security Code:	
Customer Service Phone Number:	

Below this table is a section titled 'Credit Card 2' which contains a single field: 'Last Four Digits:'. The interface uses dashed lines to indicate the boundaries of sections and fields.

2. Select an existing associated field in the drop-down menu.



- **Field is Read Only.** Select the check box to make the field unavailable for editing. The field is grayed out on the rendered form.
- **Item label showing on the form.**
 - **Hide Label.** No label appears next to the text box.
 - **System Label.** Shows the system name next text box.
 - **Custom Label.** Enter a custom label.
- **Label Width.** Enter a number. (Default is 120px.)
- **Tab Index.** Enter an index for the tab.
- **View Type.** Select **One Column** or **Two Column**. In the drop-down box **Rows**, select the number of text box rows, up to 3.

3. Click **Save**.

Editing a field

To edit a field, select and highlight the field and click **Edit** to change your previous settings.

The screenshot shows the 'Credit Card' form editor interface. At the top, there are tabs for 'Table: Credit Card' and 'Form: Edit Form'. Below the tabs is a menu bar with options: 'Add', 'Up', 'Down', 'Left', 'Right', 'Edit', and 'Remove'. The 'Edit' button is highlighted with a mouse cursor. The form content is organized into sections: 'Overview' and 'Credit Card 2'. The 'Overview' section contains a table with the following fields:

Type:	
Last Four Digits:	Expiration Month:
Card Number:	Expiration Year:
Security Code:	
Customer Service Phone Number:	


The 'Credit Card 2' section contains the following field:

Organization:

Re-arranging fields


You can re-arrange fields on a form using the arrow controls on menu bar. Highlight the field and then click the directional arrow you want the field to move to. In the following example, the **Security Code** field is moved to the right by clicking the right directional arrow. Fields are moved from cell to cell within a section.

The screenshot shows the 'Credit Card' form editor interface, similar to the previous one. The 'Security Code' field in the 'Overview' section is highlighted with a red circle. The right directional arrow in the menu bar is also highlighted with a mouse cursor, indicating the action of moving the field to the right.



Deleting a section or field

1. Highlight a section or field.
2. Click **Remove**. Click **OK** to confirm.



Recreating a form

You can recreating a form with a single field rather than customize a form with all fields already in place.

1. Click **Recreate Form** on the upper right corner of the window. A confirmation dialog box appears.

The screenshot shows a software interface titled 'Common Tasks'. At the top right, there are three buttons: 'Recreate Form' (highlighted with a mouse cursor), 'Edit Form', and 'Save'. Below the buttons, the 'Table:' is labeled 'Credit Card' and the 'Form:' is labeled 'Edit Form'. A toolbar contains 'Add', 'Edit', and 'Remove' icons. The main area is titled 'Overview' and contains a table with the following fields:

Type:	
Last Four Digits:	Expiration Month:
Card Number:	Expiration Year:
Security Code:	
Customer Service Phone Number:	

2. Click **OK** to recreate the form. After you confirm, the fields clear from the form except for the required field.

The screenshot shows the same 'Common Tasks' window after the 'Recreate Form' action. The 'Overview' section is now titled 'Credit Card' and contains a single field: 'Card Number:'. A mouse cursor is pointing at the 'Card Number' field. The other fields from the previous screenshot are no longer visible.



Relating business objects

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

Business objects must be related to other business objects to connect, track and record relevant data.

You can have the following relationship types:

- **I-to-Many Relationship**. Associate (or relate) one object with multiple object-related data. For example, you can associate one [organization](#) with multiple contacts.
- **Many-to-1 Relationship**. Associate multiple object-related data with a single object. For example, you can relate multiple [contacts](#) to a single organization.

- **Many-to-Many Relationship.** Associate multiple object-related data with multiple objects. For example, you can associate different SKU with a number of [warehouses](#) for tracking and storage.



Adding a one-to-many relationship

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

You can relate business objects with a one-to-many (1:N) relationships. For example, if you have one organization, you can relate many types of data to that organization, such as multiple contacts, addresses, or organizational units or divisions within an organization. Within a 1:N relationship, the business object you selected will be 1.

In the following example, 1 = Organization and N = Related Objects such as Address, Contact, CreditCard and so on.

To add a one-to-many relationship to a business object, you need to create a new business object or use an existing one.

1. On the **Business Object Customization** page, click **1:N Relations**.

The screenshot shows the 'Business Object Customization' interface for the 'CreditCard' system. The '1:N Relations' tab is active, displaying a table of related objects. The table has columns for System Name, Friendly Name, and Type. A hand cursor is pointing at the '1:N Relations' tab.

System Name	Friendly Name	Type
Address	Address	Text (ReferencedField)
AddressId	Address	Reference
CardType	Type	CreditCardType
Contact	Contact	Text (ReferencedField)
ContactId	Contact	Reference
Created	Created	DateTime

2. Click New Relation "one to many" to create a new relation.

Business Object Customization New Field | Edit | Publish | Back To List

System Name: Organization **Friendly Name:** Organization
Type: Business Object **Plural Name:** Organization

Fields | **1:N Relations** | N:1 Relations | N:N Relations | Forms | System Views

New Relation "one to many"

Name	Primary Object	Related Object	
Address	Organization	Address	
Contact	Organization	Contact	
CreditCard	Organization	Credit Card	
Organization	Organization	Organization	

3. Fill in the Relation 1:N dialog box.

Relation 1:N

General Info

Primary Object: Organization
Related Object: Address

Object "Address"

Field Name: Organization
Friendly Name: Organization

Allow Nulls

Add Field To:

Edit Form
 View Form
 Short Info Form

Object "Organization"

Display Region: [Not Set]

- **Primary Object.** Automatically set to Organization.
- **Related Object.** Select the drop-down item to relate the Organization object.
- **Field Name.** Automatically populated using the system name of the business object, but must be unique from an existing field name. Use only letters, numbers and underscores (_); no spaces or special characters.

- **Friendly Name.** Automatically populated using the system name of the business object. You can change it, but must be unique from an existing field name (special characters and spaces are permitted).
- **Allow Nulls.** Select the box to make this an optional field that the user fills in while editing a form. Deselect the box to make it a required field.
- **Add Field To.** Select the Forms you want the field to render in, such as the Edit Form (to enter and submit information) or View Form (read information only).
- **Display Region.** Select a region in the drop-down box. Additional options, such as **Display Text** and **Display Order**, appear based on your drop-down menu selection.

4. Click **Save**.

Note: The Related Object has the Primary Object appear under the opposite relationship (N:1) on its configuration form. For example, if Organization is the Primary Object and the Related Object is Address, the relationship is automatically generated under the **N:1 Relations** tab in **Address**.

The screenshot shows the 'Business Object Customization' window for the 'Address' object. At the top, there are navigation links: 'New Field', 'Edit', 'Publish', and 'Back To List'. Below this, the 'System Name' is 'Address', 'Friendly Name' is 'Address', and 'Plural Name' is 'Address'. The 'Type' is 'Business Object'. There are tabs for 'Fields', '1:N Relations', 'N:1 Relations', 'N:N Relations', 'Forms', and 'System Views'. The '1:N Relations' tab is active, showing a table with columns 'Name', 'Primary Object', and 'Related Object'. The table lists two relationships: 'Contact' (Primary Object: Address, Related Object: Contact) and 'CreditCard' (Primary Object: Address, Related Object: Credit Card). A 'New Relation "one to many"' button is visible in the top right of the table area.



Adding a many-to-one relationship

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

You can relate business objects with a many-to-one (N:1) relationship. For example, you can relate multiple contacts to a single organization or unit.

In the following example, N = Organization and I = Related Objects such as ParentId, PrimaryContactId and so on.

- To create **many-to-one relationships**, select a business object and click the **N:1 Relations** tab.

The screenshot shows the 'Business Object Customization' interface for the 'Organization' system. The 'N:1 Relations' tab is selected. The interface displays the following information:

- System Name:** Organization
- Friendly Name:** Organization
- Type:** Business Object
- Plural Name:** Organization

The 'N:1 Relations' tab is active, and the table below shows the current fields:

System Name	Friendly Name	Type
BusinessCategory	Business Category	BusinessCategory
Created	Created	DateTime
CreatorId	Creator	Guid

- Click **New Relation "Many to one"** to create a new relationship.

The screenshot shows the 'Business Object Customization' interface for the 'Organization' system. The 'N:1 Relations' tab is selected. The interface displays the following information:

- System Name:** Organization
- Friendly Name:** Organization
- Type:** Business Object
- Plural Name:** Organization

The 'N:1 Relations' tab is active, and the table below shows the current fields:

System Name	Name	Primary Object	Related Object
ParentId	Parent	Organization	Organization
PrimaryContactId	Primary Contact	Contact	Organization

A 'New Relation "many to one"' button is visible in the top right corner of the table area, with a mouse cursor hovering over it.

- Fill in the **Relation N:1** dialog box. (The **Relation N:1** form is very similar to the **Relation 1:N** form, except you can select the Primary Object from the drop-down, whereas the Related Object defaults to the name of the Business Object.)

Relation N:1

General Info

Primary Object:

Related Object: Organization

Object "Organization"

Field Name:

Friendly Name:

Allow Nulls

Add Field To:

Edit Form
 View Form
 Short Info Form
 System View (All organizations)

Object "Address"

Display Region:

- **Primary Object.** Select the drop-down item to relate an the Organization object.
- **Related Object.** Automatically set to Organization.
- **Field Name.** Automatically populated using the system name of the business object, but must be unique from an existing field name. Use only letters, numbers and underscores (_); no spaces or special characters.
- **Friendly Name.** Automatically populated using the system name of the business object. You can change it, but must be unique from an existing field name (special characters and spaces are permitted).
- **Allow Nulls.** Select the box to make this an optional field that the user fills in while editing a form. Deselect the box to make it a required field.
- **Add Field To.** Select the Forms you want the field to render in, such as the Edit Form (to enter and submit information) or View Form (read information only).
- **Display Region.** Select a region in the drop-down box. Additional options, such as **Display Text** and **Display Order**, appear based on your drop-down menu selection.

4. Click **Save**.

Note: Like an 1:N relationship, if you create a N:1 relationship with a Primary and Related Object, a 1:N relationship is automatically generated for the Primary Object on the **1:N Relations** tab.



Adding a many-to-many relationship

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

You can create a many-to-many (N:N) relationship with business objects. For example, a many-to-many relationship helps to track many SKUs and their inventory levels with many warehouse locations, or multiple contacts a part of multiple organizations. A many-to-many relationship between two objects is also called a bridge.

In the example both Organization and Organization_Contact = N.

- To create a many-to-many relationship, select a business object and then click the **N:N Relations** tab.

The screenshot shows the 'Business Object Customization' window for the 'Organization' object. The 'N:N Relations' tab is selected and highlighted with a mouse cursor. The interface includes a header with 'Get Help For This Page', 'New Field', 'Edit', 'Publish', and 'Back To List' buttons. Below the header, the 'System Name' is 'Organization', 'Friendly Name' is 'Organization', and 'Plural Name' is 'Organization'. The 'Type' is 'Business Object'. The main area shows a table of fields:

System Name	Friendly Name	Type
BusinessCategory	Business Category	BusinessCategory
Created	Created	DateTime
CreatorId	Creator	Guid
Description	Description	LongText
Modified	Modified	DateTime

- Click **New Relation "many to many"** to create a new N:N relationship.

The screenshot shows the 'Business Object Customization' window for the 'Organization' object. The 'N:N Relations' tab is selected and highlighted. The 'New Relation "many to many"' button is highlighted with a mouse cursor. The interface includes a header with 'Get Help For This Page', 'New Field', 'Edit', 'Publish', and 'Back To List' buttons. Below the header, the 'System Name' is 'Organization', 'Friendly Name' is 'Organization', and 'Plural Name' is 'Organization'. The 'Type' is 'Business Object'. The main area shows a table of fields:

System Name	Friendly Name	Type
BusinessCategory	Business Category	BusinessCategory
Created	Created	DateTime
CreatorId	Creator	Guid
Description	Description	LongText
Modified	Modified	DateTime

3. Fill in the **Relation N:N** dialog box.

Relation N:N

General Info

Current Object: SKUs

Related Object:

Relation Name:

Friendly Name:

Current Object (SKUs)

Display Region:

Display Text:

Display Order:

Related Object (SKU_Warehouse)

Display Region:


Display Text:

Display Order:

- **Current Object.** Defaults to the name of the Business Object you are editing.
- **Related Object.** Select an object from the drop-down menu.
- **Relation Name.** Automatically populated by *Current Object Name_Related Object Name*. You can change it, but it must be unique and you can use only letters, numbers, and underscores (_); no spaces or special characters.
- **Friendly Name.** Enter a unique name (special characters and spaces are permitted).
- **Display Region.** Select a region where the field appears for the **Current Object (SKU)** and the **Related Object (SKU_Warehouse)** from the drop-down menu.
- **Display Text.** Enter the text associated with the objects.
- **Display Order.** Enter the number associated with the objects.

4. Click **Save**.

Note: A many-to-many relationship is automatically generated for the related object when you click its N:N tab on its configuration form.



3. Click **Publish**.

Note: Refresh your browser after you publish a business object to make it appear in the left hand navigation.




Deleting business objects

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

Go to **Administration > System Settings > Business Foundation** to delete any customized business object that was published.

To remove an object from the left menu, go to **Administration > System Settings > Left Menu** and click **Delete**.



	Title	Order
	Dashboard	0
	Home	10
	Customer Management	40
	Organizations	30
	Contacts	40
	Roles	50
	Gift Cards	10000
	Catalog Management	60
	Catalog Entry Search	10
	Catalog Batch Update	20
	Catalogs	30
	Templates	40
	Order Management	80
	Order Search	10
	Purchase Orders	20
	Today	10
	This Week	20
	This Month	30
	All	40
	Purchase Orders By Status	30




Updating a catalog search index

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

Indexing a catalog ensures that your search results are accurate and up-to-date. You can index a catalog in the following ways:

- **Build.** Indexes items that have changed since the previous build.
- **Rebuild.** Indexes everything in a catalog. Do this after creating a new catalog or making structural changes to a catalog (such as moving categories or renaming products).

1. Go to **Administration > System Settings > Search Index**.



2. Click **Rebuild Index** or **Build index**. After performing the operation, you see the changes or additions reflected in your search results.



Customizing the left menu

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

You can customize the left navigation frame in Commerce Manager by adding business objects. Before you customize, see [Publishing business objects](#), which describes setting permissions and publishing of business objects.

Adding a left menu item

To add a **Left Menu** item, you can configure the entire menu item first within **Business Foundation**, or you can add an empty container by clicking **Add** and then going back to **Business Foundation** to fill in the page contents (objects).

Welcome ▾ Change Language About ▾ ? Get Help For This Page

Administration

- Administration
 - System Settings
 - Dictionaries
 - Logs
 - Common Settings
 - Business Foundation
 - Workflow
 - Search Index
 - Left Menu
- Catalog System
- Order System

- Dashboard
- Customer Management
- Catalog Management
- Order Management
- Marketing
- Asset Management
- Reporting
- Administration**

Add

Title	Order
Dashboard	0
Home	10
Customer Management	40
Organizations	30
Contacts	40
Roles	50
Gift Cards	10000
Catalog Management	60
Catalog Entry Search	10
Catalog Batch Update	20
Catalogs	30
Templates	40
Order Management	80
Order Search	10
Purchase Orders	20
Today	10
This Week	20
This Month	30
All	40
Purchase Orders By Status	30

Page Size: 20 (83 items) | Page 1 2 3 4 5

A dialog box appears for publication settings.

Item	Order
Dashboard	0
Customer Management	40
Catalog Management	60
Order Management	80
Marketing	100
Asset Management	120
Reporting	130
Administration	200

Display Region: Customer Management

Display Text: Contracts

Item Link:

Display Order: 10000


Access Permissions:

Item Icon:

- **Display Region.** Select on an item in the navigation tree to display the parent node of the new left menu item.
- **Display Text.** Defaults to the system name of the Business Object. You can rename it.
- **Item Link.** Enter a URL to display when the new left menu item is selected.
- **Display Order.** Defaults to 10000. You can change the value to determine the position of the node.
- **Access Permissions.** Automatically populated (if the menu item was created in Business Foundation). See also: [Access rights](#). If you are creating a new menu item, you can leave the field blank, or copy permissions from other menu items.
- **Item Icon.** Click **Browse** to upload an icon that represents the menu item.

Click **Add** to add the menu item under the Display Region item in the left menu.


To verify if the object was published, go to the Display Region where you specified the object to be published. Click **Refresh** on the left navigation frame.




To edit a user-generated node in the left menu, click **Edit**.

Add		
	Title	Order
	Dashboard	0
	Home	10
	Customer Management	40
	Organizations	30
	Contacts	40
	Roles	50
	Contracts	10000
	Catalog Management	60
	Catalog Entry Search	10

If the left menu item was created via the **Left Menu** page, the following dialog box appears.



If the left menu item node was created using **Business Foundation**, the following dialog box appears.



To change the sort order of the left menu item, adjust the numerical value in **Display Order**. The lower the value, the higher the position of the item within the navigation tree relative to items with a higher DisplayOrder value.

To save changes, click **OK**.

To delete a left menu item, click **X**.

Welcome ▾ Change Language About ▾ ? Get Help For This Page

Administration

- Administration
 - System Settings
 - Dictionaries
 - Logs
 - Common Settings
 - Business Foundation
 - Workflow
 - Search Index
 - Left Menu**
 - Catalog System
 - Order System
- Dashboard
- Customer Management
- Catalog Management
- Order Management
- Marketing
- Asset Management
- Reporting

Add


Title	Order
Dashboard	0
Home	10
Customer Management	40
Organizations	30
Contacts	40
Roles	50
Gift Cards	10000
Catalog Management	60
Catalog Entry Search	10
Catalog Batch Update	20
Catalogs	30
Templates	40
Order Management	80
Order Search	10
Purchase Orders	20
Today	10
This Week	20
This Month	30
All	40
Purchase Orders By Status	30



Catalog system administration

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

Go to **Administration > Catalog System** to set up [warehouses](#), [tax categories](#), and [catalog specific meta fields and meta-classes](#).




Warehouses

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

A warehouse is the physical inventory location with an address from where product items are shipped or picked up by customers. As an e-commerce manager in an organization with many fulfillment centers, you can define and manage physical store locations, multiple stock locations, stock figures for a product variant (SKU) by warehouse, and total product availability among warehouses. Depending on how you set up warehouses, you can check in-store stock, reserve and pick up in-store, and deliver to store. When [you create a product variant](#), you specify the warehouse where the item is being stored.

1. In Commerce Manager, go to **Administration > Catalog System > Warehouses**. The warehouse list appears.



2. Click **New Warehouse**.

3. Enter information for the **Overview** tab.

The screenshot shows a dialog box with two tabs: "Overview" (selected) and "Address". The "Overview" tab contains the following fields and options:

- Name:** Text input field containing "Dublin store".
- * Code:** Text input field containing "DUBLIN".
- Sort Order:** Text input field containing "20". Below it is the text: *The sort order for the category entry.*
- Available:** Radio button group with "Yes" selected and "No" unselected.
- Is Primary:** Radio button group with "Yes" selected and "No" unselected.
- Is Fulfillment Center:** Radio button group with "Yes" selected and "No" unselected. Below it is the text: *Orders can be placed from this warehouse for outgoing shipments.*
- Is Pickup Location:** Radio button group with "No" selected and "Yes" unselected. Below it is the text: *Orders can be placed from this warehouse for in-store pickups.*
- Is Delivery Location:** Radio button group with "Yes" selected and "No" unselected. Below it is the text: *Warehouse can be used as a delivery location (i.e. for future in-store pickups).*

At the bottom of the dialog box are two buttons: "OK" and "Cancel".

- **Name.** Enter the name of the warehouse.
- **Code.** Enter the location code for the warehouse.
- **Available.** Select **Yes** to make the warehouse available; otherwise **No**.
- **Is Primary.** Select **Yes** to make this a primary warehouse; otherwise **No**.
- **Is Fulfillment Center.** Select **Yes** to make this a fulfillment center where you can place orders for outgoing shipments; otherwise **No**.
- **Is Pickup Location.** Select **Yes** to make this a pickup location where you can place orders for in-store pickups; otherwise **No**.
- **Is Delivery Location.** Select **Yes** to make this a delivery location that you can use for future in-store pickups; otherwise **No**.

4. Enter information for the **Address** tab.

The screenshot shows a dialog box with two tabs: "Overview" and "Address". The "Address" tab is active. The form contains the following fields and values:

First Name:	John
Last Name:	O'Brien
Organization:	
Line 1:	Galway Street
Line 2:	
City:	Dublin
State:	
Country Code:	IR
Country Name:	Ireland
Postal Code:	888999
Region Code:	IR
Region Name:	Ireland
Day Phone:	
Evening Phone:	
Fax Number:	
Email:	john@mail.com

At the bottom of the dialog box are two buttons: "OK" and "Cancel".

5. Click **OK** to save your changes. The warehouse appears in the list.

Deleting a warehouse

Select the warehouse and select **More Actions > Delete Selected**. Click **OK** to confirm.




Tax categories

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

A tax category for a catalog works in coordination with your [tax configuration setup](#) for orders, which includes specific taxes such as state, local, and federal taxes. You can add a *luxury items* tax category for specific product, or VAT for different regions. See [Tax configuration](#).

1. Go to **Administration > Catalog System > Tax Categories**. A list of existing tax categories appears.



2. Click **New** to create a new category. A dialog box appears. In the **Tax Category Name** field, enter a name and click **OK** to save the tax category.

Deleting a tax category

To delete a tax category, click the **Delete** icon next to the item in the **Tax Categories List**. To delete multiple items, select the check boxes next to items, click **More Actions > Delete Selected**.



Catalog meta-classes and meta-fields

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

You can extend the metadata of catalog items and order forms. For example, if you create a meta-class called *Wine*, add meta fields that are characteristic for wine, such as *color*, *taste*, *vintage*, and *maturity*.

You can also define single and multiple dictionary types of value selectors with options. This results in a drop-down selector where editors can select values for product properties, such as *fabric types* for clothing, or *genre* for media.

After you create meta-classes and meta-fields in Commerce Manager, others can use them when they work with [catalog entries in the product catalog](#).

Creating a catalog meta class

1. Go to **Administration > Catalog System > Meta Classes**. The **Meta Classes** page appears.
2. Select **Create New > New Meta Class** and fill in the fields.

Select	Sort	Name
<input type="checkbox"/>	<input type="text"/>	Return form number
<input type="checkbox"/>	<input type="text"/>	PO Number
<input type="checkbox"/>	<input type="text"/>	Expiration Date
<input type="checkbox"/>	<input type="text"/>	Parent Order Id
<input type="checkbox"/>	<input type="text"/>	Card type
<input type="checkbox"/>	<input type="text"/>	Expiration Month
<input type="checkbox"/>	<input type="text"/>	Expiration Year

- **Name.** Enter the name of the meta-class used in your code, this cannot have any spaces.
 - **Friendly Name.** Enter the name of the meta-class displayed for practical use in Catalog Management.
 - **Description.** Enter a description of the meta-class.
 - **Object Type.** Select **Catalog Node** or **Catalog Entry**.
3. Click **OK**. The newly created meta-class appears in the **Type** drop-down menu.

If you select the meta-class, you see available meta-fields listed but with none selected.

Creating a catalog meta field

1. Go to **Administration > Catalog System > Meta Fields**. The Meta Fields page appears.
2. Click **New Meta Field**. The Meta Field edit page appears.

Welcome ▾ Change Language About ▾ Get Help For This Page						
Administration New Meta Field						
ID	Name	Type	Multi-Language	Compare	Search	
167	ABV	Decimal	False	True	True	
168	Closure	ShortString	True	True	True	
169	Color	ShortString	True	True	True	
170	Description	LongHtmlString	True	False	True	
171	DisplayName	ShortString	True	True	True	
172	ExtendedDescription	LongHtmlString	True	False	True	
173	Margin	Decimal	False	True	False	
174	Maturity	ShortString	True	True	True	
175	Organic	Boolean	False	True	False	
176	PrimaryImage	ImageFile	False	False	False	
177	RecommendBoost	Integer	False	False	False	
178	Region	ShortString	True	True	True	
179	Size	Float	False	True	True	

You can also select **Create New > New Meta Field** on the **Meta Classes** page.

3. Enter **Meta Fields** details.

The screenshot shows a configuration dialog for a meta field. The fields are as follows:

- Name:** Wooden
- Friendly Name:** Wooden
- Description:** Wooden
- Type:** Short String
- Supports Multiple Languages
- Use in comparing
- Allow Null Values
- Search Properties:**
 - Allow Search
 - Enable Sorting Search Results
 - Include Values in Search Results
 - Tokenize
 - Include in the Default Search

Buttons: OK, Cancel

- **Name.** Enter a system name without spaces or special characters (such as **NumberMegapixels**).
- **Friendly Name.** Enter a user-friendly name seen by end-users on the back and front-end (such as **Number of Megapixels**).
- **Description.** Enter information about the meta field.
- **Type.** The drop-down menu shows the following field types.
 - datetime
 - decimal
 - float
 - money

- Integer
 - Boolean
 - Date
 - Email
 - URL
 - Short String
 - Long String
 - Long Html String
 - String Dictionary
 - File
 - Image File
 - Dictionary (single and multiple line dictionary type option selector)
 - **Supports Multiple Languages.** Select if the meta-field can appear in two or more languages.
 - **Use in comparing.** Select to compare items (only works if you have compare functionality on the front-end site).
 - **Allow Null Values.** Allows a null value for this field.
- **Search Properties.** Depending on the data field type selected, you may have the option to set the search properties of the data field. The options are:
 - **Allow search.** Permit searching on this meta field.
 - **Enable Sorting Search Results.** Enable sorting of search results on this meta field.
 - **Include Values in Search Results.** Include the original value of this meta field in the search results.
 - **Tokenize.** Prepare individual words (word breaking) in a long product description property.
 - **Include in the Default Search.** Tokenize and combine meta field values for search from the front-end site.

4. Click **OK** to save your changes. The newly added meta fields appear in the meta fields list.

Tip: If newly created meta fields are not immediately visible, go to the next page or set the **Page Size** to display more entries.

Applying meta fields to a meta class

1. Go to **Administration > Catalog System > Meta Classes**. The Meta Classes page appears.
2. Select **Element > Catalog Entry**.

3. Select the desired meta class from the **Type** drop-down. The **Name**, **Friendly Name**, and **Description** fields are populated with default values.
4. Apply a meta field to a meta class by selecting the check box next to the meta field. If you want to sort the order of the meta fields in the catalog entry, enter a number into the **Sort** field.

📄 Create New ▾
📄 Import/Export ▾

Element: Catalog Entry ▾

Type: Barrel ▾

Name:

Friendly Name:

Description:

Barrel

Select	Sort	Name
<input checked="" type="checkbox"/>	<input type="text" value="1"/>	Return form number
<input checked="" type="checkbox"/>	<input type="text" value="2"/>	PO Number
<input type="checkbox"/>	<input type="text"/>	Expiration Date
<input checked="" type="checkbox"/>	<input type="text" value="3"/>	Parent Order Id
<input type="checkbox"/>	<input type="text"/>	Card type
<input type="checkbox"/>	<input type="text"/>	Expiration Month


5. Click **OK**.



Order system administration

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

Go to **Administration > Order System** to set up [payment methods](#), [shipping methods](#), [providers](#), [configure specific taxes](#), and [order-specific meta-fields and meta-classes](#).



Payments

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

You need to create three components for payment in Episerver Commerce. You can also give customers several payment options and customize methods for [specific markets](#).

- **Payment type.** A meta class that contains the properties for a particular payment type. For example, a credit card payment type contains credit card number, card expiration date, and card type. Episerver provides the following payment types:


- Payment by phone
- Exchange payment
- Credit card payment
- Other Payment


Additional payment providers are available as modules for Episerver Commerce.

- **Payment gateway.** Provides an interface to the system that provides payment processing. A payment type is passed to the payment gateway and the gateway executes the payment transaction with the payment system (such as PayPal). One payment type is associated with each payment gateway.
- **Payment method.** Contains information about the way the customer views a payment option and has a payment gateway associated with it.

Setting up a payment

1. Go to **Administration > Order System > Payments** and select a language in the list. The **Payment Methods** window appears, displaying available payment methods for the selected language.





The screenshot shows a web interface for managing payment methods. At the top right, there is a link "Get Help For This Page". Below it, there are buttons for "New" and "More Actions". The main content is a table with the following columns: Name, IsActive, IsDefault, Ordering, Created, and Last Modified. The table contains five rows of payment methods.

	Name	IsActive	IsDefault	Ordering	Created	Last Modified
<input type="checkbox"/>	Gift Card	True	False	0	2/22/2012 5:08:21 AM	2/22/2012 5:08:21 AM
<input type="checkbox"/>	Pay By Credit Card	True	False	2	4/20/2010 2:00:00 AM	4/20/2010 2:00:00 AM
<input type="checkbox"/>	ExchangePayment	False	False	2	4/20/2010 2:00:00 AM	4/20/2010 2:00:00 AM
<input type="checkbox"/>	Pay By Phone	True	True	2	4/20/2010 2:00:00 AM	4/20/2010 2:00:00 AM
<input type="checkbox"/>	Credit on Account	True	False	100	2/22/2012 5:08:21 AM	2/22/2012 5:08:21 AM

2. On the **Payment Methods** window, click **New** to create a new payment method. The **Payment Method Edit** screen appears.

The screenshot shows a configuration window for a payment gateway. At the top, there are three tabs: 'Overview' (selected), 'Parameters', and 'Markets'. The 'Overview' section contains the following fields:

- ID:** 53c9ea59-805b-4710-9be7-05b2ebac431d
- Name:** Pay By Phone
- Description:** Pay by phone payment
- System Keyword:** Generic
- Language:** English
- Class Name:** Mediachase.Commerce.Plugins.Payment.GenericPaymentGateway
- Payment Class:** (none)
- Sort Order:** 2
- IsActive:** Yes No
- IsDefault:** Yes No
- Supports Recurring:** Yes No

Below the 'Overview' section is a section titled 'Restricted Shipping Methods'. It contains two lists: 'Available Shipping Methods' and 'Chosen Shipping Methods'. The 'Available Shipping Methods' list contains 'Default Shipping' and 'Online Download'. Between the lists are four buttons: 'Add ->', 'Add All ->>', '<- Remove', and '<<- Remove All'. At the bottom of the window are 'OK' and 'Cancel' buttons.

- **ID.** The system-assigned unique identifier for the payment gateway.
- **Name.** Enter the name displayed to the user.
- **Description.** Enter a description that appears to the user.
- **System Keyword.** Enter a unique name for each instance of the gateway; new non-unique keywords do not save to the database. This keyword is not editable after a gateway is created.
- **Language.** Select a language for the payment gateway.

- **Class Name.** Name of the gateway class to be associated with the payment.
- **Payment Class.** Name of the gateway payment to be associated with the payment.
- **Sort Order.** Enter a number to order the payment method on the list of payment methods page.
- **IsActive.** Select **Yes** to activate the payment method; otherwise **No**.
- **IsDefault.** Select **Yes** to make this payment method the default; otherwise **No**.
- **Supports Recurring.** Select **Yes** to support recurring payment, such as a subscription; otherwise **No**.
- **Restricted Shipping Methods.**


Restricted Shipping Methods

Available Shipping Methods		Chosen Shipping Methods
Default Shipping Online Download	Add -> Add All ->> <- Remove <<- Remove All	

Restricted Shipping Methods

Available Shipping Methods		Chosen Shipping Methods
Online Download	Add -> Add All ->> <- Remove <<- Remove All	Default Shipping

3. On the **Markets** tab, select the markets where the payment method are available. [You must define a market](#) before it can be selected.




4. Click **OK**. The payment method appears in the list of Payment Methods.

Note: For a payment method to appear it has to be **all** of: (1) assigned to the market, (2) assigned to a language that is valid for the market, **and** (3) assigned to a language that is valid for the site.

Editing payment methods

To edit an existing payment method, click **Edit**.



The **ID** is automatically generated. You can change the other fields (except **System Keyword**). Click **OK** to save your changes.

Deleting payment methods

To delete **Payment Methods**, click **X** and click **OK** to confirm.

To delete multiple payment methods at once, select each payment method you want to delete, then select **More Actions > Delete**. Click **OK** to confirm.

Using nSoftware-provided payment gateways

Episerver Commerce supports multiple payment gateways using **nSoftware** where an end user can set up a new payment method. The following procedure shows how to enable an nSoftware-supported gateway.

The screenshot shows a configuration window for a payment method. The 'Parameters' tab is selected. The fields are as follows:

- ID:** (empty)
- Name:** nSoftware
- Description:** nSoftware
- System Keyword:** ICharge
- Language:** select language
- Class Name:** Mediachase.Commerce.Plugins.Payment.ICharge.IChargeGateway
- Sort Order:** 0
- IsActive:** Yes No
- IsDefault:** Yes No
- Supports Recurring:** Yes No

Restricted Shipping Methods

Available Shipping Methods: Default Shipping, Online Download

Chosen Shipping Methods: (empty)

Buttons between panes: Add ->, Add All ->>, <- Remove, <<- Remove All

Buttons at bottom: OK, Cancel

1. Create a new payment method.
2. Enter a **Name**, such as nSoftware.
3. Enter a **Description**.
4. Enter the **System Keyword** as ICharge.
5. Select a **Language**.
6. Select the **Class Name: Mediachase.Commerce.Plugins.Payment.ICharge.IChargeGateway**.
7. Select **Yes** for **IsActive**.
8. Change the **Sort Order**, **IsDefault**, and **Supports Recurring** as needed.

9. Click **OK** to save changes.
10. Click the payment gateway again to go back to the **Payment Method Edit** page.
11. Click the **Parameters** tab. The **Configure IBiz E-Payment Integrator Component** appears.

Overview Parameters

Configure IBiz E-Payment Integrator Component

Gateway: Authorize.Net

Get IBiz E-Payment Integrator from www.nsoftware.com. You will find more documentation on how to configure it there also.

Configuration Parameters

Payment Options: Sale

*Merchant Login:

Merchant Password:

Transaction Key:

Secret Hash:

Payment Gateway URL (used for testing):

OK Cancel

12. You can select from the most popular payment gateways in the **Gateway** drop-down menu. The **Configuration Parameters** change depending on the gateway you select, such as Authorize.Net.
13. Enter your credentials and other relevant information to activate the gateway and click **OK**.



Shipping


Note: This topic is intended for administrators and developers with administration access rights in Episerver.

Shipping is the physical delivery of product to e-commerce customers. Just as for [payments](#), you can set up shipping [methods](#) and [providers](#). Episerver provides the following shipping gateways:

- **Generic Gateway** (fixed shipping rate)
- **Weight/Jurisdiction Gateway** (base price + additional fee that is calculated based on the weight and shipping location)

To create a customized shipping gateway, see [Shipping gateways and providers](#) in the [Developer Guide for Episerver Commerce](#).

To create a shipping method, go to **Administration > Order System > Shipping**.



Shipping methods

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

A shipping method manages information and rules that determine shipping cost. The method is displayed on the front-end site when a customer adds an item to a shopping cart. The shipping cost is added to the total purchase price.

A shipping method is mapped to a [shipping provider](#) that is visible to a backend administrator in Commerce Manager. This mapping lets the public site display a friendly name to the customer, such as *Ground Shipping*, while connecting the method to a provider, such as *UPS*.

Customizing shipping methods

Episerver provides the following standard shipping methods.

- Ground Shipping
- Fixed Shipping

To create a custom shipping method, follow these steps.

1. Go to **Administration > Order System > Shipping > Shipping Methods > English (United States)** or any other language. The **Shipping Methods List** screen appears.
2. Click **Edit** for the available methods. The **Overview** tab appears.

The screenshot shows a configuration window for a shipping method. It has three tabs: 'Overview', 'Settings', and 'Parameters'. The 'Overview' tab is selected. The fields are as follows:

- ID:** a1ca1bca-6fbf-4b6f-b01f-bbf3df23a02a
- Name:** Default Shipping
- Friendly Name:** Ground Shipping
- Description:** Calculates shipping based on weight and zone.
- Provider:** Weight/Jurisdiction Gateway
- Language:** English (United States)
- Base Price:** 2.00
- Currency:** US dollar
- IsActive:** Yes (selected)
- IsDefault:** Yes (selected)
- Sort Order:** 0

At the bottom, there are 'OK' and 'Cancel' buttons.

- **ID.** Automatically generated after saving the new shipping method.
- **Name.** Enter a name without spaces or special characters. The name is not displayed in the public site. Episerver Commerce users see the name when working with shipping methods.
- **Friendly Name.** Enter a friendly name, which is seen by customers when purchasing the item. It can have spaces and special characters.
- **Description.** Enter a description (optional).

- **Provider.** Select a provider, which is created in the [Shipping providers](#) screen.
 - Select **Generic Gateway** for a fixed shipping fee specified in **Base Price**.
 - Select **Weight/Jurisdiction Gateway** for a shipping fee calculated from the weight and shipping location.
 - **Language.** Select a language.
 - **Base Price.** Enter the base price that becomes the fixed shipping fee for the Generic Gateway option, or part of the Weight/Jurisdiction Gateway option.
 - **IsActive.** Select **Yes** to enable the shipping method; otherwise **No**.
 - **IsDefault.** Select **Yes** to make this shipping method the default; otherwise **No**.
 - **Sort Order.** Enter a number to order the payment method on the list of shipping methods page.
3. Click the **Settings** tab to exclude countries, regions, and payments from a shipping method. To exclude a selection, highlight the items in the **Available** boxes on the left and click **Add** to move them to the **Chosen** boxes.

Overview Settings **Parameters**

Restricted Countries

Available Countries		Chosen Countries
Afghanistan	<input type="button" value="Add ->"/> <input type="button" value="Add All ->>"/> <input type="button" value="<- Remove"/> <input type="button" value="<<- Remove All"/>	
Albania		
Algeria		
American Samoa		
Andorra		
Angola		
Anguilla		
Antarctica		
Antigua and Barbuda		
Argentina		

Restricted Regions

Available Regions		Chosen Regions
Alabama	<input type="button" value="Add ->"/> <input type="button" value="Add All ->>"/> <input type="button" value="<- Remove"/> <input type="button" value="<<- Remove All"/>	
Alaska		
American Samoa		
Arizona		
Arkansas		
Armed Forces Africa		
Armed Forces Americas (except C		
Armed Forces Canada		
Armed Forces Europe		
Armed Forces Middle East		

Restricted Payments

Available Payments		Chosen Payments
Payment by card (DIBS)	<input type="button" value="Add ->"/> <input type="button" value="Add All ->>"/> <input type="button" value="<- Remove"/> <input type="button" value="<<- Remove All"/>	
nSoftware		
Pay By Phone		
Pay By Credit Card		

OK Cancel

- Click the **Parameters** tab to set conditions for the shipping fee. This screen only appears if you select the **Weight/Jurisdiction Gateway** in the **Provider** field in the **Overview** tab.

Configure Price Per Weight for Jurisdiction Group

Jurisdiction Group:

Weight: or more

Price:

Start Date:

End Date:

Group Name	Weight	Price	Start Date	End Date	Edit	
United States	0 or more	10	10/8/2008 12:00:00 AM	10/8/2020 12:00:00 AM	Modify	Delete

- **Jurisdiction Group.** Select a jurisdiction group to apply the current shipping method (for example, *United States*). You can set up the options on the **Shipping Jurisdictions** and **Shipping Jurisdiction Groups** screen.
 - **Weight.** Enter a numerical value for the weight. You select the units for the weight in the [Common Settings](#) screen.
 - **Price.** Enter a price that is added to the base price (**Overview** tab) when the weight and jurisdiction group conditions are met.
 - **Start Date.** Enter a start date and time for the shipping method to take effect.
 - **End Date.** Enter a end date and time for the shipping method to expire.
5. Click **Add** to save the condition.
 6. Click **OK** to save changes.

Deleting shipping methods

1. Check box(es) next to the shipping methods you want to delete.
2. Select **More Actions > Delete**. You can also click **X** next to the shipping method to delete an individual method.
3. Click **OK**.



Shipping providers

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

A shipping provider class interacts with a shipping service, such as USPS, UPS, or FedEx by retrieving shipping price information. A provider can present specific scenarios with one or more services, such as price by weight or ground shipping.

The **Shipping Providers** page manages the list of providers and types.

Customizing a shipping provider

1. Go to **Administration > Order System > Shipping > Shipping Providers**. Edit one of the two providers listed.
2. Edit **Name** and **Description**.
3. **System Keyword (no spaces)** and **Classes** are something that your developers need to code and provide.
4. Click **OK** to save changes. The revised shipping provider appears in the **Shipping Providers** page.

Note: The **Parameters** and **Packages** tabs are partially implemented to let developers fully customize those features.

Deleting shipping providers

1. Go to the **Shipping Providers** page.
2. Select the check box that corresponds to the shipping providers you want to delete. (You can also click **X** to delete an individual shipping provider.)
3. Select **More Actions > Delete**.
4. Click **OK**.



Configuring taxes

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

Configure taxes so that rates are calculated and added to the total price during the checkout process. You can combine and apply multiple taxes (such as federal, state and local tax) to a purchase. Set up and maintain taxes with the following methods:

- [Creating or editing tax controls manually](#)
- [Importing data with a CSV file](#)
- [Exporting taxes to a CSV file](#)

Configuring taxes manually

To set up your taxes manually, work in the following areas in the **Administration** tab of the Admin Site (**Tax Categories**, **Tax Jurisdiction Groups**, **Tax Jurisdictions**, and **Taxes**) and the configuration pages for each catalog item.

1. **Create and configure Countries and Regions** (Go to **Administration** > **System Settings** > **Dictionaries** > **Countries**): In the Countries section, create the countries you plan to sell your products in and set appropriate country codes. For country codes, it is important to use the **ISO Short** code provided at [MSDN site Table of Language Culture Name, Codes, and ISO Values Method \[C++\]](#). Using the **ISO Long** code or anything else does not correctly calculate taxes during checkout.
2. **Create new Tax Categories** (Go to **Administration** > **Catalog System**): Create tax categories that are used to associate your catalog items with the tax rates you define. For example, you create categories such as *General Sales*, *Food*, and *Luxury Items* depending on the tax regulations for your item types. The categories you create are selectable on the Page **Details** of your items (**Variations/SKU Edit** page) and on the **Tax Edit** page.
3. **Create and configure Tax Jurisdictions** (Go to **Administration** > **Order system** > **Tax Configuration**): Specify particular tax jurisdictions for a particular region by specifying zip codes, country codes, and so on. Tax rates are applied to whatever level of information you specify for each jurisdiction. For example, if you specify only the country code as US, customers with a US address (regardless of state, county and so on) are included in this jurisdiction.

Note: Country Code and Region Code that you enter in the **Jurisdictions Edit** page must match the codes you used in step 1.

4. **Create and configure new Tax Jurisdiction Groups** (Go to **Administration** > **Order system** > **Tax Configuration**): You can include multiple tax jurisdictions in the new Tax Jurisdiction Groups.
5. **Create and configure Taxes** (Go to **Administration** > **Order System** > **Tax Configuration**): Specify tax rates and also associate the Tax Categories and Jurisdiction groups created in Steps 2 and 4.
6. **Associate Catalogs to the Tax Categories** created in Step 2 (Go to **Catalog Management** > **Catalogs**): Go to the Catalog Management subsystem and link specific catalog items to the appropriate tax categories from the **Pricing/Inventory** page within each **Variation/SKU Edit** page.

Configuring taxes using CSV import

CSV Tax Import can update tax data in bulk. Creating a CSV tax file with a specified format (see [Example Scenarios](#)) lets you complete steps 2 through 5 of [Configuring taxes manually](#) in one shot. While you can complete step 6 of that procedure manually, you can also use CSV import in the Catalog Management subsystem to associate catalogs with tax categories.

To import your CSV tax file into Commerce Manager, follow these steps.

Prerequisite: A CSV tax file.

1. In Commerce Manager, click the **Administration** tab.
2. In the navigation tree, go to **Order System > Taxes Configuration > Taxes**.
3. Click **Import/Export** menu > **Import Taxes**.
4. Click **Add New File** and then **Browse** to select and upload your CSV tax file. The path of your chosen file appears in the field.
5. Click **Upload File** and then **Save The File**. The CSV tax file appears in the **Files Available for Import** section.
6. Select and highlight the CSV file and click **Start Import**. The import process begins and completes in a dialog box. You can now view your tax setup in the Commerce Manager.

To edit the existing setup, repeat the steps with a modified CSV file.

Warning: Re-importing a CSV file only edits existing information or adds new data - nothing is deleted. If you delete an entire row of data in the CSV file, you must manually delete those entries in the Commerce Manager. You can delete all the tax data and perform the CSV tax import from scratch.

Exporting taxes to a CSV file

CSV Tax Export can extract selected tax data from Episerver Commerce to a CSV file. You can use the file to copy tax data among sites. The format of CSV file matches the CSV file used to import taxes.

To export tax data from Commerce Manager, follow these steps:

1. In Commerce Manager, click the **Administration** tab.
2. In the navigation tree, go to **Order System > Taxes Configuration > Taxes**.
3. Select the tax value that you want to export.
4. Click **Import/Export** menu > **Export Taxes**.
5. Click **Start Export**.
6. The export process begins and completes in a popup dialog box. You can download or delete the CSV file.

The exported taxes CSV file appears in the Exported Files List, located in `[App_Data]\ImportExport\[ApplicationName]\taxexport\`.

Sample CSV files and scenarios

Example I: Single tax per catalog item based on a single jurisdiction

If your variable is State, then you can specify the tax rate on a state-level. For example, CA is 9% and MA is 6%. If you placed an order from California, then 9% sales tax is applied during checkout.

Jurisdiction	Jurisdiction Group	TaxRate	TaxCategory
California	CA Tax Group	9%	General Sales
Massachusetts	MA Tax Group	6%	General Sales

See TaxCSVSample1.csv in [this sample .zip file](#).

Example 2: Two or more taxes per catalog item based on more than one jurisdiction

If you have a luxury item that requires State and Federal tax, then you can specify tax rates on a state and federal level. For example, a luxury item purchased in CA has a 9% state tax rate and a federal tax rate of 3%. Both taxes are applied during checkout.

Jurisdiction	Jurisdiction Group	TaxRate	TaxCategory
California General	CA GSTax Group	9%	General Sales
Massachusetts General	MA GSTax Group	6%	General Sales
California Luxury	CALX Tax Group	9%	Luxury Sales
Massachusetts Luxury	MA LX Tax Group	6%	Luxury Sales
US Federal Luxury	USLX Tax Group	3%	Luxury Sales

See TaxCSVSample2.csv in [this sample .zip file](#).

Example 3: Tax CSV file with tax type specified

You can specify the tax type. Episerver provides **Sales Tax** and **Shipping Tax**.

Jurisdiction	Jurisdiction Group	TaxRate	TaxCategory
California	CA Tax Group	9%	Sales tax
Massachusetts	MA Tax Group	6%	Shipping Tax

See TaxCSVSample3.csv in [this sample .zip file](#).



Order meta-classes and meta-fields

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

You can extend the metadata of catalog items and order forms. For example, if you create a meta-class called *Wine*, add meta-fields that are characteristic for wine, such as *color*, *taste*, *vintage*, and *maturity*.

Note: Default order meta-fields that are used by the ordering process are built into the system and are not available from the administration interface. However, you can add your own meta-fields to extend the attributes of your orders.

Creating an order meta-class

1. Navigate to **Administration > Order System > Meta Classes**. The **Meta Classes** page appears.
2. Select **Create New > New Meta Class** and fill in the fields.

The screenshot shows the 'Administration' interface with the 'Order System > Meta Classes' path selected. The 'Create New' dropdown menu is open, showing 'New Meta Class' selected. The form fields are as follows:

- Type:** Purchase Order
- Name:** PurchaseOrder
- Friendly Name:** Purchase Order
- Description:** Contains orders that has been submitted into the system

Below the form is a table of existing meta-fields:

Select	Sort	Name
<input type="checkbox"/>		Return form number
<input checked="" type="checkbox"/>	0	PO Number
<input checked="" type="checkbox"/>	0	Expiration Date
<input checked="" type="checkbox"/>	0	Parent Order Id


- **Name.** Enter the name of the meta-class used in your code, this cannot have any spaces.
- **Friendly Name.** Enter the name of the meta-class displayed for practical use in Order Management.
- **Description.** Enter a description of the meta-class.
- **Object Type.** Select **Order Group**, **Order Form**, **Shipment**, **LineItem**, **Order Group Address**, or **Order Form Payment**.

3. Select **OK**. The newly created meta-class appears in the **Type** drop-down menu.

If you select the meta-class, you see available meta-fields listed but with none selected.

Creating an order meta field

1. Go to **Administration > Order System > Meta Fields**. The **Meta Fields** page appears.
2. Select **New Meta Field**. The Meta Field edit page appears.



You can also select **Create New > New Meta Field** on the **Meta Classes** page.

3. Enter **Meta Fields** details.

The screenshot shows a configuration window for a meta-field. The fields are as follows:

- Name:** VIP
- Friendly Name:** VIP
- Description:** VIP Customer
- Type:** Short String
- Supports Multiple Languages
- Use in comparing
- Allow Null Values
- Save History
- Use Encryption
- Search Properties:**
 - Allow Search
 - Enable Sorting Search Results
 - Include Values in Search Results
 - Tokenize
 - Include in the Default Search

Buttons: OK, Cancel

- **Name.** Enter a system name without spaces or special characters (such as **NumberMegapixels**).
- **Friendly Name.** Enter a user-friendly name seen by end-users on the back and front-end (such as **Number of Megapixels**).
- **Description.** Enter information about the meta-field.

- **Type.** The drop-down menu shows the following field types.
 - datetime
 - decimal
 - float
 - money
 - Integer
 - Boolean
 - Date
 - Email
 - URL
 - Short String
 - Long String
 - Long Html String
 - String Dictionary
 - File
 - Image File
 - Dictionary (single and multiple line dictionary type option selector)
 - **Supports Multiple Languages.** Select if the meta-field can appear in two or more languages.
 - Use in comparing.** Select to compare items (only works if you have compare functionality on the front-end site).
 - **Allow Null Values.** Allows a null value for this field.
- **Search Properties.** Depending on the data field type selected, you may have the option to set the search properties of the data field. The options are:
 - **Allow search.** Select the box to permit searching on this meta-field.
 - **Enable Sorting Search Results.** Select the box to enable sorting of search results on this meta-field.
 - **Include Values in Search Results.** Select the box to include the original value of this meta-field in the search results.
 - **Tokenize.** Select the box to prepare individual words (word breaking) in a long product description property.
 - **Include in the Default Search.** Select the box to tokenize and combine meta-field values for search from the front-end site.

4. Select **OK**. The newly added meta fields are listed in the meta-fields list.

Tip: If newly created meta-fields are not immediately visible, go to the next page or set the **Page Size** to display more entries.

Applying meta fields to a meta-class

1. Go to **Administration > Order System > Meta Classes**. The **Meta Classes** page appears.
2. Select **Element > Catalog Entry**.
3. Select the desired meta class from the **Type** drop-down. The **Name**, **Friendly Name**, and **Description** fields are populated with default values.
4. Apply a meta-field to a meta-class by selecting the check box next to the meta-field. If you want to sort the order of the meta-fields in the catalog entry, enter a number into the **Sort** field.

Select	Sort	Name
<input checked="" type="checkbox"/>	0	Return form number
<input checked="" type="checkbox"/>	1	PO Number
<input type="checkbox"/>		Expiration Date
<input checked="" type="checkbox"/>	2	Parent Order Id
<input type="checkbox"/>		Card type

5. Click **OK**.



Scheduled jobs

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

A scheduled job performs a specific task automatically when set to a date and time. An administrator can manually execute a scheduled job at any time. See [Scheduled jobs](#) in the CMS Administrator User Guide.

The following Commerce scheduled jobs are available via the administration interface.

Subscription payment plans

Ensures that recurring payments are regularly generated as a background process. Used for payment plans, such as magazine or grocery subscriptions, generating recurring payments.

Remove expired carts

Removes carts that are *expired*, that is, not accessed for a specified number of days. The default is **30**. You can configure this value in the appSettings file's **ExpiredCartJobDays** property.

You can also control the name of cart to be excluded from removal via the appSetting **episerver:ExpiredCartsRemovalJobExcludedCartName**. The default value is "Wishlist".

Full search index

Performs a full indexing of content in product catalogs.

Incremental search index

Performs an incremental indexing of content in product catalogs.

Draft store migration

Used for migration of previously published content versions, when upgrading to the version management introduced with Commerce 9. See [Episerver World](#) for technical details.

Find catalog URI conflicts

Analyzes the database to find entries and categories that have the same **Name in URL** under the same parent category. If conflicts are found, they are logged as warnings, output to the Scheduled Job Log, and sent to email addresses specified in the `episerver:commerce.UriSegmentConflictsEmailRecipients` AppSetting. For details, see [URL segment and SEO URL](#).

Shipment releasing

Searches for releasable shipments in active orders. If the difference between the shipment creation time and the current time is greater than the configured time span, the order's shipment status is changed to **Released**.

By default, this job is not active. If the job is active, order shipments are released one day after an order is placed by default. A developer can change the default value in the `<Siteroot>/Configs/ecf.order.config` file by editing the `shipmentAutoReleaseTimeout` element.

Rotate encryption keys

Sensitive customer data is secured with encryption keys that are set in meta fields. This job rotates the encryption keys used by the system. See [Episerver World](#) for technical details.

Export product feed

Exports your product feed (catalog) to Episerver Perform. This job enables Episerver Perform to provide accurate and valuable recommendations.

Maintain database indexes

To reduce fragmentation in the CMS and Commerce database indexes, this job rebuilds or reorganizes them. You can run the job manually anytime that you notice a degradation in performance. Or, you can schedule it to run at regular intervals.

Note: It is recommended to run this job at times of low usage if possible.

Further, you can set the following parameters to launch the job automatically when specified fragmentation levels are met.

When the job is launched (manually or automatically), it rebuilds or reorganizes depending on the current fragmentation percentage.

Parameter	Description	Default value	To change default
HighFragmentationThreshold	If the <code>avg_fragmentation_in_percent</code> of an index is larger than this value, the index is <i>rebuilt</i> .	30%	Add a setting to the web.config's appSettings section using the key <code>episerver-::HighFragmentationThreshold</code> .
LowFragmentationThreshold	If the <code>avg_fragmentation_in_percent</code> of an index is larger than this value, and smaller than or equal to HighFragmentationThreshold value, the index is <i>reorganized</i> .	10%	Add a setting to the web.config's appSettings section using the key <code>episerver-::LowFragmentationThreshold</code> .
DataBaseIndicesJobCommandTimeOut	The maximum number of seconds for which you want the job to run. If the job does not finish within that time, an exception is generated.	30 seconds	Add a setting to the web.config's appSettings section using the key <code>episerver-::DataBaseIndicesJobCommandTimeOut</code> . Within this appsetting setting, set the <code>value</code> to the maximum number of seconds for which you want the job to run.

Export product data to Episerver Campaign

This job collects product data and saves it to a .csv file for transfer to Episerver Campaign. For more details about this process, see [Commerce-Campaign integration](#).

Collect report data

This job compiles the data used in the [Sales By Day report \(Beta\)](#).

Remove old Service API uploaded files and directories

Note: This job is only available after installing the Service API.

This job removes temporary uploaded files and directories that are older than a number of configured days.

The configuration setting is web.config file > **appSettings** > **episerver:serviceapi:uploadRetentionPeriod**. If there is no configuration value, the default is 30 days.

Background: Developers can use the [Service API](#) to import large files, such as Commerce catalogs. The Service API provides a method for deleting uploaded files that are no longer needed. Use this scheduled job to clean up obsolete files in case a developer overlooks the Delete chunk uploaded method.



Managing content

Content on an e-commerce website is usually products from the product catalog, which are exposed through types of categorization, faceted navigation or filtering.

In Episerver Commerce, content is information entered into CMS pages and blocks, and information related to e-commerce catalog entries such as categories, products and variant. Catalog content often is based on data retrieved from external systems.

Different user groups update content. For example, merchandisers organize the product catalog, manage pricing and enrich the product information, whereas marketers and editors create campaign pages and promote products. The shopping community creates content through social features.

Catalog content


Catalog content consists of various types of catalog entries, such as categories, products, variants, package and bundle. The **Catalog** view lets you:

- Create new categories and add products and variants to these in the product catalog structure. See [Working with categories](#).
- Browse the catalog tree to see the structure of catalog entries, and the content types on which they are based.
- Create relationships between catalog entries using drag-and-drop functionality.
- Edit catalog entries such as categories, products and variants from the **On-Page Editing** or the **All Properties** editing views.
- Add text, media such as images and videos, and links to properties in different content types such as adding a product description. See Managing content in the CMS Editor User Guide.
- Manage pricing across products, markets and customer groups, compare prices filtered by markets and customer groups, and make adjustments as needed. See [Managing pricing](#).
- Create links to entries in the [product catalog](#) using the Link tool. You can create links to catalog content from the rich-text editor or from a link property in the content. In each case, you can select a catalog entry in the link tool dialog.

The screenshot shows a 'Create link' dialog box. The title bar reads 'Create link' with a close button (X) on the right. The dialog contains the following elements:


- Title:** A text input field containing 'Audio CD format'.
- Open in:** A dropdown menu currently set to 'Open the link in a new window'.
- Link Type Selection:** A vertical list of radio buttons:
 - Page
 - Media
 - Catalog content
 - E-mail
 - External link
 - Anchor
- Field Values:**
 - Page:** An empty text input field with a three-dot menu icon to its right.
 - Media:** An empty text input field with a three-dot menu icon to its right.
 - Catalog content:** A text input field containing 'Books-Art-Barbra-...' with a close button (X) and a small icon with a hand cursor pointing to it.
 - E-mail:** A disabled (grayed out) text input field.
 - External link:** A disabled (grayed out) text input field.
 - Anchor:** A disabled (grayed out) dropdown menu.
- Buttons:** At the bottom of the dialog are three buttons: 'OK' (highlighted in blue), 'Delete', and 'Cancel'.

- Publish changes directly on the website, or schedule it for later publishing.



Catalogs gadget

You can access the **Catalogs** gadget in the CMS and Commerce asset pane. Use the gadget to drag catalog entries into the rich-text editor or a content area of a CMS page or block, to display and promote product information, such as a campaign page.



You can also use the Catalogs gadget to create relation links between catalog entries by dragging catalog items into the **Relations** tab of other catalog entries. See [Related entries](#).

Note: To properly display product information when used in other types of content, the rendering templates must be adapted to display catalog content.

Commerce-specific gadgets

This legacy section is being retired. If you want to read the Commerce Orders gadget (Legacy) documentation, see [version 19-2, or earlier, of the user guide](#).

Multiple language content

E-commerce businesses often exist in multiple markets that require your website to be available in several languages. You can manage catalog content in multiple languages, and also activate multiple languages for the Episerver Commerce user interface. See [Multi-language management](#).

Personalized content

The personalization feature in Episerver CMS targets content to specific visitor groups. For example, you can design campaigns based on recent orders or the total spent amount for a customer. The personalization option is available in the rich-text editor, and is also applied to available block on your website. See [Commerce personalization criteria](#).



Find and best bets for catalog content

If you have Episerver Find installed on your website, you can promote content in your product catalog by adding best bets to the search results. See [Episerver Find](#).



Managing languages in Commerce

Usually a website has a default or *master* content language set up during installation. You can set up languages for catalog entry content, such as product (SKU) descriptions, for your website at the catalog level. This means that when you configure a language for a catalog, you define catalog entry descriptions in that language.

To work with multiple languages for Episerver Commerce content, first enable the languages in the CMS admin and edit views. Next, language-specific fields appear, ready for translation in edit view; product descriptions that are not yet translated appear empty if they are displayed on the front-end site.

Translating catalog content is similar to translating CMS content, such as pages and blocks. Episerver uses specific language settings for catalogs, markets, and [payment](#) and [shipping](#) methods in Commerce.

Enabling a language for catalog content

1. Activate the language in the CMS admin and edit view, as described in [Managing website languages](#).

Note: Enable the language in edit view to make it available for editors to translate content, *and* to make the website's start page available in that language, for proper display of translated content.

2. Enable the language for the catalog to which you want to apply the new language:
 - a. In the **Catalog** edit view, open the catalog for which you want to add a language in the **All properties** editing view.
 - b. In **Available languages**, select the newly-added language.
 - c. Publish the catalog changes.

The screenshot shows the 'Houseware catalog' edit view in the Episerver CMS. The top navigation bar includes a 'Publish?' button and a menu icon. Below the navigation bar, the catalog details are displayed in a table format:

Name	Houseware catalog	Visible to	Everyone
Name in URL	houseware-catalog Change	Languages	en, fr , sv
		ID, Type	-2147483646, Catalog


Below the table, there is a 'Tools' button. The main content area is divided into 'Content' and 'Settings' tabs. Under the 'Settings' tab, the following options are visible:

- Default currency: Swiss franc
- Default language: English
- Base weight: Kilograms
- Available languages:
 - English
 - Deutsch
 - français (circled in red)
 - svenska

Translating content for catalog entries

1. In the **Catalog** view, select the desired catalog entry to translate in the catalog tree.
2. Click **Edit** in the context menu for the selected entry, or select the entry to open the **All Properties** editing view.

3. In the header next to **Languages**, select the desired language for translation. (Enabled languages are listed).



4. Edit the available properties, and follow the content publishing flow to save and publish the translated catalog entry information.

Tip: When you translate content, have the original content open in another browser window for comparison. You can also copy and paste the original content into the text area where you are working, as reference.

Switching language and viewing language versions

When editing translated content in the All Properties editing view, you can switch languages by selecting the desired language in the **Header**. The user interface reloads, displaying the content in the selected language. See Translating content.

Editing global properties

Depending on your implementation, some properties may be globally shared and can only be edited in the master language. See Translating content.

Setting the user interface language

- To set the user interface language for **Catalogs** and **CMS**:
 1. Select your user profile name in the upper right corner.
 2. Click **My Settings** then the **Display Options** tab.
 3. Select the language of your choice and click **Save**.
- To set the user interface language for **Commerce Manager**:
 1. In the upper menu of Commerce Manager, click **Change Language**.
 2. Select the language.
 3. Click **OK**.



Commerce-specific criteria

Episerver Commerce provides custom visitor group criteria so you can personalize content based on product and order information. Personalization helps you to strategically sell exactly the right products to the right customers, instead of showing the same products to everyone.

Note: You need administration access rights to create and edit a visitor group. Existing visitor groups are available for editors in edit view.

To see available visitor groups, in the global menu, click **CMS > Visitor Groups**. Click **Create** to define a visitor group. Then add personalization criteria as desired.

Personalization examples

You can use Visitor Groups to determine which content is appropriate to show. If you use a CRM system with segments to guide your business practices, duplicate this segmentation in Episerver Commerce via Visitor Groups. Then, create a special home page for each customer segment.

As another example, create visitor groups that place customers in vertical segments, such as service stations, car repair shops, spare parts dealers, and so on. If product data is maintained in Episerver, different customers should see different product descriptions. A retail customer (service station) could see primarily commercial data about a product, while an end-user (car repair shop) would see technical details about the same product. So, you can use visitor groups to optimize the user experience by meeting the unique needs of each customer.

Commerce-specific criteria

These criteria are available by default in an Episerver Commerce installation, in addition to the CMS-specific criteria. See also: Visitor groups in the CMS Administrator User Guide.

- **Customer properties.** Personalize content based on age or geographic location:
 - **Date of Birth.** Format mm/dd/yyyy.
 - **Customer group.** Select **Customer**, **Partner**, or **Distributor**.
 - **Registration source.** Enter the source of registration.
 - **Country.** Select a country from the list.
 - **Region code.** Select a region code based on the address region in addresses.
 - **Address postal code.** Select a postal code from the list (based on state selected).
 - **State.** Select a state from the list.

- **Market.** Personalize content based on the [market](#) to which a visitor website belongs.
 - **Market.** Select a market.

- **Recent Orders.** Personalize content based how often a customer orders:
 - **Order times.** Select the number of times an order is placed.
 - **Number of days.** Select the number of days over which the number of orders must occur. For example, 4 times in the last 2 days.

- **Product in cart or wish list.** Identify customers that have placed a product of a certain type or brand in their cart or wish list.
 - **Specified product code.** Enter the desired product code.
 - **Product from a specified category.** Select the desired product category.
 - **Product has a specified property and value.** Enter the desired product property and value, such as *brand* and *Sony*.

Note: You can select only one property type with a related value for a criterion, but you can define several add several criteria of the type **Products in Cart or Wish List** to a visitor group.

- **Total spent.** Personalize content for visitors who spent a specified amount of money (in a specified currency) on the site in the last number of days.
 - **Spent at least.** Select amount and currency.
 - **Number of days.** Select the number of days.

How visitor groups are used

When creating a campaign, you can limit it to members of selected visitor groups.



Commerce gadgets

This legacy section is being retired. If you want to read the Commerce Orders gadget (Legacy) documentation, see [version 19-2, or earlier, of the user guide](#).



Access rights

This section describes how to manage access rights for users such as administrators, marketers, and merchandisers working in Episerver Commerce. When a user is created, you assign appropriate access rights depending on whether the user will work with CMS, catalog content, Commerce Manager, or all parts.

Note: To manage users and access rights, you need administrative access rights in CMS. This description refers to a default implementation of Episerver Commerce. Your website may be configured differently, and have customized user and user group management.

Managing users and groups

You manage which users can access various parts of the system from the **CMS admin view**.

For easier and safer maintenance, it is recommended to base access rights on groups rather than individual users. Then, provide access rights to users by adding them to appropriate groups. See Managing users and user groups in the CMS Administrator User Guide.

Note: Be aware that both [contacts](#) (visitors registering on your public site or manually created in Commerce Manager) and system users created from the CMS admin view are visible in the same

listing in CMS admin view and Commerce Manager. By default, contacts belong to the "Everyone" and "Registered" groups.

Groups and access rights

In addition to the **default groups** described in Access rights in the CMS Administrator User Guide, Episerver Commerce has its own groups that you use to assign access rights for Commerce functions.

You must manually create the **CommerceAdmins**, **CommerceSettingsAdmins** and **CatalogManagers** groups before adding users to them. To do this, go to **CMS > Admin > Access Rights > Administer Groups**.

CMS groups for controlling access to Commerce

Group	Provides access to	Comment
Administrators	All parts of the system, including Administration in Commerce Manager.	Usually restricted to developers for implementation and maintenance. A built-in user group created when Episerver CMS is installed.
WebAdmins	<ul style="list-style-type: none"> All editing and administration views in CMS and Commerce. All parts of Commerce Manager except Administration. 	Usually restricted to very few users. A built-in user group created when Episerver CMS is installed.
WebEditors	The ability to edit Commerce content. Required for all users (if not members of WebAdmins or Administrators).	Catalog editors need additional editing access rights in the catalog page tree (see Controlling access to catalogs and categories). A built-in user group created when Episerver CMS is installed.
Everyone	Derived from Windows, this group provides "anonymous" visitors with read access to content. All unregistered visitors to a public website are anonymous, meaning that they cannot be identified by the system.	A built-in user group created when Episerver CMS is installed.

Commerce groups for controlling access to user interface areas

Group	Provides access to
CommerceAdmins	All parts of Commerce Manager <i>except</i> Administration and the CMS admin view.
CatalogManagers	The Catalog user interface.
MarketingManagers	The Marketing user interface.
CommerceSettingsAdmins	The Commerce Settings tab, which allows editing of dictionary property values for Commerce content.

Commerce groups for controlling access to order management functions

Group	Provides access to
Order Supervisor	All order management procedures.
Order Managers	<ul style="list-style-type: none"> • Creating returns and exchanges • Viewing and editing orders • Sending notifications • Processing payments and split shipments
Receiving Manager	<ul style="list-style-type: none"> • Viewing shipments • Receiving returns
Shipping Manager	Viewing, packing, and completing shipments.

To determine more granular access rights to Commerce Manager functions for any standard group, custom group, or individual users, use the permissions for functions screen. See [Customizing group access to functions](#).

Customizing group access to functions













You can customize which groups and users can perform Commerce functions beyond the levels listed in [Groups and access rights](#). For example, you can grant the Receiving Manager group the ability to allow refund

credits, even though that group cannot access that function by default. Or, you can remove from the Order Managers group the ability to add, edit, delete payments for orders.

Note: Permissions for Functions are only applied in Commerce Manager, not in the Catalog user interface.

To do this

1. Go to **CMS admin view > Config > Security > Permissions for Functions**.
2. Select a function.
3. Assign or remove users or groups to/from that function.

Allows access to create shipping methods - (order.admin.shipping.methods.mng.create)	 Edit
Allows access to delete shipping methods - (order.admin.shipping.methods.mng.delete)	 Edit
Allows access to edit shipping methods - (order.admin.shipping.methods.mng.edit)	 Edit
Allows access to view shipping methods - (order.admin.shipping.methods.mng.view)	 Edit
Allows access to create shipping packages - (order.admin.shipping.packages.mng.create)	 Edit
Allows access to delete shipping packages - (order.admin.shipping.packages.mng.delete)	 Edit
Allows access to edit shipping packages - (order.admin.shipping.packages.mng.edit)	 Edit
Allows access to view shipping packages - (order.admin.shipping.packages.mng.view)	 Edit
Allows access to create shipping providers - (order.admin.shipping.providers.mng.create)	 Edit
Allows access to delete shipping providers - (order.admin.shipping.providers.mng.delete)	 Edit
Allows access to edit shipping providers - (order.admin.shipping.providers.mng.edit)	 Edit
Allows access to view shipping providers - (order.admin.shipping.providers.mng.view)	 Edit

See Permission for functions in the CMS Administrator User Guide.

Controlling access to catalogs and categories

Members of user groups have default access rights to catalog content, as described in [Groups and access rights](#). You can override these settings, and grant predefined groups and users access to individual catalogs and categories. You can also create custom groups then assign to their members the ability to perform various tasks on products in any category or catalog.

For example, a **Site_Editors** group has change permission for the entire catalog structure, while members of the **Fashion_Editors** group only have change permission for the Fashion catalog, and **Automotive_Editors** group members only have change permission for the Automotive catalog.

Note that you *cannot* set access rights for individual products. Products inherit permissions from their direct parents (but not "linked" parents).

Note: Access rights set in the Catalog do not carry over to Commerce Manager (CM). So, users with CM access can still edit entries there despite the catalog settings. You can restrict access to CM through [Customizing group access to functions](#). However, most users who edit catalogs cannot access CM.

Access Rights

Set Access Rights for "Fashion"

You can select which users and groups that will have access to this item as well as allowed to do with it.

	Read	Create	Change	Delete	Publish	Administer
CommerceAdmins	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Everyone	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
WebAdmins	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
editor@example.com	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Fashion_Editors	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Site_Editors	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Inherit settings from parent item

To control access to catalogs or categories, follow these steps.


Prerequisite: To work with catalog and categories, users must belong to the WebEditors and CatalogManagers user groups.

Part I: Create custom groups


Set up user groups that will have edit access to specific catalogs. See Managing users and user groups in the CMS Administrator User Guide.

Part 2: Assign groups to catalogs/categories

1. In the Catalog, navigate to the catalog or category for which you want to grant access to groups or users.
2. Go to **All properties** view.












3. Next to **Visible to**, click **Manage**. The Set Access Rights screen appears.



4. Uncheck **Inherit settings from parent item**.
5. Assign groups and users to appropriate actions for the catalog or category. If you do not see a group or user for which you want to assign access rights, click **Add Users/Groups**.

To learn about the access levels, see Access rights in the CMS Administrator User Guide.

The image below illustrates an editor's ability to edit the **Mens Shoe** category but no other categories under the parent.


	Name	Code	Price	Stock	Published	Available from	Expires	Product Type	
<input type="checkbox"/>	 Mens Shoe	shoes			✓	4/22/15, 7:47 AM	4/21/35, 6:00 PM	Fashion Node	
<input type="checkbox"/>	 Mens Jackets	jackets			✓	4/22/15, 7:48 AM	4/21/35, 6:00 PM	Fashion Node	
<input type="checkbox"/>	 Mens Shirts	shirts			✓	4/22/15, 7:49 AM	4/21/35, 6:00 PM	Fashion Node	
<input type="checkbox"/>	 Mens Sweatshirts	sweatshir			✓	4/22/15, 7:52 AM	4/21/35, 6:00 PM	Fashion Node	
<input checked="" type="checkbox"/>	 Mens Fashionable Bundle	Mens-Fashionable Bundle_1			✓	Jan 23, 8:51 AM	1/23/27, 8:51 AM	Fashion Bundle	

Example: Creating a user with access rights in CMS and Commerce

In this example, you create a user who enriches product information and landing pages in CMS, catalog content in Commerce, and all parts of Commerce Manager.

1. In the CMS admin view, go to **Access Rights > Create User**.
2. Enter the user information, select **Active**, and add the user to the desired groups. In this example:
 - *WebEditors* provides access to editing views
 - *CommerceAdmins* provides access to Commerce Manager.
 - *Site_Editors* structure group provides access the entire catalog structure (as illustrated in the above

image).



3. Click **Save**.
4. Log in as the user to verify that proper access rights are applied.

Access rights for the Episerver platform

See Managing permissions for information about managing access rights for other parts of the Episerver platform.

Index

A

access rights
 commerce 290

administrators
 role 13, 147

all properties, editing 21

assets
 as catalog entries 62

B

built-in discounts 170

bundles
 commerce 72
 defined 47
 deleting 74

business categories
 creating 131
 deleting 131
 editing 131

business foundation 212

business objects
 adding fields 216
 creating 213
 customizing 214
 deleting 236

forms
 customizing 218
 editing 219

recreating 226

publishing 235

relationship
 many to many 233
 many to one 230
 one to many 228

C

campaigns
 creating 156
 deleting 159
 introduction 152

campaigns(legacy)
 overview 199

carts
 expired, remove, job 276

catalog entries
 assets 62
 moving 53
 related entries 63
 viewing 66

catalogs
 batch update 49
 browsing 41
 categories
 editing 66-67

content
 enabling
 languages 286

 languages, enabling
 user
 interface 288

 translating 286

creating 43

CSV files
 format 35
 mapping 36

deleting 44

entries
 creating 45
 duplicating 52

entry properties 54

entry, creating 45

exporting existing data 32

importing
 CSV files 34

importing existing data 32

meta class
 creating 248

meta classes 31
 overview 247

meta field
 creating 249

overview 31

properties 54	inventories 60	editing 58
searching 42	languages	receiving 101
structure 31	enabling 286	reporting 200
updating search index 237	translating 286	returns 104, 111
categories	user	sales report 200
editing 66-67	interface, enabling 288	scheduled jobs 276
categorizing	log 209	shipments
products 64	low stock report 200	completing 104
commerce	markets 148	splitting 94
access rights 290	order processing 91	shipping 101, 261
administration 203	packages 72	report 200
best sellers report 200	deleting 74	shipping methods
bundles 72	payment plans 97, 99	customizing 262
defined 47	payments	deleting 266
deleting 74	methods	overview 262
contacts 131	deleting 259	shipping providers
browsing 131	editing 258	customizing 267
content	overview 253	deleting 267
overview 281	personalization 288	overview 266
types 281	customer properties criteria 289	shopping carts 108
dictionaries 204	market criteria 289	taxes
exchanges 111	order frequency criteria 289	configuring 267
external systems integration 30	product in cart criteria 289	configuring manually 268
gadgets	total spent criteria 290	configuring via CSV import 268
overview 290	picklists 103	community member role 12, 146
integration	pricing	contacts
DAM system 30	adding 58	browsing 131
ERP system 30	by customer group 59	creating 138
PIM system 30		

customizing views 134
 dictionary values 143
 editing 142
 overview 131
 printing list 137
 searching 133
 content
 commerce
 overview 281
 editor role 12, 146
 countries
 adding 205
 CRM
 overview 118
 currencies 206
 adding 206
 customer groups
 pricing by 59
 customer role 11, 146

D
 DAM system
 integration with Commerce 30
 developer role 13, 147
 dictionaries 204
 dictionary values
 organizations 129
 discounts
 built-in 170
 creating 160

exclusions 196
 introduction 159
 prevent combination with
 other discounts 196
 prioritizing 195
 promotion codes 167
 redemption limits 168

E
 editing
 all properties 21
 content 21
 on-page 21
 encryption keys
 rotate, job 277
 entries
 catalog, creating 45
 ERP system
 integration with Commerce 30
 exchanges
 commerce 111

G
 gadgets
 commerce
 overview 290
 global menu 15

I
 inventories
 commerce 60

L
 left menu
 customizing 238
 length
 units, determining 211
 log 209
 login 15

M
 marketer role 13, 147
 marketing
 overview 152
 markets
 browsing 149
 creating 149
 overview 148
 menu, global 15
 merchandiser role 13, 147
 meta classes
 catalogs 31, 77
 creating 271
 creating for catalog
 items 248
 ordering 271
 meta fields
 applying to meta class 275
 creating 272
 creating for catalog
 items 249

O
 on-page editing 21
 order system 252

orders	editing 99	deleting 54
browsing 77	recurring 99	promotion codes 167
canceling 101	payments	R
commerce, overview 76	methods	receiving
creating 79	deleting 259	overview 101
from order list 79	editing 258	recipient
deleting 101	overview 253	role 12, 146
editing 100	personalization	redemption limits, for discounts 168
processing 91	commerce 288	related entries
searching 79	customer properties criteria 289	catalog entries 63
organizations	market criteria 289	remove expired carts job 276
browsing 119	order frequency criteria 289	returns
creating 125	product in cart criteria 289	commerce 111
customizing views 120	total spent criteria 290	reasons 208
dictionary values 129		roles 11, 145
editing 128	picklists 103	administrator 13, 147
overview 119	deleting 108	community member 12, 146
printing list 125	printing 106	content editor 12, 146
searching 120	removing items 108	developer 13, 147
P	PIM system	marketer 13, 147
packages	integration with Commerce 30	merchandise 13, 147
commerce 72	pricing	recipient 12, 146
deleting 74	commerce 58	visitor, customer 11, 146
packing slips	by customer group 59	website owner 12, 146
printing 106	viewing 58	rotate encryption keys job 277
panes 19	prioritizing discounts 195	S
settings 19	product order 79	scheduled jobs
payment plans	products	commerce 276
canceling 99	categorization 64	
creating 97		

shipments

- completing 104

- splitting 94

shipping 261

shipping methods

- customizing 262

- deleting 266

- overview 262

shipping providers

- customizing 267

- deleting 267

- overview 266

shopping carts

- converting to purchase order 109

- creating 108

- overview 108

shopping flow 26

T

tax categories

- deleting 247

- overview 247

taxes

- configuring 267

- CSV import 268

- manually 268

touch screen, prioritizing

- mouse input from 24

U

user interface

- language, changing for commerce 288

users

- commerce, controlling 292

V

variants

- deleting 54

video

- Demo of creating a campaign and discount 156, 161

visitor role 11, 146

W

warehouses

- deleting 246

- overview 244

websites

- owner role 12, 146

width

- units, determining 211

Episerver Digital Experience Cloud

The Episerver Digital Experience Cloud™ unifies digital content, commerce and marketing in one platform, including omnichannel solutions for intelligent campaigns. The platform uses artificial intelligence and behavioral analytics to deliver personalized experiences everywhere. With our secure, reliable platform you can quickly increase engagement, revenue and productivity, while getting the fastest time to value.

About Episerver

At Episerver, we believe digital transformation is a journey. We have been guiding customers for more than 20 years in providing standout digital experiences. Today our network of 880 partners, in 30 countries, supports 8,000 customers and over 30,000 websites. Founded in 1994, Episerver has offices in the US, UK, Sweden, Australia, Germany, Denmark, Finland, Norway, Poland, the Netherlands, Spain, South Africa, Singapore, Vietnam and the UAE.

For more information, visit [episerver.com](https://www.episerver.com).

