



Episerver Find

User Guide





© Epicor 2019

Epicor Find User Guide

Release date 2019-11-28

Table of contents

Introduction	6
Features, licenses and releases	7
Images and screenshots	8
Notes	8
Copyright notice	8
What's new?	9
Release notes	9
Archived documentation	13
Episerver Find	14
Feature summary	15
Features in "standard" Find	16
Features in Find Connections Edition	16
Help in Find	16
What is search optimization?	17
Learn by doing	17
The new website	18
The growing website	18
Automatic search optimization	18
Automatic landing pages	18
Adaptive navigation	19
Guided search	19
Optimizing search manually	19
Search phrase does not match wording in content	19
Promote selected content	19
Visitors are not clicking search result links	20
No search results returned because the content is missing	20
Content searched for is not on your website but visitors assume it is	20
Returned results do not contain the search phrase	20
Relevant content is found but not displayed at the top	20
Analyzing search statistics	21
Manually optimizing search results	24
The optimization view	24

What to look for	25
Promoting content using best bets	26
Examples of best bets	28
Adding best bets	28
Editing best bets	29
Deleting best bets	30
Effect of publication and expiration dates on best bets	30
Best bets for catalog entries	31
Adding related queries	33
Creating related queries	33
Adding synonyms for similar phrases	35
Examples	35
Unidirectional versus bidirectional synonyms	35
Keywords versus synonyms	36
Adding synonyms	36
Autocomplete	38
Sources of autocomplete suggestions	38
Adding, editing and deleting autocomplete phrases	40
Changing the order of autocomplete phrases	40
Optimizing multiple sites and languages	42
Filtering on websites and languages	42
Find indexes	42
Language analyzers versus CMS content language	43
Examples of multiple websites and languages	43
Configuring Find	48
Boosting results through properties	49
Changing weight settings	49
Notes about changing weight settings	50
Clearing the index and reindexing	51
Clearing the index	52
Re-indexing the website	52
Removing statistics	52
Adding connectors	53
Configuring connectors	54
Viewing connectors and indexing jobs	54
Updating a crawler's start URL	55
Exploring the index	56

Reviewing the index overview screen	56
Reviewing the Explore screen	56
Access rights	58
Index	59


Introduction

Online help describes the features and functionality of the [Episerver Digital Experience platform](#) and covers CMS for content management, Commerce for e-commerce functionality, Campaign for omnichannel campaigns, Find for extended search, Insight for visitor profiles and customer segments, Perform and Reach for personalized product recommendations, and Episerver add-ons.

You access the online help from within the Episerver platform or from [Episerver World](#). The online help is also available in PDF format for users who prefer PDF or want to print the documentation.

This PDF describes the features and functionality of Episerver Find, which you can find on [Episerver World](#). Developer guides and technical documentation also are found on [Episerver World](#).

The user guide is intended for editors, administrators, marketers and merchandisers, working with tasks as described in Roles and tasks in the online help.



Features, licenses and releases

The user documentation is continuously updated and covers the latest releases for the Episerver platform.



Episerver CMS is the core part of the Episerver platform providing advanced content creation and publishing features for all types of website content. CMS features are available in all Episerver installations.



Episerver Commerce adds complete e-commerce capabilities to the core functionality in CMS. It requires a specific installation and license.



Episerver Campaign lets you orchestrate omnichannel campaigns from a single screen, and send triggered emails based on real-time behavior. Campaign requires additional license activation.



Episerver Find adds advanced search functionality to websites. It requires a specific installation and license.



Episerver Insight is a user interface for viewing and filtering visitor profiles, and creating customer segments that can be used in omnichannel marketing campaigns. It requires a specific installation and license.



Product Recommendations lets you create and configure a merchandising campaign with personalized product recommendations from the personalization portal. It requires a specific installation and license.



Email Recommendations lets you include personalized product recommendations in any email, including cart abandonment and retargeting emails, from the personalization portal. You can also work with behavioral triggers to detect on-site behaviors and act upon them through automated, personalized emails. It requires a specific installation and license.



Add-ons extend the Episerver capabilities with features like advanced search, multi-variate testing, and social media integration. Some add-ons are free, others require license activation. Add-ons by Episerver are described in the online help.

Note: Due to frequent feature releases, this user guide may describe functionality that is not yet available on your website. See [What's new](#) to find out in which area and release a specific feature became available.

Images and screenshots

The Episerver user guide uses images and screenshots to visually guide you through the features of the Episerver platform. Due to different versions, continuous updates, and specific system permissions, images and screenshots may differ from the actual appearance.

Notes

Three types of notes are color marked throughout the user guide: tips, notes and warnings.



Tip: Green indicates tips that might show you an easier way to perform a task.



Note: Yellow indicates important information that may affect your work and should not be missed.



Warning: Red indicates warnings. If these warnings are ignored, serious errors or problems may occur.

Copyright notice

© Episerver 1996–2019. All rights reserved.

All information and content within this document is the sole copyright of Episerver. Changes to the contents, or partial copying of the contents, may not be done without permission. The document may be freely distributed in its entirety, digitally or in printed format, to all users of Episerver Software. Episerver assumes no liability or responsibility for any errors or omissions in the content of this document. Episerver reserves the right to alter functionality and technical system requirements. Episerver is a registered trademark of [Episerver AB](#). Ektron is a registered trademark of [Episerver Inc.](#)



What's new?

This user guide describes functionality available in the latest release of a standard implementation of the Episerver platform software and services. New features are continuously made available, see [Episerver updates](#).

Note: Due to frequent feature releases, this user guide may describe functionality that is not yet available to you. Contact your system administrator for information about products and versions in your Episerver implementation.

This release of the Episerver User Guide describes features available in Episerver as of **November 28, 2019**, see release notes below for update history. See Archived documentation in the online version of the user guide for previously released user guides.

Release notes

Released	Area	Features and updates
November 28, 2019	Commerce	From the Orders tab of the Contact Details screen, you can view a customer's order history. (update 290) The Order and Cart Details screens were redesigned to more closely resemble Commerce Manager and make them easier to use. (update 291)
	Campaign	You can create coupon codes of type Code 128 bar code or Interleaved 2 of 5 bar code by using the coupon system.
November 6, 2019	Campaign	You can export event data (for example, clicks and opens) in real time via webhooks. (update 290)

Released	Area	Features and updates
October 24, 2019	Commerce	Support for updating order management and shipment statuses on the Order Management screen. (update 286)
October 17, 2019	Campaign	In lists that support multiple selection, the new Sort by selection button lets you sort selected items to the top of the list.
October 11, 2019	Commerce	On the Order Management screen, you can change a cart's Market , and an order's Market and Currency . (update 284)
	Marketing Automation connectors	Support for multiple instances of a connector, to use in separate regions. See Episerver Microsoft Dynamics CRM. (update 284)
October 4, 2019	Personalization	<p>The Personalization Portal is the user interface for accessing Product Recommendations and Email Recommendations features.</p> <p>The Personalization Mail recommendations can export and import email campaigns.</p>
September 25, 2019	Campaign	<p>The Performance Dashboard (Beta) now has the additional chart type Basic chart (mailing-based). Use the new hamburger menu within the widgets to export charts.</p> <p>In the Deliverability preview (Beta), the Spam suspicion tab displays the spam score and further information on the spam filters for individual clients. Notes on spam filters of each client have been added to the documentation.</p> <p>A step-by-step guide for Smart Campaigns has been added to split dispatch.</p> <p>A definition of the mailing types that can be</p>

Released	Area	Features and updates
		<p>selected in Deep Analytics reports and action-based target group filters has been added.</p> <p>Inline Editing lets you edit the texts of your mailing template directly in the mailing preview.</p>
September 5, 2019	CMS	The CMS user interface has been rebranded. The screenshots have been updated to reflect this. (update 274)
	Commerce	<p>Order meta-classes and fields appear on the Order Management screen.</p> <p>Several updates to the Order Management screen, including the ability to choose a market before selecting a cart, and the ability to create a new cart. (update 279)</p>
	Campaign	Use the new Structured data tab in the General settings paragraph in the Template Kit to add structured data to your mailing. Add content in the Gmail Promotions tab section that Gmail should prominently display in the Gmail Promotions tab.
	Marketing Automation	New global settings for Marketing Automation connectors. Change to Microsoft Dynamics CRM connector configuration screen (Domain is out; Region is in), and Organization name can be the Unique name or the friendly name.
August 21, 2019	Campaign	The deliverability preview lets you check your mailing before dispatch, whether the contents are displayed correctly and whether your mailing has been classified as spam by the most popular email providers.

Released	Area	Features and updates
		In the Performance Dashboard, you can display KPIs as a bubble chart. (update 278)
	Insight	Visitor groups was added to the filter types for viewing profiles.
August 7, 2019	Campaign	The IP warming topic provides information about how to build a good reputation with internet service providers as an email sender.
July 24, 2019	Campaign	<p>In the recipient history, you can view the third-party ID, the pseudonymized recipient ID. See Recipient history. (update 274)</p> <p>In the Basics section, you can find the new Deliverability basics section with information and best practices for successful deliverability.</p>
	Forms	The form element types Rich text and Submit button can now be dependent on other fields, which means they can be displayed or hidden depending on a visitor's previous input. See Dependencies tab in Form element types. (update 269)
July 10, 2019	Commerce	The Order Management screen lets you convert any cart to a purchase order and accept payments. See Order Management screen. (update 271)
	Campaign	If you are using Spryker as an e-commerce platform, you can integrate Episerver Campaign to connect e-commerce and mailing activities. See Spryker integration. Added menu entries Episerver Insight and Episerver Reach to Campaign start menu.

Released	Area	Features and updates
June 13, 2019	CMS	An administrator can require a review requester to add a comment when sending an item for review. See Managing approval sequences and Collaboration. (update 265)
	Campaign	The Episerver Campaign User Guide is a section in the Episerver User Guide.
	Marketing Automation connectors	Support for multiple instances of a connector, to use for example in separate regions. See Episerver Pardot and Episerver Marketo. (update 244)

Archived documentation

If your Episerver implementation is not on the latest version, you can access previous versions of the Episerver User Guide under Archived documentation in the online version of the user guide.



Episerver Find

Note: Episerver Find is part of the [Episerver Digital Experience platform](#). It requires a specific installation and license, contact your system administrator to find out more. See [Episerver World](#) for technical information.

Most site visitors abandon a website if they cannot quickly find what they are looking for. With increasing information volumes, menu navigation is no longer sufficient, so search becomes critical for locating information. Episerver Find adds powerful search functionality to websites. Search encompasses internet search engines (like Bing) and a website's search function.

Search optimization increases the chances of attracting visitors to your website, keeping them there, and getting them to complete an action, such as registering or shopping. This is closely related to search engine optimization (SEO), often referred to as "the process of improving the visibility of website content in the search results."

Episerver Find bases search functionality on visitor search behavior and website statistics. Using this information, you can add [automatic landing pages](#), [adaptive navigation](#), and [guided search](#) to increase website traffic and boost conversion rates.

The Find documentation shows search administrators, such as editors and site administrators, how to set up and use Find. It also shows developers how to configure and set up search features.

The screenshot shows a search results page for the term "alloy meet". At the top left is the Alloy logo, consisting of a blue square with a white letter 'A' and the word 'Alloy' in bold black text below it. To the right of the logo is a navigation menu with links for 'Start', 'Alloy Plan', 'Alloy Track', 'Alloy Meet', 'About us', and 'Find'. The 'Find' link is underlined. Below the navigation is a breadcrumb trail 'Start / Find'. A search input field contains the text '"alloy meet"' and a 'Search' button is positioned below it. The main content area has a grey header with the text 'Search result' and 'Your search for "alloy meet" resulted in 2 hits'. Below this, there are two search results. The first result is titled 'Download Alloy Meet' and contains the text 'Alloy Meet Download free trial Download, install and evaluate for 30 days. Download, install and evaluate for 30 days.' The second result is titled 'Installing' and contains the text 'You are installing Alloy Meet.' On the right side of the page, there is a 'Sections' sidebar with a list of links: 'All (57)', 'Root (30)', 'About us (15)', 'How to buy (3)', 'Alloy Track (3)', 'Campaigns (2)', 'Alloy Plan (2)', and 'Alloy Meet (2)'. The 'Alloy Meet (2)' link is highlighted with a blue background.

Feature summary

With Episerver Find, you can develop customized functionality, such as filtering and faceted navigation, based on content properties, such as price or color. Find is based on an index service and interfaces, which can be cloud-based or installed on-premises. Find supports multiple languages.

Episerver Find indexes any type of website object, not only web pages. As soon as an author publishes content, Find pushes data to the search engine, making new or updated content available in near real-time.

Features in "standard" Find

- [View and analyze search statistics](#) for your websites, and use the statistics to optimize search.
- [Explore the site index](#) to see what was indexed and when, and use this information to customize search features.
- [Promote selected content \(best bets\)](#), and manage [search phrases without hits](#).
- Add [related queries](#) to guide visitors in their search for specific content.
- Define [synonyms for similar search phrases](#).
- [Weight content properties](#) to boost search results as desired.
- Support for basic boolean operators, like AND, OR, NOT. Special symbols like + and - are currently not supported. Complex nested combinations have limitations.

Features in Find Connections Edition

Episerver Find Connections Edition lets you add [connectors](#), which index external content that is related to but not part of your website. For purchasing information about the Connections Edition, see [Order Episerver Find](#). To learn how to use it, see [Adding connectors](#).

Note: See Getting started in the CMS Editor User Guide for logging in, accessing features, and working with the Episerver user interface.

Help in Find

Episerver Find's user interface provides onscreen documentation. To access it, click **Show Help** in the upper right corner.



What is search optimization?

Search optimization helps site visitors quickly find the right website content. This is closely related to search engine optimization (SEO), often referred to as the *process of improving the visibility of website content in the search results*.

As a Web page's search rank increases, your website receives more visitors.



Episerver Find lets you develop customized functionality to create automatic landing pages and different types of adaptive navigation with minimal effort. While Episerver Find bases its SEO strategies on site visitor statistics, you can manually implement search optimization on targeted content to enhance the search experience.

Learn by doing

Most of Find's automatic SEO is based on queries made by site visitors. As the number of queries grows, Episerver Find "learns" and bases search suggestions on previous successful queries.

The new website

When developers set up a website and configure search, they use the programming interface to develop custom filters (along with built-in filters) and faceted search features. Because the site is new, search optimization has few statistics, so you can help visitors by adding search phrase suggestions. See also: [Autocomplete](#).

The growing website

As your website matures and accumulates search data, use search statistics to analyze search activity. Optimization evolves into monitoring, fine tuning, and promoting content to deliver the right content to visitors.

Automatic search optimization

You can attract visitors to your website and guide them to relevant content by coding the following features and tagging content properties.

Automatic landing pages

When you create a campaign, you usually make significant efforts to set up landing pages and display desired content in various places of the website. Tagging and search criteria let you create landing pages that dynamically display relevant content.

Release notes for Episerver updates

This is an overview of the latest changes included in EPiServer Find 9.5.0.2999 as NuGet packages. As a developer working with EPiServer software, you can use this information to decide which updates to apply to your project. Refer to [installing EPiServer updates](#) for information on how to install EPiServer updates.

Changes in EPiServer.Find

Filter by

Bug
 Feature
 All

Id	Type	Package	Title	Closed
109403	Feature	EPiServer.Find 9.5.0.2999	Customized Search Block	Jul 24 2015
118616	Feature	EPiServer.Find 9.5.0.2999	Be able to scroll content with one scrollbar	Jul 21 2015
127694	Bug	EPiServer.Find 9.5.0.2999	Find does not allow filtering on decimal properties	Jul 17 2015
127058	Bug	EPiServer.Find 9.5.0.2999	Indexing Word documents	Jul 13 2015

Products

CMS
 Commerce
 Facets

Packages

All
 EPiServer.Find

Released in version

All
 9.5.0.2999
 9.4.0.2900
 9.3.1
 9.2.0.2871

An automatic landing page (as in the example above) is actually a search page with a small editorial area at the top. Episerver Find drives search results through content tagging. Site visitors can narrow down search results using the facets.

Episerver Find provides an SEO-friendly URL for the dynamic landing page, based on facets selected by the visitor. Example: if you search for *sweatshirt*, the returned URL includes associated search facets, such as the following `../search/sweatshirt/women/hoodies`.

Adaptive navigation

Website navigation often is static and based on a content structure that is well-known to editors but less intuitive to visitors. With search criteria, you can create navigation that displays personalized content based on what is known about the visitor, such as content relations or a registered profile.

Guided search

Episerver Find can suggest search phrases automatically, based on the behavior of site visitors. Example: searching for *page* returns **people searching for "page" also searched for "web page"**. The [autocomplete](#) feature also provides guided search.

Optimizing search manually

Although Episerver Find performs search optimization automatically, you should regularly monitor search activities on your website to fine-tune search performance and spot discrepancies. You may want override system suggestions to promote specific content.

Use the [optimization view](#) to perform manual search optimization. Optimization may also include modifying website content to achieve desired results. The following scenarios demonstrate how search optimization actions can guide visitors to appropriate content.

Search phrase does not match wording in content

Example: *basket* instead of *cart*. Help out by [adding a synonym](#).

Promote selected content

Use best bets to [promote selected pages' content](#). Example: if a visitor searches for *Christmas cards*, a *Christmas special offer* appears at the top of the search results.

Visitors are not clicking search result links

Low-click frequency may not be a problem—it can indicate that search results provide adequate information. But it also may indicate that the information is not attractive enough. [Work with the content](#) to ensure that an appropriate description appears in search results and SEO requirements are met. Or, [create a best bet](#) with a custom title and description.

No search results returned because the content is missing

Use search statistics to discover if needed content is missing from your website. This requires a strong understanding of the content. Create the missing content and ensure it appears in search results.

Content searched for is not on your website but visitors assume it is

If visitors frequently search for content on a related website, add a [connector](#) to index that site's content and merge it with your site's search results.

Returned results do not contain the search phrase

Add the search phrase to the content, or add [synonyms](#), which let site visitors retrieve content without knowing exact wording.

Relevant content is found but not displayed at the top

Work with the content to verify that SEO requirements are met. For example, make sure the page has a relevant title, correct and descriptive meta information, and an accurate modification date. Also, make sure the page has relevant keywords and search phrases. Use specific keywords instead of broad, widely-used terms. For example, **agile commerce** (instead of **commerce**) significantly narrows results.

See also general guidelines about optimizing content for search engines, such as Google's [Search Engine Optimization Starter Guide](#).




Analyzing search statistics

Episerver Find collects statistics from site visitor activity and displays them in the Statistics View, where you can analyze the activity.

Statistics are scarce for a new website, but as your site matures and captures more search behavior, you can analyze the information to optimize the search experience.

Note: You need [specific access rights](#) to access features in Episerver Find.



The Statistics view displays popular searches during a selected time period and reveals if matching content was found. You can filter search information by time interval, website, and language.

- **Most frequent searches.** Phrases searched for most often.
- **Searches without hits.** Phrases most often searched for *and* for which no results were found.



Tip: To improve the user experience for searches without hits, add [synonyms](#), [auto completes](#) and/or [related queries](#) to help users find relevant content.

- **Searches without relevant hits.** Searches that generated hits but had a low click-through rate. Phrases that are most frequently searched for *and* for which search results are clicked the least appear at the top.



Tip: To improve the user experience for searches without relevant hits, add [best bets](#) to promote a search result.

If you click a search phrase in a list, a new window appears, containing the following information.

- matching search results (when using **Most frequent searches** view)
- other searches performed by the visitor who submitted that search phrase

Search phrase 'plan' ×

0 most clicked search results matching 'plan'

Search result	Clicks
<i>No matching hits.</i>	

People who searched for 'plan' also searched for...




Search phrase	Number of searches
1 work	1
2 lang	1

Close

From Statistics view, you can select one or more search phrases and switch to the [optimization interface](#) to work with best bets, auto completes, related queries, or synonyms.

<input type="checkbox"/>	30 cooperation	1
<input checked="" type="checkbox"/>	31 communication	1
<input type="checkbox"/>	32 ceo	1
<input checked="" type="checkbox"/>	33 bears	1
<input type="checkbox"/>	34 "katt" äter möss	1
<input type="checkbox"/>	35 "katt äter möss"	1

Select one or more phrases in the list and click the desired search optimization method to work on these phrases.

 Create best bets  Create related queries  Create synonyms



Manually optimizing search results

Although Episerver Find automatically optimizes the search, you should monitor your site's search activities regularly to fine-tune performance and identify trends. At times, you may want to override system suggestions or promote specific content.

When you perform search optimization, work closely with stakeholders such as the website owner, marketers, content editors, and developers. Tasks depend on whether the site is new or mature because of the amount of statistics with which you have to work.

You can perform search optimization for multiple websites and different languages from the same user interface. To optimize search effectively, you must be familiar with your website content.

Note: You need [specific access rights](#) to access Episerver Find features.

The optimization view

To access Optimization View, from the toolbar, click **Find > Manage > Optimization**.

The screenshot shows the 'Optimization' view of a CMS. The top navigation bar includes 'For All Websites in All languages' and a 'Show Help' link. The main content area is divided into a sidebar and a main panel. The sidebar has a 'Statistics' tab and a 'View search statistics' section. The main panel has an 'Optimization' tab with a sub-tab 'Best Bets'. Below this, there's a form to create a 'Best Bet'. The form includes a 'Phrases' field, a 'Target content' section with 'Local' and 'External link' options, a 'Title' field, and a 'Description' field. There are also radio buttons for 'Display best bet in its own style' (selected) and 'Display best bet like search result'. At the bottom, there's a 'Best Bets' list with a search bar and 'Edit' and 'Delete' buttons.

Use Optimization View to manually optimize search. You can select search phrases in the **Statistics** view, and transfer them to Optimization View. Or, you can manually enter search phrases into Optimization View's **Phrases** field.

What to look for

- Frequently-searched phrases indicate "hot" topics, content that visitors assume is on your website.
- Search phrases without hits reveal content missing from your website or a need to [improve a content item's ranking](#) in search results.
- If visitors search for content that is related to but not stored on your website, consider [adding a connector](#) to index an external website.
- Search phrases with low click-through rates may indicate that the content description is insufficient, or that the title or description is not attractive enough. In the latter case, [create a best bet](#) with a custom title and description to promote the content.
- By clicking a search phrase in the list, you see other phrases that the same visitor searched for. For example, if someone searching for **project plans** also searched for **planning** and **tracking projects**, respond by adding missing content, or creating synonyms or best bets for these phrases.

Using the Statistics View data, try the following content optimization tasks.

- [Improve the content on your website](#)
- [Promote content using best bets](#)
- [Suggest related search phrases](#)
- [Add synonyms for similar phrases](#)
- [Create editorial autocomplete suggestions](#)



Promoting content using best bets

Episerver Find lets you promote content by adding *best bets*, search phrases that deliver selected Web content to the top of search results. Use best bets to provide answers to common questions, or to create sponsored links such as in an e-commerce site.

For example, if a search phrase has a low click-through rate, that might indicate that the content title or description is not compelling. Use a best bet to assign a custom title and description to promote that content. By customizing title and description, you optimize the site visitor's search experience.

A best bet's search phrase does not need to occur in the assigned content – you are simply mapping one or more phrases to an internal or external Web page, which appears above organic search results.

Customized title and description

Search result
Your search for *video conference* resulted in 16hits

Alloy Meet-conduct virtual meetings (0.74982923)
Alloy Meet teleconferencing software lets you conduct virtual meetings in “real time” where everyone is participating as the same time, often by teleconference or video conference.

Standard title and description

Search result
Your search for *alloy meet* resulted in 98hits

Alloy Meet (4.0621233)
Alloy Meet, online meeting and distance cooperation You've never had a meeting like this before! You've never had a meeting like this before! Participants from remote locations appear in your

You can style a best bet to distinguish it from organic results. For example, notify visitors that a link is sponsored.

Note: A developer needs to implement this feature in your website's styling.

You can define best bets for a [specific language and a specific website](#).

Examples of best bets

- You are running a Christmas campaign. When a visitor searches for **Christmas cards**, you want the **Christmas special offer** page to appear at the top of search results.
- Link search phrases to content that you believe visitors want. For example, for a contact information page, add a best bet with search phrases like **customer service**, **contact us**, and **opening hours**.
- You want a search phrase to return specific content. For example, if someone searches for **health insurance**, display the **health insurance card application form page** on top.
- You have a **Special offers** page, which appears in search results when searching for **offers**, but is rarely clicked. Create a best bet for the page and give it a title like **Unbelievable Deals**, while leaving the original content untouched.

Adding best bets

Note: Best bets are not enabled by default; developers need to enable them.

1. From edit view, select **Find > Manage**. The Statistics screen appears.
2. If one or more search terms that you want to promote via best bets appear in the **Search Phrase** list, select the ones you want, then **Create best bets**. You can modify the search terms on the Optimization screen.

Otherwise, select the **Optimization** screen > **Best Bets** and use the **Phrases** field to enter one or more search phrases.

A best bet phrase cannot contain these special characters: + - & | ! () { } [] ^ " ~ * ? : \ /

For All Websites in All languages Show Help

Optimization Apply search optimization features to finetune search on your websites, helping visitors find what they are looking for.

Best Bets Related Queries Synonyms Autocomplete

Use best bets to create a custom list of matching content for common search phrases. Best bets are presented at the beginning of the search results.

Phrases Separate multiple phrases with comma

Target content Local External link

Title

Description

Display best bet in its own style
 Display best bet like search result

Best Bets

Whitepaper
 Alloy Track Whitepaper Explore the opportunities that exist for keeping your projects on track. Making sure that

Note: The site visitor must enter all words in the search phrase *exactly* to retrieve the content. Stemming is not supported. If a best bet contains several search phrases, and any of them matches the site visitor's input, the best bet content appears at the top of search results.


- At the **Target Content** field, specify content to appear when a site visitor searches for any search phrase. To assign an Episerver page, image, video, or asset, select **Local** and navigate to it. To assign an external page, click **External link** and insert a URL with a protocol identifier, such as **https://**.
- If you selected an Episerver page, its title and description appear. Modify them as desired. For example, enter more compelling text to encourage a site visitor to click the result.

If you selected an external page, enter a relevant title and description.

Editing best bets

The bottom of the **Optimization** page displays current best bets.

1. Using the context menu, click **Edit**. The screen is populated with the current values.



2. Change as needed.
3. Click **Save best bet**.


Deleting best bets

Best bets typically have a limited life, so maintain them continuously to ensure that outdated promotions are removed.

1. Using the context menu, click **Delete**.
2. Confirm.

Effect of publication and expiration dates on best bets

Best bets respect content publication and expiration dates, and that information is presented on the **Best Bets** screen.




So, while you can apply a best bet to unpublished content, the best bet only affects search results if content is published. Also, if published content expires, a best bet no longer affects search results, although you can still see it on the Best Bets screen.



Best bets for catalog entries

If Episerver Commerce is installed on your website, you can promote content using the catalog content selector in best bets view. You can define best bets for products and variants and images in the catalog.





Adding related queries

Use related queries to create suggestions associated with a search phrase, guiding visitors to certain search patterns.

Start / Find

black bear

Search

Search result

Your search for *black bear* resulted in 8hits

People also searched for: polar bear brown bear bear

Episerver Find automatically generates suggestions from site visitors who also searched for the same phrase. You can manually add related queries that are not automatically generated because users are not entering those search terms. By manually adding related queries, you create desirable search patterns that are used as the website evolves. For example, on a travel website, to searches for *Spain*, add related queries for *Barcelona* and *Madrid*. Or, on an e-commerce site, to searches for *accessories*, add *handbags* and *shoes*.

Creating related queries

Note: You can apply a related query to a [specific website and a specific language](#).

1. From edit view, select **Find > Manage**. The Statistics screen appears.
2. If search terms that you want to use for related queries appear in the **Search Phrase** list, select them then **Create related queries**. You can modify the search terms on the Optimization screen.

Otherwise, select the **Optimization** screen > **Related Queries** and use the **Phrases** field to enter one or more related queries.

A phrase can have up to three words, and must consist of alphanumeric characters, dashes, ampersand, or apostrophe.

Use related queries to create search suggestions of the type "persons who searched for this also searched for...". Related queries work in one direction only.

Phrase

Suggestions

Separate multiple suggestions with comma.

[Add related query](#) [Cancel](#)

Related Queries

Phrase	^ Suggestions
bow woods	babboo
	hickory
	osage
	ash
	cedar
	black locust

Edit

Move Up

Move Down

Delete Phrase

Delete Suggestion

3. In the **Suggestions** field, enter related terms by which users might want to search. You can apply several phrases to the same query. For example, the search term *training* has *course* and *school* as related queries. A suggestion should not match a phrase.
4. Click **Add related query**.
5. To change the position of a suggestion, click the context menu then select **Move Up** or **Move Down**. The screen position affects the presentation order of the related queries.

black bear	brown bear
	polar bear
	bear
bow woods	babboo
	hickory
	osage

Edit

Move Up

Move Down

Delete Suggestion



Adding synonyms for similar phrases

Sometimes, site visitors enter a search term that does not occur in your content, even though your site has content of interest to them. To fix this problem, create a *synonym list*. If a site visitor searches for any term in the list, the search returns results for it and the synonym. For example:

- Phrases (terms not in your content but which site visitors submit while searching): *bill, payment, pay, fee*
- Synonym (occurs in your site content): *tuition*

If a site visitor enters *bill* into a search field that uses synonyms, the Synonyms feature adds OR *tuition* to the query. So, content containing *tuition* is returned even though it was not submitted as a search term.

The Synonym feature typically produces more hits. So, while site visitors do no more work, Episerver Find greatly increases their chances of finding the right information.

Examples

- You have a *Special offers* page. It appears in search results when searching for *offer*, but site visitors often enter *deal* when searching. Create a synonym list with phrase: *deal*; synonym: *offer*.
- Phrases: *iPhone, Nexus, Galaxy* (three 1-word phrases)
Synonym: *smart phone* (2-word synonym)
- Phrases: *email, telephone, people, twitter* (four 1-word phrases)
Synonym: *contact* (1-word synonym)

Unidirectional versus bidirectional synonyms

When creating a synonym list, you decide if it is unidirectional or bidirectional.

- **Unidirectional.** If a site visitor submits a phrase on the list, Episerver Find adds the synonym to the query. But, if a visitor submits the synonym, phrases on the list are not added to the query.
- **Bidirectional.** If a visitor submits the synonym or any term on the phrases list, the synonym and the term are added to the query.

On the Synonyms screen, an icon indicates a list's direction.

Synonyms	
Phrases	Synonym
adorable, lovely, nice	beautiful
amount, bill, charge, cost payment, price	tuition

Example

- If *recycling* is a *unidirectional* synonym to *dump*, you get hits for *recycling* when searching for *dump*, but you do not get hits for *dump* when searching for *recycling*.
- If *recycling* is a *bidirectional* synonym for *dump*, you get hits for *dump* when searching for *recycling*, and hits for *recycling* when searching for *dump*.

Keywords versus synonyms

The advantage of search keywords is that they are used by Episerver Find and external search engines (for example, Bing) to retrieve content on your site. However, you must add SEO keywords to each content item.

Synonyms apply to all site content, or content in the selected language, but are only used if someone uses the Find search on your site.

Adding synonyms

Note: Synonyms are usually language-specific but you can apply them [to all languages](#).

1. From edit view, select **Find > Manage**. The Statistics screen appears.
2. If search terms you want to use for synonyms appear in the **Search Phrase** list, click them, then select **Create synonyms**. You can modify the search terms on the Optimization screen.

Otherwise, select the **Optimization** screen > **Synonyms**.

For All Websites in All languages ? S

Optimization
 Apply search optimization features to finetune search on your websites, helping visitors find what they are looking for.

Best Bets
 Related Queries
 Synonyms
 Autocomplete

Search terms can be expanded with terms from this synonym list. If you search for "vegetables" and the synonym is "fruit", results for "fruit" will also be displayed. Note that changes to synonyms may take a few minutes before they are in effect.

Phrase

Synonym

Bidirectional

Add synonym
Cancel

Synonyms Q Search

Phrase	Synonym
biking,trekking,hiking,climbing,walking	outdoor
cat,dog,mouse,rat	pet
london	england
london	britain
madrid	spain

- In the **Phrases** field, enter one or more synonym phrases that do not occur in your site content but which site visitors might submit while searching. Each phrase can have up to three words. You can enter an unlimited number of phrases. To learn more about phrases and synonyms, see [Adding synonyms for similar phrases](#).

Warning: The search term must exactly match a phrase (stemming is not supported). For example, *vegetable* does not exactly match *vegetables*. As a work-around, enter two phrases: *vegetable* and *vegetables*.

- In the **Synonym** field, enter a term (up to three words) that exists in your website content. Episerver Find adds the synonym to the query when a site visitor enters any phrase in the list.

5. If you want the synonym list to be bidirectional, check the **Bidirectional** box. See also: [Unidirectional versus bidirectional synonyms](#).



Autocomplete

Autocomplete suggests search phrases as a site visitor types characters into a search field.

home	x	Search
<ul style="list-style-type: none">• Homewood Cottages• Homeplace Ranch• Home Care Apartments• Home Inn Xiamen Jimei University• Home Way Business Hotel		

The suggestion list becomes more precise as a user types more characters.

If a site visitor selects a suggestion, Episerver Find executes a query using that term. Autocomplete speeds up the search experience when it correctly predicts words being typed.

Sources of autocomplete suggestions

Episerver Find provides two sources of autocomplete suggestions.

- Manually entered, on the Find Optimization screen's **Autocomplete** tab.

The screenshot shows the 'Optimization' interface for 'All Websites' and 'All languages'. The 'Autocomplete' tab is selected. A text input field contains the word 'polish'. Below the input are 'Add autocomplete' and 'Cancel' buttons. A list of suggestions is shown below, including 'appearance', 'appear', 'poltava', and 'police'. A search bar is also visible.

For All Websites in All languages ? St

Optimization Apply search optimization features to finetune search on your websites, helping visitors find what they are looking for.

Best Bets Related Queries Synonyms **Autocomplete**

Autocompletes are words displayed as suggestions when visitors start typing in the search field. Here you can add your own autocompletes, which will always take precedence over autocompletes from the system.

Phrase

Autocomplete

Phrase
appearance
appear
poltava
police

- Automatically generated, based on previous searches that resulted in at least one hit.

Manually-added suggestions take precedence over system-generated ones. For example, if a search for *police* results in one user clicking a search result that uses *police*, Episerver Find makes *police* an autocomplete suggestion for *police*. But, if you manually add *police* as a suggestion, that term appears above *police* in the suggestion list.

Usage recommendations

- Base autocomplete suggestions on search keywords for targeted content. For example, if your website sells bicycles, add the following suggestions to appear when a site visitor types *ro*.

The screenshot shows a dropdown menu for the input 'ro'. The suggestions listed are 'road cycling', 'road shoes', and 'road bike'.

Phrase
road cycling
road shoes
road bike

- For a new website, manually add autocomplete suggestions for important words. Even if no previous searches for them were made, the suggestions direct site visitors to appropriate pages.

Adding, editing and deleting autocomplete phrases

You can define autocomplete suggestions for a [specific language and a specific website](#). To create a suggestion, follow these steps.

1. From edit view, select **Find > Manage > Optimization > Autocomplete**.
2. In the **Phrase** field, enter autocomplete suggestions (one at a time).

Note: The Autocomplete screen displays only suggestions that were manually added on this screen—it does not display suggestions based on previous, successful searches.

Use context menu options to edit or delete an autocomplete suggestion.

After you enter autocomplete suggestions, your developer must update website pages that host search controls to implement Autocomplete.

Changing the order of autocomplete phrases

The order of suggestions in the Autocomplete list determines their sequence in a search field's suggestion list.

The screenshot shows the 'Optimization' interface. At the top, there is a green header with the text 'Optimization' and 'Apply search optimization'. Below this is a 'Best Bets' section with a star icon and a 'More' icon. A text box labeled 'Phrase' is present. The main section is titled 'Autocomplete' and lists three suggestions: 'road shoes', 'road bike', and 'road cycling'. To the right, a magnified view of the search field shows the text 'ro|' with a dropdown menu containing the same three suggestions. A callout box points to the suggestions with the text 'Autocomplete suggestions below a search field'.

To change the order of suggestions, follow these steps:

1. Select the suggestion you want to move.
2. Drag it to the new position.
3. When you see a blue line below the new position, release the mouse button.

This screenshot shows the 'Autocomplete' section with a list of suggestions: 'road bike', 'road cycling', and 'road shoes'. The 'road shoes' suggestion is highlighted with a green bar, indicating it is being moved. A blue horizontal line is visible below the 'road cycling' suggestion, indicating the target position for the move.




Optimizing multiple sites and languages

Because search optimization is often language-specific, Episerver Find supports multiple languages and websites.

Filtering on websites and languages

At the top of the most Find screens, use drop-down lists to choose a website and a language analyzer to filter the screen information before performing actions, such as viewing statistics and fine tuning search optimization.




Find indexes

Find needs only one main index. Multiple websites often share a single index. If you add a website, Find adds new content to the existing index.

In addition to the main index, your Episerver Find administrator can set up any number of *language-specific* indexes to increase search precision by employing strategies like word stemming. When content in a language with its own index is saved, Episerver Find uses an *analyzer* to interpret and index the content. For example, the English analyzer uses word stemming to identify *fish* as the root word for *fishing* and *fisher*. So, if a user submits a search query that includes *fish*, *fishing*, or *fisher*, the search returns content with any word variation.

In contrast, if a search term matches content in the main index only, it must exactly match an indexed term to return search results; word variations are ignored.

Note: The number of supported language analyzers in Episerver Find is determined when your organization orders an index and multi-language index support from



Episerver. Your site administrator enables the analyzers during site setup.

How content from different languages appears in search results

If site visitors search a multi-language website, each language version of content appears separately in search results.

Language analyzers versus CMS content language

Your site administrator can enable one group of languages in Episerver CMS, and a different group of language analyzers in Episerver Find. This may confuse users because, while the language selector on Find screens might look like you are choosing content language, in reality, you are selecting a Find analyzer.

The Find language analyzer is used when working with search optimization. Your site content can exist in several languages - they do not all need a language analyzer. However, a search that uses an analyzer is smarter.


Find language analyzers are installed by a developer during implementation at a cost. Additional content languages can be added by a CMS administrator at any time and have no cost.

Examples of multiple websites and languages

The following examples illustrate search optimization with multiple websites and languages.

Enabling languages and optimizing search

You create a *Fall Fashion* page in the master language, in English (see image). Now, you want to enable Danish and Swedish on the website, and translate the page into those languages. You also want to apply search optimization techniques to promote the translated content. It is assumed that you enabled Swedish and Danish in the website's index.



- Translate the page into Swedish and Danish.
- Because you enabled Swedish and Danish in the index, the *Fall Fashion* page appears in results when searching for *tröjor* and *trøjer*, the Swedish and Danish words for *cardigans*, even though the page contains the singular form *cardigan* (*tröja* and *trøje*).
- Create a [best bet](#) for the *Fall Fashion* page to promote it when someone searches for *cardigans* or *jeans*. You do not have to create best bets for the Swedish and Danish versions — Episerver Find automatically displays the translated versions. If a best bet's content is not translated, Episerver Find displays the master language version as a fallback language.
- Add *jeans* as a one-way [synonym](#) for *trousers* in English. If a site visitor searches for *trousers*, the *Fall Fashion* page appears at the top of search results.

Note: Because it is a one-way synonym, a search for *jeans* does not return pages containing *trousers*.

- Create the corresponding language-specific synonym pair for *jeans* in Swedish (*byxor*) and Danish (*bukser*).
- Assume that the new *style* brand is replacing the old *XX* brand in the new collection. Add *style* as a synonym for *XX*, applying to *all languages*. Visitors searching for the *XX* brand also see results for the *style* brand, regardless of language.

Adding websites and optimizing search

This example continues the previous one by creating two new campaign websites with targeted content: one for fashion and one for traveling, in addition to the default website. All three websites share an index and have the same languages enabled.

The screenshot shows the Optimizely search optimization interface. At the top, there are filters for "All Websites" and "All languages". A dropdown menu is open under "All Websites", showing options: "All Websites", "Fall Fashion Campaign" (highlighted), "Fall Travel Campaign", and "Default Web Site". Below the filters, there are navigation buttons: "Best Bets", "Related Queries", "Synonyms", and "Autocomplete". The "Related Queries" section is active, displaying a form with "Phrase" (warm) and "Suggestions" (cardigan,sweater). Below the form are "Add related query" and "Cancel" buttons. At the bottom, there is a "Related Queries" section with a search bar and a table with columns "Phrase" and "Suggestions".

Phrase	Suggestions
juniper	bow woods

- Enable the desired languages in each new website, so editors can create and translate content in the sites.
- Because the campaign websites are new and have their own URL, the [statistics views](#) are empty until visitors generate traffic and queries.
- All websites share an index, so best bets, related queries, or autocomplete suggestions are already defined for the campaign websites.
- Similarly, any language-specific search optimization for all websites also applies to the campaign websites.
- By definition, synonyms apply to all websites. Synonyms can be language-specific, as explained the *style* brand example above.
- Because the campaign websites have different content (fashion and traveling), you can add website-specific [related queries](#). For example, on the travel website, searching for *warm* (English) might suggest tropical destinations, like Jamaica. Searching for *warm* on the fashion website might suggest *cardigans* or *sweaters*.

For **Fall Travel Campaign** in **English** Show Help

Optimizely
Apply search optimization on your websites, helping visitors find what they are looking for.

Best Bets **Related Queries** **Synonyms** **Autocomplete**

Use related queries to create search suggestions of the type "persons who searched for this also searched for...". Related queries work in one direction only.

Phrase:

Suggestions:

Separate multiple suggestions with comma.

Add related query **Cancel**

Related Queries

Phrase	Suggestions
Warm	thailand
	carribbean

- Add website-specific [autocomplete of search phrases](#). For example, if a visitor enters *car* on the fashion website, an autocomplete suggestion might be *cardigans*. On the travel website, the suggestion might be *car rental*.



Configuring Find

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

In admin view, a system administrator or developer can configure these search-specific tasks:

- [Boosting results through properties](#)
- [Clearing the index and reindexing](#)
- [Adding connectors](#)
- [Exploring the index](#)
- [Access rights](#)



Boosting results through properties

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

Episerver Find has default properties, such as **Title**, **Summary**, and **Content**, that are automatically mapped to corresponding content properties. Each property has a weight setting that affects search result rankings. You can adjust the weight settings, which is called *boosting*.

Boost weight settings if your site has specific and well-defined content types. For example, if your site hosts scientific articles whose summaries are generally well-written and of great importance, increase the **Summary** weight so it has a greater impact on search rank.

The screenshot shows the 'Boosting' configuration page in Episerver. At the top, there are filters for 'All Websites' and 'All languages'. Below that is a navigation bar with 'Tools', 'Boosting', 'Index', and 'Connectors'. The main content area has a heading: 'Use this view to change default weight value settings for content properties, in order to influence search results.'

Property	Weight
<input checked="" type="checkbox"/> Title	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Very high
<input checked="" type="checkbox"/> Content	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Very low
<input checked="" type="checkbox"/> Summary	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Medium
<input checked="" type="checkbox"/> Document content	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Medium

Buttons: Save, Cancel, [Reset to default values](#)

Preview the boosting effect
 Enter a search phrase, include best bets and/or synonyms, and compare the impact of different weight settings on the search result.

Search: All languages
 Include best bets Apply synonyms

Alloy Track Video
<http://dailyfind.ep.se/feature-hs-122-be-able-to-scroll-content-with-one/globalassets/alloy-track/alloy-track-video/alloytouch.mp4>

Video Preview
<http://dailyfind.ep.se/feature-hs-122-be-able-to-scroll-content-with-one/globalassets/alloy-track/alloy-track-video/preview.png>

Changing weight settings

- From edit view, select **Find > Configure > Boosting**. Default properties appear on the left of the screen.
 - Title**. Content title. For CMS content, it is typically the **Name** if not specified by the developer. For crawled content, it is the `<title>`-tag. For custom types, title is by default the **SearchTitle** property, if

not specified by the developer.

- **Content.** Web page content.
- **Summary.** The introduction, summary, abstract, or similar property type.
- **Document content.** The content of an asset, such as a PDF or Word document.

2. In the **Weight** column, click a box to change a property's weight.

3. Click **Save**.

Notes about changing weight settings

- To test the impact of property weight changes, click **Preview the boosting effect** from the right side of the Boosting screen.
- To revert the changes, click **Reset to default values** from the Boosting screen, under the list of properties.
- These settings affect search results for *all* content types and all languages on all websites in your implementation.



Clearing the index and reindexing

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

You can clear (that is, remove) the Episerver Find index and statistics. You typically do so during website development, after making extensive changes to content properties, or when reorganizing or removing content. You might also clear statistics after testing new functionality.

Tip: After you clear the index, re-index the website.

For All Websites in All languages Show Help

Tools Use the features here to configure search options and settings for your websites.

Boosting Index Connectors

Use this view to clear the content index and/or statistics for the website. This may be needed when extensive changes have been done to content structures and properties.

Clear content index

Clearing the content index will empty the index completely, after which the website needs to be [reindexed](#).

Clear index

Clear statistics

Clearing the statistics will remove all data, causing the statistics view to be empty.

Clear statistics

Clearing the index

When clearing the index, you remove all content from it, and have an option to clear statistics also.

Warning: Index clearing operations are permanent. You cannot reverse them.

1. From edit view, select **Find > Configure > Index**.
2. Click **Clear index**.
3. Re-index the website. See [Re-indexing the website](#).

Re-indexing the website

1. Log into CMS admin view.
2. Go to **Scheduled Jobs**.
3. Select the **Episerver Find Content Indexing** job.

You can start the job manually or on a schedule. See also: Scheduled jobs in the CMS Administrator User Guide.

Re-index your site under any of the following conditions:

- After you clear the index, because it is empty.
- If automatic indexing failed, or content must be reindexed for another reason.
- You changed content access rights, because automatic indexing does not detect those changes.

Removing statistics

1. From edit view, select **Find > Configure > Index**.
2. Click **Clear statistics**.

If you clear statistics, [statistics view](#) is empty until new statistics are collected.



Adding connectors



Note: This topic is intended for administrators and developers with administration access rights in Episerver.

A search connector lets Episerver Find search content outside your website, such as an external blog related to your website. The connector lets your site visitors find the blog posts among your site's search results.

While Episerver Find pushes content to the search engine instantly, a connector crawls external websites on a specified schedule.

For All Websites in All languages

Tools Use the features here to configure search options and settings for your websites.

Boosting
 Index
 Connectors

Add connectors to your website, helping visitors to find content that is related to but not actually on your website.

Name

Type Crawler

Start URL

Exclude media types

Advanced fine tuning of indexing (click to display)

Schedule No

Every day at
 Every Monday at

Local time is displayed. Note that you need to manually adjust the scheduling for daylight saving time.

Add connector
Cancel

Name	Type	Schedule	Status	Last indexed	Documents	
Article base	Crawler	No	Indexed	Jun 29, 5:13 PM	0	Start
EPiServer Knowledge Base	Crawler	Every Monday at 1:00 PM	Indexed	Yesterday 1:08 PM	859	Start
EPiServer Blogs	RSS/Atom	No				Start

Configuring connectors

To access the Connectors screen, from the top menu, select **Find > Configure > Connectors**. To view on-screen help, click **Show Help** in the top right corner. The following points supplement the on-screen help.

- By default, two connector types are available: **Crawler** and **RSS/Atom**. The connector type determines which configuration options appear below the **Type** drop-down list.
- If you choose **Crawler** type, you can fine-tune indexing by excluding media types such as style sheets, JavaScript, and XML files. See also: [Media Types](#). Find excludes the following media types from indexing by default.
 - text/css
 - text/ecmascript
 - text/javascript
 - application/ecmascript
 - application/javascript
 - application/x-javascript
 - application/x-pointplus








Click **Advanced fine tuning of indexing** to further limit indexing.

- Exclude query strings that are part of a link. For example, exclude crawling campaign tracking parameters (such as `utm_source`, used by Google Campaigns) to avoid unintentionally updating a campaign counter.
- Specify parts of a website to crawl but not index, or to not crawl at all. You may want to crawl but not index to index search *links* to other pages, but not the content on those pages.
- Specifying an indexing interval.
 - Although you set a schedule in local time, it is converted to coordinated universal time (UTC) so it occurs at the same time regardless of server location. However, you must manually adjust local time when needed, such as for daylight savings time.

Viewing connectors and indexing jobs

The connectors list (at the bottom of the screen) shows status and scheduling information for all indexing jobs.

- You can manually refresh a connector's indexing status. If completed, last completion time appears.
- You can edit or delete any connector from its context menu. For example, you can update its schedule.
- You can manually start and stop indexing jobs.

Name	Type	Schedule	 Status	Last indexed	Documents	 Start/stop job	 Context menu
Article base	Crawler	No	Indexed	Jun 29, 5:13 PM	0	 Start	
EPiServer Knowledge Base	Crawler	Every Monday at 1:00 PM	Indexing		9	 Stop	 Edit Delete
EPiServer Blogs	RSS/Atom	No				 Start	

Updating a crawler's start URL

If you edit a connector's **start URL**, the crawl removes from the index all items that were previously indexed under the old URL.



Exploring the index

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

Most Episerver Find features are built on the search index, which stores and provides quick access to data collected by the search engine. Without an index, the search would be much slower because each query would have to search through all site data.

Episerver Find pushes content to the search index as it is published, so updates occur in near real time. Depending on how the index is set up, it can contain information about all types of content, including various file types and community comments.

To view your search index, from edit view, select **Find > Overview**.

Reviewing the index overview screen

The index overview summarizes your search index at the current time. If your environment hosts multiple websites, the index is shared among them, and you can explore each site's index.

- The **Index** section displays the index name and .NET API version number.
- The **Document Types** section displays the total number of indexed objects, and the number of objects of each type. While most objects are page types, Episerver Find also indexes other website objects.
- The **CMS Content** section summarizes each site's indexed content. The screen displays the total number of indexed objects for the entire structure and for each site. You can also see the distribution per page type and languages for each site.

Note: A language version of a page is treated as a separate object in the index.

Reviewing the Explore screen

The Explore screen displays index details, such as when a page was last indexed. Episerver Find lists the total indexed content, and you can filter by content type. You can also search for indexed content using query syntax.

Click an item to see its details. For example, you can view when an object was indexed, its IDs, and the indexed content, which is useful when you set up and fine tune the index.

For All Websites in All languages
? Sho

Explore View your index to see what has been indexed and when, and analyze the index details for a specific object.

Name	Type
> Top Collaboration Technology	ArticlePage
> Trek Selects Alloy Plan	ArticlePage
> Todd Slayton	ContactPage
v Management	StandardPage

```

{
  "SearchSubsection$$string": "Start",
  "GetTimestamp$$date": "2015-06-29T15:57:57.1320167Z",
  "IsPendingPublish$$bool": false,
  "ContentLink": {
    "IsExternalProvider$$bool": false,
    "WorkID$$number": 0,
    "ID$$number": 35,
    "$type": "EPiServer.Find.Cms.IndexableContentReference, EPiServer.F
ind.Cms",
    "__types": [

```

Filter by Type

StandardPage	42
ImageFile	41
ContentAssetFolder	36
ContentFolder	22
PageListBlock	16
FormBlock	15
ContactPage	10
ArticlePage	10
TeaserBlock	10
ContainerPage	8
ProductPage	7
LandingPage	6
NewsPage	4
JumbotronBlock	4
EditorialBlock	4

© Episerver 2019



Access rights

Note: This topic is intended for administrators and developers with administration access rights in Episerver.

Episerver Find's access rights feature lets site administrators control which users can access components of the Episerver platform.

To access Episerver Find features, a user must be a member of one of these groups:

- **Administrators, WebAdmins, and SearchAdmins** can access the Episerver edit view, Episerver Find search features, and access to the [Clear Indexes screen](#).
- **SearchEditors** can access the Episerver edit view and the Episerver Find search features. They cannot access the Clear Indexes screen.

Because most users are not members of Administrators or WebAdmins, they must have membership in *both* SearchAdmins and SearchEditors to access Episerver Find features in admin view.

Note: The membership and role providers available for your website need to be configured to use the built-in groups and roles in Episerver. This is typically done during site setup.

See [Managing permissions](#) for information about managing access rights for other parts of the Episerver platform.

Index

A

access rights
find 58
autocomplete 38

B

best bets 26
adding 28
deleting 30
editing 29
boosting property weights,
Find 49

C

catalog entries
best bets 31
connectors
Find 53

F

Find
access rights 58
autocomplete 38
boosting results 49
connectors
adding 53
index
clearing 51
overview 56

optimization 17

best bets 26
manual 24
multiple languages 42
multiple sites 42

optimizing search 19

overview 14
related queries 33

results
boosting 49
search statistics 21
statistics
clearing 52
synonyms 35
weighting results 49

I

index
Find, reindexing 51

O

optimizing search 19

Q

queries, related
Find 33

R

related queries
find 33

S

search
optimization 17
statistics 21
SEO 17
statistics
Find, clearing 52
search, view 21
suggestions, search 38
synonyms
using with Find 35

Episerver Digital Experience Cloud

The Episerver Digital Experience Cloud™ unifies digital content, commerce and marketing in one platform, including omnichannel solutions for intelligent campaigns. The platform uses artificial intelligence and behavioral analytics to deliver personalized experiences everywhere. With our secure, reliable platform you can quickly increase engagement, revenue and productivity, while getting the fastest time to value.

About Episerver

At Episerver, we believe digital transformation is a journey. We have been guiding customers for more than 20 years in providing standout digital experiences. Today our network of 880 partners, in 30 countries, supports 8,000 customers and over 30,000 websites. Founded in 1994, Episerver has offices in the US, UK, Sweden, Australia, Germany, Denmark, Finland, Norway, Poland, the Netherlands, Spain, South Africa, Singapore, Vietnam and the UAE.

For more information, visit [episerver.com](https://www.episerver.com).

