



Episerver Reach

User Guide





© EpiServer 2019

EpiServer Reach User Guide

Release date 2019-09-05

Table of contents

Mail	5
Accessing Mail	6
Setting up a Mail campaign	8
Styling the product information image	8
Configuring recommendation strategies	11
Personalized and Merchandised recommendation strategies	14
Filtering strategy results using Expressions and Hints	15
Previewing and generating the recommendations code	19
Generating the HTML code to add to your template	19
Previewing your campaign	22
Mail Strategies	24
Example Mail campaigns	28
BAU newsletter	28
Welcome email	28
Abandoned basket	28
Order update/cross sell	29
Other campaigns and high-level strategy suggestions	29
Creating a product set	32



This topic shows how to create and configure Mail recommendations widgets and generate the HTML links to insert into your Mail campaigns. Mail enriches a campaign by adding personalized product suggestions to the email template. Also, marketers can construct the entire email around personalized product suggestions for the ultimate I-to-I email communication. Mail dramatically increases click-through-rates and engagement to drive more revenue through the email channel.

Each Mail recipient gets dynamically generated, personalized product recommendations that are based on individual browsing behavior of the visitor on your website. So, each recipient gets personalized product suggestions that are relevant to the individual.

Use Mail in any type of email campaign: in marketing campaigns, and in transactional and automated triggered emails such as abandoned basket, welcome messages, order confirmation, order dispatched messages, and so on.

Configuring Mail is simple with numerous options for strategy, filter, and fine-tuning. The Mail tool is completely ESP-agnostic and there is no complex integration required.

Episerver tracking and Mail assign a unique Customer User ID (CUID) to any device the visitor is using to connect to your website. When a visitor identifies him- or herself on the site—by logging in, placing an order, or otherwise providing an email address, or by clicking a Mail product recommendation in an email they received – Episerver automatically converts the CUID into a KUID (Known User ID), linking behavior tracked on the device to the user's email address. This enables instant delivery of product suggestions according to specified strategies, and the visitor's behavior.

If a visitor connects on another device, Episerver automatically connects the different CUIDs to a single KUID associated with that email address. In this way, personalization works consistently across the devices with which a visitor engages.

Mail product recommendations are delivered at the point of opening the email as two images:


- The actual product image from your own image library.
- The product information image, which shows text, such as the product title and price.

Just add Episerver HTML links to your campaign that generate the images within the campaign.

Accessing Mail

You can access Mail through the Episerver for the Personalization Portal.







1. Log in to the for the Personalization Portal with your credentials. If you do not have your login details, contact developersupport@episerver.com.

The image shows a login form for the Episerver Personalization Portal. At the top center is a red logo consisting of the letters 'epi' in a stylized, lowercase font. Below the logo is a light gray rectangular box containing the login fields. The 'Email:' label is followed by a text input field containing 'user@site.com'. The 'Password:' label is followed by a password input field with a yellow background and black dots. Below the password field are two links: 'Forgot password?' in blue and 'Remember me:' in gray, followed by a green toggle switch labeled 'Yes'. At the bottom right of the form is a blue button with a white key icon and the text 'Login'. The background of the entire page is light gray with a subtle pattern of white geometric shapes like circles and lines.

2. Click the **Mail** tab in the navigation bar. In the Mail interface, you can create new campaigns, and view or edit the Mail campaigns that you have already set up.

© 2017 Episerver

© 2017 Episerver

- **Edit.** Click **Edit**  or a campaign name to open the configuration page for that campaign.
- **Status.** Click **Activate it**  to switch on a campaign or **Pause it**  to switch off a campaign.
- **Delete.** Click **Delete**  to delete a campaign. A confirmation box appears.
- **Copy.** Click **Copy**  to create a duplicate of an existing campaign. Then click **Edit**  for the new campaign to make changes to it.

Setting up a Mail campaign

To create a new Mail campaign, you can either click **Create a new campaign** from the Mail overview screen, or select the **Mail > New campaign** tab. The campaign editing screen appears. There are three main steps in the set-up process:

- [Styling the product information image](#)
- [Configuring recommendation strategies](#)
- [Previewing and generating the recommendations code](#)

Styling the product information image

The **Style editor** step lets you configure the way the product information image appears for email recommendations. Your modifications are displayed in the Preview section.

- **Campaign.** The name of your Mail campaign.
- **Image.** Modify the dimensions (number of pixels) and background color (hexadecimal values) of the product information image.

Note: The size of the actual product image will not change because that image is delivered with the same size as it is provided from your system to Episerver in the product catalog feed.

- The **Text styles** section defines the font attributes:

- **Title.** Modify the font attributes and alignment of the product title.
- **Price.** Modify the font attributes and alignment of the product price.

Configure your Mail campaign [Create a new campaign](#)

[Style editor](#) > [Configuration](#) > [HTML and preview](#)

Campaign
Example 1

Product information image [Show advanced settings](#)

Image
Width: 100 px
Height: 60 px
Colour: #ffff00

Text styles
Title
Colour: #0000ff
Font: Arial
Style: Bold
Size: 12 px
Align: Left

Price
Colour: #00ff00
Font: Arial
Style: Bold
Size: 18 px
Align: Center

Preview

Product title: My test product
Product price: 5.00

My test product
£ 5.00

Each recommendation is composed of two images:
1. The image of the recommended product.
2. The image of all the text that accompanies the recommended product, i.e. the product title, the product price, a discount and so on.


This page allows you to define the style of the accompanying text. Click [Show advanced settings](#) to show the HTML/CSS code. In this advanced mode you will be able to edit the HTML/CSS to style the accompanying product text. The preview pane reflects your changes, so feel free to play around with the available options before saving.

[Save campaign](#) [Cancel](#)

© 2017 Episerver

Click **Show advanced settings** to edit HTML and CSS for the image. You can edit other elements, such as displaying *Was prices* or product ratings. The product information image is rendered in a similar way that a browser does, so you can use standard HTML and CSS.

Click **Need help?** for information about the syntax of variables and logical operations.



Select the **Configuration** step next.

Configuring recommendation strategies

In the **Configuration** step, specify how many products you want to appear in the Mail campaign, specify localization settings, add third-party tracking code, and configure the recommendation strategies.

1. Set the number of products you want to display in the campaign in the **Number of products** field.
2. If your site is multi-lingual and is being tracked under a single account in the Episerver for the Personalization Portal, select the appropriate locale for the Mail campaign. The **Locale** field refers to the language to be used in the text of the product recommendations.
3. If you want to add third-party analytics code to the product recommendations to track their performance in tools such as Google Analytics, Coremetrics, Omniture and so on, add the tracking parameter generated by your preferred analytics tool in the **Tracking code** field.

The screenshot shows the Episerver Reach user interface for configuring a mail campaign. The top navigation bar includes 'Reports', 'Merchandising', 'Mail' (selected), 'Triggers', and 'Promote'. Below this, a secondary navigation bar has 'Campaigns', 'New campaign' (selected), 'Product sets', and 'Customise email attributes'. The main content area is titled 'Configure your Mail campaign' and includes a 'Create a new campaign' button. The 'Configuration' tab is active, showing two sections: 'Widget setup' and 'Tracking'. In the 'Widget setup' section, the 'Number of products' is set to 3, 'Locale' is set to 'en-gb', and 'No repeat (in days)' is set to 0. In the 'Tracking' section, there is a text input field for 'Tracking code' and a checkbox for 'Use top-ups?'.

4. In **No repeat (in days)**, set the number of consecutive days that recommendations are not repeated in multiple emails for the same campaign. For example, if you sent a *Daily Deals* type of email and you want to ensure that the recommendations are different, you can select *No repeat in 3 days*. This ensures that if the same user sees the same campaign multiple times in 3 days, the user will see different recommendations.

The visual editor displays the number of positions you chose to set up.

In each of the positions, you can choose one or more different strategies available. The strategies in each position are independent of each other. So, you can apply a different strategy or combination of strategies to each position.

Click a Strategy field and scroll through the drop-down list. (You can start typing in the name of a strategy to filter the list.) When you find the strategy you want, click its name to add it to the product position.

The screenshot shows a campaign setup interface with three product positions: Product 1, Product 2, and Product 3. Each position has a 'Strategy' tab, an 'Expression' tab, and a 'Hints' tab. Product 1's 'Strategy' tab is active, showing a list of strategies: 'Abandoned basket products' (selected), 'Best sellers by conversion (last 90 days)', 'Best sellers by revenue (last 30 days)', 'Best sellers by revenue per product view (last 90 days)', 'Best sellers by units (last 7 days)', and 'Best trending (last 30 days)'. Product 2 and Product 3 have the same 'Abandoned basket products' strategy selected. At the bottom right, there are 'Save campaign' and 'Cancel' buttons.

You can stack strategies for each position, one after the other, so that the system finds products that match the first strategy in the top line first. If that strategy returns no products, the next strategy in the stack is tried, and so on, until the position is filled. For example, a strategy stack might look like this:

The screenshot shows a close-up of the 'Product 1' setup. The 'Strategy' tab is active, and a list of strategies is shown: 'Abandoned basket products', 'Recently viewed products', 'New products (last 14 days)', and 'Best sellers by units (last 7 days)'. Below this list is a 'Please click here to select' link. Underneath, there is a 'Fallback product set' section with a text input field containing 'Holiday sale'.

In this example, Episerver searches for products that were abandoned by the user (based on the email address of the recipient, having browsed or purchased on the site using the same email address). If no product was found, Episerver uses the second strategy line to find recently viewed products. If it does not find any recently viewed products, it finds new products (recently added to the site) from the past 14 days, and so on, until a matching product is found. See [Creating a product set](#) for information about product sets.

Note: The example strategy also has a fallback product set specified.

- **Reorder the stack of strategies.** Drag and drop a strategy up or down in the list.
- **Reorder product positions.** Grab the button in the top left and drag it to the desired order.
- **Duplicate.** Click Duplicate to copy the same strategy stack in another product position.
- **Delete.** Click X in the top right corner.

To ensure that there is never a blank position in the Mail campaign, you can do either of the following actions:

- **Fallback product set.** Select a product set from a list of pre-selected products that can appear in the recommendations if none of the strategies return a result.

Fallback product sets and top-ups will not follow hints or expressions applied to the product position.

- **Use top-ups** check box. Ensures that the system displays a best seller from the last 7 days, if none of the strategies in the stack return a result.

Personalized and Merchandised recommendation strategies

You can use over 30 different [strategies](#) in Mail, singularly or in combination.

- **Personalized strategies.** Depend on the association of personal web behavior to an individual email address. For example, *recently viewed* and *abandoned basket* are linked to actions that an visitor has completed on the website.
- **Merchandised strategies.** Relate specifically and only to products. For example, *best sellers*, *best trending*, and *new products* do not depend on whether the email recipient saw the products.

The following table shows example personalized and merchandised strategies.

Personalized	Merchandised
Abandoned basket products	Best trending (last 30 days)
Cross-sells from previous purchases and views	Best sellers by units (last 7 days)

Personalized	Merchandised
Newly discounted products from viewing history	Best sellers by revenue (last 30 days)
Popular co-purchased products	New products (last 7/14/30 days)
Recently viewed products	

You should adopt a combination of personalized and merchandised strategies to ensure that emails are optimized to generate the best sales returns.

There is no single best answer for which stack of strategies generates the most engagement because this varies on a client-by-client basis. The nature of what is being sold or offered on a site also is an important consideration because this has a direct bearing on which strategies it is best to deploy. For example, a fashion site will have completely different buying behavior to a site that sells building supplies. A fashion site retailer may want to focus strategies on as much personalization as possible, while a building supplies retailer may want to focus more on the merchandised strategies available that are devised based on the crowd behavior captured. Over time, more emails are personalized as Episerver associates web behavior to further email addresses.

To see a full list of strategies, expressions, and hints, click **Help**  in any product position to open the Help section.



Filtering strategy results using Expressions and Hints

To narrow and restrict the recommended products in your Mail campaigns, add rules in the Expression and Hints sections for each product position. These rules work in conjunction with the configured recommendation strategies by filtering the strategy output using the specified parameters.

- **Expressions.** Explicit rules that the recommended products must match to appear to the email recipient. Expressions ensure that certain product attributes are included in the selection. For example, if you were to use the *Recently viewed* strategy, you could specify an expression to show only those products that were

recently viewed and are from a specific brand or category you want to push. To use a certain product attribute in Expressions, pass the attribute and value to Episerver in the product catalog feeds imported for your site.

- **Hints.** While expressions let you filter by a specific product attribute and its value, and are configured for each product position individually, use **Hints** as a broader rule to take into account what other products are recommended in the same campaign. For example, if you use the *Recently viewed* strategy, you may want to exclude items that were previously purchased (*recent purchase*), or show products from the same category. You can do this with a hint (but not with an expression because *recent purchase* is not a product attribute provided in product catalog feeds).


Adding an expression

To add an **Expression** to an individual product position:

1. Select the **Expression** tab for the desired position.

The screenshot shows the 'Product 1' configuration window. At the top, there are three tabs: 'Strategy', 'Expression', and 'Hints'. The 'Expression' tab is selected. Below the tabs, there is a rule builder interface. It features a dropdown menu with 'Colour' selected, followed by a comparison operator dropdown with 'equals to' selected, and a text input field containing 'red'. To the right of the text input are two buttons: a red minus button and a blue plus button. Further right is a blue button labeled 'Add group'. Above the rule builder, there is a 'Toggle advanced' link and a question mark icon. In the top right corner of the window, there are 'Duplicate' and 'x' buttons.

2. Open the first drop-down menu and select the attribute (such as *color*) that you want in the rule (based on the product catalog feed, plus a few attributes Episerver created by default). If you do not see the attribute that you want, you can add it to your product catalog feed.




3. Select the condition you want in your rule.

- For attributes that have a text value, such as *Color* or *Brand*, select **equals to** or **NOT equals to**.
- For attributes with a numeric value, such as *Sale price* or *Unit price*, you also can use comparison operators like **greater than** or **less than**.

4. In the text field on the right, enter the value of the attribute that is evaluated in this rule. You can start typing in the box to filter the results.

Note: Most attributes have a drop-down list with possible values when you select the text field. For numeric values (such as prices) you will not see a pre-populated list and you will need to enter the value manually.




5. You can add multiple rules for the same position by clicking **Add group** or plus **+**. When using multiple rules, you can choose to apply one or more of them to the product position, by setting the **AND** or **OR** operator.

To remove a rule, click minus **-** next to it.

Adding a hint

To add a **Hint** to an individual product position:

1. Select the **Hints** tab for the desired position.
2. In the drop-down menus select the hint you want to apply. You can apply up to two hints for each product.



You can use Hints and Expressions in combination, but be aware that the more you add, the more you restrict the range of products from which to choose to generate useful recommendations.

When you have configured the products in the campaign, click **Save campaign**.

Select the **HTML and preview** step next.


Previewing and generating the recommendations code

The **HTML and preview** step lets you generate the code that is added to your email template, and lets you preview the output of the mail recommendations widget.


Generating the HTML code to add to your template

1. Select your ESP (email service provider) from the drop-down list to populate the fields for the **Variables**. If you do not see your ESP, select **Custom** and manually insert your ESP email variable in the **Email address** variable field.

This information is available from your ESP, so contact your ESP account manager or support team, if you are unsure what the correct variable is. (Depending on your client setup, you may see additional fields for other variables; for example, if you have Triggers and used a trigger strategy in your Mail campaign, a **Trigger fire ID** variable field will be present.)



Note: The **Email address** variable is required to let Episerver identify the user by their email to serve personalized recommendations that are specific to the user. Upon sending an email, your ESP populates the variable in the link with the recipient's email address. If the variable is not present or is incorrect, Episerver is not informed of the user's email address, and therefore cannot personalize the recommendations.



2. After the variable is populated, click **Generate code**. The generated HTML code appears.

The screenshot shows the Episerver Mail campaign configuration interface. The top navigation bar includes links for Reports, Merchandising, Mail, Triggers, and Promote. The main header shows 'Configure your Mail campaign' with a 'Create a new campaign' button. Below this, there are tabs for Style editor, Configuration, and HTML and preview. The 'HTML and preview' tab is active, displaying the 'Generate HTML code' section. This section includes a dropdown for 'Email service provider' set to 'Optivo'. Below this, there are input fields for 'Email address' and 'Trigger fire ID', both containing placeholder variables: '{recipientid}' and '{externaltriggerid}' respectively. A large text area displays the generated HTML code, which includes two recommendation blocks. Each block contains a link and an image, with attributes like href, src, alt, and title. The code is wrapped in comments indicating it's for recommendation #1 and #2. Below the code area is a 'Generate code' button. At the bottom, there's a 'Preview or send a test email' section with an input field for an email address (currently 'you@yourcompany.com') and buttons for 'Preview email' and 'Send test email'. The footer shows '© 2017 Episerver'.

epi Reports Merchandising Mail Triggers Promote Account

Campaigns New campaign Product sets Customise email attributes

Configure your Mail campaign Create a new campaign

Style editor Configuration HTML and preview

Generate HTML code

Email service provider: Optivo

Variables

Email address: {recipientid} Trigger fire ID: {externaltriggerid}

```
<!-- RECOMMENDATION #1 -->
<!-- recommendation link and image for recommendation #1 -->
<a href="https://abcde.episerver.net/link.page?e={recipientid}&site=clientsite&wid=a1b2c3d4f5&rno=0&triggerFireId={externaltriggerid}"></a>
<!-- product information link and image for recommendation #1 -->
<a href="https://abcde.episerver.net/link.page?e={recipientid}&site=clientsite&wid=a1b2c3d4f5&rno=0&triggerFireId={externaltriggerid}"></a>

<!-- RECOMMENDATION #2 -->
<!-- recommendation link and image for recommendation #2 -->
<a href="https://abcde.episerver.net/link.page?e={recipientid}&site=clientsite&wid=a1b2c3d4f5&rno=1&triggerFireId={externaltriggerid}"></a>
<!-- product information link and image for recommendation #2 -->
<a href="https://abcde.episerver.net/link.page?e={recipientid}&site=clientsite&wid=a1b2c3d4f5&rno=1&triggerFireId={externaltriggerid}"></a>
```

Generate code

Preview or send a test email

you@yourcompany.com

Preview email Send test email

Save campaign Cancel

© 2017 Episerver

3. Copy and paste the HTML code into your email template to retrieve recommendations.


The generated HTML code is annotated to clearly show the links for each product recommendation. Each recommendation consists of two images (the product image and the product information image), and each of these is commented so you have the flexibility to use the images in the way you want to best fit your template design.

The generated code does not include any other formatting. You can add HTML and CSS in your template to style the recommendations, such as adding them to a table or resizing the product images.

Previewing your campaign



To preview the output of the configuration you have set up, you can choose one of the following options:

Preview or send a test email




 **Preview email**

- Preview the email recommendations within the for the Personalization Portal (showing recommendations below the **Preview email** button).

Preview or send a test email

 **Preview email**  **Send test email**

Hello,
This is an example of what the Episerver recommendations widget will look like in an email.

 <p>Valencia Bed Linen Collection £ 15.00</p>	 <p>Savoy Bed Linen Collection £ 25.00</p>	 <p>Wired Gold Ribbon – 5m £ 6.00</p>
---	--	---


[Detailed information](#)

[Save campaign](#) [Cancel](#)

- Send a test email to your email address to view the recommendations within a basic email template. You must enter your email address in the field above the **Send test email** button beforehand.

When you preview the recommendations in for the Personalization Portal, a sample output appears for the email address you entered. You can try out different email addresses to see how the recommendations may look for different users.

You can view information about the recommended products in the preview. Click **Detailed information** below the recommendations to open a new browser tab or window; detailed information appears for each recommended product, and the strategy that generated the recommendation.

Widget : Campaign	
Recommendations	
refCode: RECAP	
createdDate	Sun Jan 22 04:12:06 GMT 2017
Title	Bed Linen Collection
Categories	Sale>Bedroom , Offers>Bedroom , Bedroom>Pillowcases
Attributes	pricerange = cheap agegroup = senior type = bedroom discount = true type = sale recommendmaster = n type = offers fabric = cotton linen twctype = pillowcase ismaster = n browsable = y detail = linen border emailrecommend = n width = 19.5 height = 0.7 length = 27 weight = 0.24 collectplus = y masters = -bed-linen-collection pcat = -bed-linen-collection/p originalurl = http://-bed-linen-collection stockavailable = 1000.0 defaultcategory = bedroom>pillowcases
Prices	sale: 15.0 GBP unit: 25.0 GBP
GeneratioStrategy	Best trending (last 30 days)
Algorithm	EmergingProduct
Image	
Debug	1 : trying at position 0 (-) 2 : applies for hint : sale-product : (sale-product) 3 : Applies for filter (HintsFilter) 4 : Applies for filter (MinStockFilter(minStock=1)) 5 : Applies for filter (ExclusionsFilter) 6 : Applies for filter (DuplicationFilter) 7 : apply for expression ((-bed-linen-collection) r.category<=>'Clothing>Swimwear')) 8 : Applies for filter (ExpressionFilter) 9 : Applies for filter (MinStockForVariantFilter(minStock=1))

Mail Strategies

The following table shows Mail strategies.

Strategy	Description
Abandoned basket products	Shows products that were added to the basket but not purchased. Only baskets abandoned within the last 90 days and products currently available are considered.
Best sellers by conversion (last 90 days)	Show best sellers based on conversion rate from the last 90 days, and the categories that the customer viewed.
Best sellers by revenue (last 30 days)	Show products that generated the most revenue on site in the last 30 days. This strategy also takes categories into account; that is, it gives bias to products that sold well, and are in the same category with which the customer has most interacted.
Best sellers by revenue per product view (last 90 days)	Show products that generated the most revenue per numbers of views in the last 90 days. This strategy also takes categories into account; that is, it gives bias to products that sold well, and are in the same category with which the customer has most interacted.
Best sellers by units (last 7 days)	Show best sellers based on number of products sold in the last 7 days.
Best trending (last 30 days)	Show products that are gaining popularity; that is, whose unit sales are growing the most in the last 30 days.
Best trending based on previous purchases and views	Show products that are gaining popularity; that is, whose unit sales are growing the most, based on the customer's previously viewed products and purchase history.
Co-purchased products based on	Show products that other customers also ordered when purchasing the same product as the customer, and that are in any category from which the customer has purchased.

Strategy	Description
previous purchases	
Co-purchased products based on wishlist	Show products bought together with products the customer has in their wish list.
Co-viewed products based on wishlist	Show products viewed together with products the customer has in their wish list.
Cross-sells from previous purchases and views	Show products bought together with products the customer bought and viewed in the past.
New Products (last 7/14/30 days)	Show products recently added to the site (in the last 7, 14 or 30 days).
New products from purchased categories (last 120 days)	Show new products from categories from which the customer previously made a purchase (in the last 120 days).
Newly discounted products based on viewing history	Show recently discounted products related to products that the customer previously viewed.
Newly discounted products from viewing history	Show recently discounted products that the customer previously viewed.
Popular co-purchased products	Show popular items based on the customer's purchased products (biased towards the most recently bought product).

Strategy	Description
Popular products based on previous purchases and views	Show popular items from categories from which the customer recently made a purchase. If not enough are found from purchased categories, it shows popular products from categories that the customer recently viewed.
Popular products based on recent views	Show popular products based on the customer's recently viewed products.
Popular products from categories related to previous purchases	Show popular items from categories that are related to categories from which the customer made a purchase.
Popular products from co-purchased and purchased categories	Show products that other customers bought together with the same product as the customer, and are in the same or related category from which the customer made a purchase.
Popular products from co-purchased categories	Show products that other customers bought together with the same product as the customer, and are in a related category from which the customer made a purchase.
Products from daily trigger campaigns	Used only with Triggers. Show products from daily trigger campaigns, such as Targeted discounts, High product interest, Post purchase, Low-in-stock abandoned-basket.
Products from in-session trigger campaigns	Used only with Triggers. Show products from in-session trigger campaigns, such as Abandoned basket, Abandoned browse, Abandoned checkout.
Recently purchased products	Show products the customer purchased, the most recent first.

Strategy	Description
Recently viewed products	Show products the customer recently viewed.
Recommendations based on abandoned basket	Show related products based on the customer's abandoned basket items (biased towards the most recently abandoned product).
Recommendations based on the customer's popular views	Show popular products from categories that the customer browsed most.
Recommendations based on daily trigger campaigns	Used only with Triggers. Show related products based on the daily trigger used, such as Targeted discounts, High product interest, Post purchase, Low-in-stock abandoned-basket.
Recommendations based on in-session trigger campaigns	Used only with Triggers. Show related products based on the in-session trigger used, such as Abandoned basket, Abandoned browse, or Abandoned checkout for the current session.
Recommendations based on recent basket additions	Show popular items based on products the customer added to basket.
Recommendations based on specified product refCodes	Show recommendations based on what other customers purchased or viewed with the specified products. To use this strategy, a client needs to fill the value of the refCode variable in Mail recommendations links with product refCodes (for example, from a customer's order) and then the recommendations returned are based on those refCodes.
Recommendations from the category specified in Hints	Show products from a particular category, which needs to be specified in the Hints section using the hint category.

Example Mail campaigns

The following section lists examples of Mail strategy stacks to use in various types of email campaigns.

BAU newsletter

Selection of personalized products for use in BAU (business as usual) newsletters:

- Abandoned basket products
- Recently viewed products
- Recommendations based on abandoned basket
- Popular products based on recent views
- Cross-sells from previous purchases and views
- Popular products based on previous purchases and views
- Best sellers by conversion (last 90 days)
- Other merchandising strategies or Fallback product set

Welcome email

Selection of personalized products for use in Welcome emails:

- Cross-sells from previous purchases and views
- Popular products based on previous purchases and views
- Recently viewed products
- Newly discounted products from viewing history
- Abandoned basket products
- Recommendations based on abandoned basket
- Best sellers by revenue per product view (last 90 days)
- Other merchandising strategies or Fallback product set

Abandoned basket

Selection of personalized recommended products for use in Abandoned Basket emails:

- Recommendations based on abandoned basket
- Cross-sells from previous purchases and views
- Popular co-purchased products
- Newly discounted products from viewing history
- Popular products from categories related to previous purchases
- Recently viewed products
- Best sellers by conversion (last 90 days)

Order update/cross sell

Selection of personalized products for use in order updates or cross-sell emails sent to users who have purchased on the site:

- Cross-sells from previous purchases and views
- Popular co-purchased products
- Newly discounted products from viewing history
- Popular products based on previous purchases and views
- Co-purchased products based on previous purchases
- Popular products from categories related to previous purchases

Other campaigns and high-level strategy suggestions

- **Marketing emails and newsletters**
 - **Weekly or monthly newsletters**

Show a selection of products to the customer based on the following strategies:

- Abandoned basket products
- Recently viewed products
- Recommendations based on abandoned basket
- Cross-sells from previous purchases and views
- Popular products based on previous purchases and views

If the customer is new to the site (that is, does not have enough behavior tracked by Episerver), the customer is presented with best trending items on the site and best sellers based on crowd behavior.

- **Announcement emails**

- **New arrivals.** Similar to the strategies above but boosting products recently added to the site (use the hint new-product).

- **Sale.**

- Presenting only items on sale
 - A selection of products that a customer viewed on the site and that since were discounted
 - Items on sale related to the customer's browsing and purchasing behavior
 - Abandoned basket products
 - Recommendations based on abandoned basket.

If the customer is new, the customer is presented with popular products on sale and best sellers on the site based on units, revenue, conversion and revenue per product view.

- **Events/competition emails**

Show a selection of popular products from the customer's favorite categories:

- Popular co-purchased products
 - Abandoned basket products
 - Recommendations based on abandoned basket
 - Best trending products in the customer's favorite categories

If the customer is new, the customer is presented with best sellers and new products on site.

- **Loyalty/reward newsletters**

- Cross-sells to previously viewed and purchased products
 - Popular items from favorite categories
 - Abandoned basket products
 - Recommendations based on abandoned basket
 - Recently viewed products
 - Best sellers in favorite categories

- Transactional and system emails

- Registration /account creation confirmation emails.

- Cross-sells to previously viewed and purchased products
- Popular items from viewed and purchased categories
- Recently viewed products
- Abandoned basket products
- Newly discounted products from viewing history
- Best trending products in favorite categories

If the customer is new, the customer is presented with a mix of Best trending and Best selling items.

- Order confirmation

- Cross-sells to the purchased items
- Popular co-purchased products
- Recommendations based on abandoned basket

- Order dispatched

- Cross-sells to the purchased items
- Popular co-purchased products
- Recommendations based on abandoned basket

- Abandoned basket/browse

- Recommendations based on the abandoned products.
- Customer's previous buying and viewing behavior.

Creating a product set

















You can group products that you want to promote or sell, and you can use product sets in expressions. To create a product set:

1. Select the **Product sets** tab.
2. Click **Create a product set**.

3. Enter a name for the product set, such as *Holiday Sale*.
4. Add products to a set in the following ways:
 - Type in the name or refCode of a product in the **Products** field. A list of results appear. Click a product to add it.
 - Type a space in the **Products** field and available products appear for you to select by clicking each product.
 - Drag and drop a comma-separated values (.csv) file (or click and select the file) in the **Upload a CSV file** space.

Note: A product set can contain up to 200 products.

- Click **Save product set**. Your new product set appears in the list, where you can edit, delete, and copy the sets.

Campaigns	New campaign	Product sets	Customise email attributes						
Manage your product sets				Create a product set					
Products in set	Image	Name of product set			Edit - Delete - Copy				
63582, 63681, 63364, 63365, 65644, 63366, 64555, 63883, 58693, 63601, 63865, 63788, 63602, 63866, 63603, 50972, 63593, 63594, 63650, 65411, 63497, 63871, 63378, 63774, 63775, 63710, 63776, 63336, 63777, 64108, 63515, 63636, 63638, 63709, 60022, 64060, 63292		Snow promo							
67333, 67047, 66496, 67662, 68206, 68205, 6786, 68336, 68435, 68590, 67274, 67054, 67273, 69153		Mens holiday campaign							
55555, 98798		Example promo							
68577, 69324, 68532, 68531, 68553, 68530, 6677, 66653, 68974, 68875, 68539, 68538, 69562, 68350, 68423, 68631, 69036, 67079, 68327, 69416, 67437, 68529, 69035, 69332, 67990, 69275		Womens Holiday campaign							

Episerver Digital Experience Cloud

The Episerver Digital Experience Cloud™ unifies digital content, commerce and marketing in one platform, including omnichannel solutions for intelligent campaigns. The platform uses artificial intelligence and behavioral analytics to deliver personalized experiences everywhere. With our secure, reliable platform you can quickly increase engagement, revenue and productivity, while getting the fastest time to value.

About Episerver

At Episerver, we believe digital transformation is a journey. We have been guiding customers for more than 20 years in providing standout digital experiences. Today our network of 880 partners, in 30 countries, supports 8,000 customers and over 30,000 websites. Founded in 1994, Episerver has offices in the US, UK, Sweden, Australia, Germany, Denmark, Finland, Norway, Poland, the Netherlands, Spain, South Africa, Singapore, Vietnam and the UAE.

For more information, visit [episerver.com](https://www.episerver.com).



www.episerver.com